



PROCEEDINGS & TRANSACTIONS

OF THE

CROYDON

NATURAL HISTORY AND SCIENTIFIC

SOCIETY.




FEBRUARY 16, 1904, to JANUARY 17, 1905.

CROYDON:

PRINTED FOR THE SOCIETY, BY WEST, NEWMAN AND CO., HATTON GARDEN, LONDON.

1905.



PROCEEDINGS

OF

THE CROYDON NATURAL HISTORY AND SCIENTIFIC SOCIETY.

1904-1905.

Thirty-fifth Annual Meeting,

Held at the Public Hall, Croydon, January 17th, 1905.

The President, F. Campbell-Bayard, LL.M., F.R. Met. Soc., in the chair.

The Council's Report and the Statement of Accounts for 1904 were read and approved.

The following gentlemen were elected Officers of the Society for the ensuing year:—

President.—W. F. STANLEY, F.G.S., F.R.A.S.

Vice-Presidents.—F. Campbell-Bayard, LL.M., F.R.Met.Soc.; Dr. H. Franklin Parsons, F.G.S.; W. Whitaker, F.R.S., F.G.S.

Hon. Curator.—N. F. Robarts, F.G.S.

Hon. Lanternist.—J. H. Baldock, F.C.S.

Hon. Librarian.—Alfred Roods.

Hon. Treasurer .- F. J. Townend, 11, Park Hill Rise.

Council.—R. W. Brant; J. Edmund Clark, B.A., B.Sc., F.G.S.; T. F. Clarke; H. T. Mennell, F.L.S.; Dr. T. A. Dukes, B.Sc.; Dr. H. C. Male; T. K. F. Page.

Hon. Secretary. — George W. Moore, 15, Dornton Road, South Croydon.

Anthropological and Archæological Committee.—T. F. CLARKE, Lurline, Blenheim Crescent; H. C. COLLYER, Breakhurst, Beddington; J. M. Hobson, M.D., B.Sc., Morland Road; A. J. Hogg, 43, Whitworth Road, South Norwood; E. Lovett, F.R.H.S., West Burton, Outram Road; A. Tarver (Secretary), 7, Stuart Road, Thornton Heath.

Botanical Committee.—J. Edmund Clark, B.A., B.Sc., F.G.S., Aysgarth, Riddlesdown Road, Purley; Miss Klaassen (Secretary), Aberfeldy, Campden Road; H. T. Mennell, F.L.S., Park Hill Rise; W. H. Morris, 1, Walpole Road; H. Franklin Parsons, M.D., F.G.S., Oakhyrst, Park Hill Rise; Mrs. Parsons, Oakhyrst, Park Hill Rise; C. E. Salmon, Clevelands, Wray Park, Reigate; E. Straker, 5, Park Lane Mansions.

Geological Committee.—W. BRUCE BANNERMAN, F.S.A., F.G.S., The Lindens, Sydenham Road; T. F. CLARKE (Secretary), Lurline, Blenheim Crescent; G. J. Hinde, Ph. D., F.R.S., F.G.S., Avondale Road; A. J. Hogg, 43, Whitworth Road, South Norwood; H. C. Male, M.D., Cromer Lodge, 74, Birdhurst Road; G. W. Moore, Bryndhurst, Dornton Road; T. K. F. Page, 9, Rosemount, Wallington; H. Franklin Parsons, M.D., F.G.S., Park Hill Rise; N. F. Robarts, F.G.S., 23, Oliver Grove, South Norwood; W. Whitaker, B.A., F.R.S., F.G.S., Freda, Campden Road.

Meteorological Committee. — F. Campbell-Bayard, LL.M., F.R. Met. Soc. (Secretary), Cotswold, Wallington; J. Edmund Clark, B.A., B.Sc., F.G.S., Aysgarth, Riddlesdown Road, Purley; Thos. Cushing, F.R.A.S., Chepstow Road; Baldwin Latham, M.I.C.E., Duppas House.

Microscopical Committee. — Rev. R. K. Corser, 57, Park Hill Road; T. A. Dukes, M.B., B.Sc., 16, Wellesley Road; D. E. Goddard, Eaglehurst, Wallington; Mrs. H. Hall, Colleendene, Addiscombe Grove; E. Lovett, F.R.H.S., West Burton, Outram Road; L. Reed, F.C.S., Hyrst Hof, South Park Hill; Miss C. Ward (Secretary), 42, Temple Road.

Museum Committee.—J. M. Hobson, M.D., B.Sc., Morland Road; L. Stanley Jast, Central Library, Town Hall; E. Lovett, F.R.H.S., West Burton, Outram Road; H. T. Mennell, F.L.S., Park Hill Rise; H. Franklin Parsons, M.D., F.G.S., Park Hill Rise; N. F. Robarts, F.G.S. (Secretary), 23, Oliver Grove, South Norwood; W. W. Topley, 46, Friends' Road; W. Whitaker, B.A., F.R.S., F.G.S., Freda, Campden Road.

Photographic Committee. — J. H. Baldock, F.C.S. (Lanternist), Overdale, St. Leonard's Road; H. D. Gower (Portfolio Secretary), 55, Benson Road; R. F. Grundy, 8, Havelock Road; A. Roods, 67, Thornhill Road; A. J. Weightman, Endsleigh, 11, Chepstow Road; J. M. Hobson, M.D., B.Sc., 1, Morland Road; E. A. Fella, 48, Parsons Mead; J. G. Lincoln (Secretary), 1, Bank Buildings.

Zoological Committee.—J. H. Baldock, F.C.S., Overdale, St. Leonard's Road; H. D. Gower, 55, Benson Road; Alfred Roods, 67, Thornhill Road; A. Tarver, 7, Stuart Road, Thornton Heath; P. B. Nash, 135, Melfort Road, Thornton Heath.

Council's Report, 1904.

The Council regrets to have to report that the number of our members has undergone a further reduction during the past year, and that against 201 at this time last year the number is now

190, i. e. 179 adult and 11 junior.

We have lost three members by death:—Mr. W. Tyndall, of Reigate, on January 13th last. Mr. R. McLachlan, whose name will be specially known to entomologists as one of the joint editors of the 'Entomologists' Monthly Magazine,' and by his contributions to the knowledge of the British Neuroptera. He had been a member of this Society since 1886, and died on May 23rd, 1904. Mr. W. C. Wissenden died December, 1904.

Thirty-one members have resigned, chiefly owing to their leaving the neighbourhood, and amongst them we sustain a great loss in Mr. W. Murton Holmes, to whom, on many occasions, we have been greatly indebted for papers. As botanist, geologist, microscopist, or zoologist he was equally ready, and frequently helped us at the ordinary meetings, as well as in sectional work. Fortunately, Mr. Holmes has not gone very far, and may attend occasional meetings. We have 20 new members—17 adult and 3 junior.

At the commencement of the year a special circular was drawn out for circulation to new-coming residents for the purpose of introducing the Society and its objects to their notice, and inviting membership. The issue of this will be continued.

The ordinary meetings have been well attended, and some very interesting papers read, including one on the Croydon Bourne Flows, by Mr. Baldwin Latham, F.G.S., M.I.C.E., which is one of the first detailed accounts of the Bourne, if not actually the first. It gave the statistics of the flow up to date, and being a matter of great interest at the time, the Council considered it should be published at once, and therefore availed itself of Mr. Baldwin Latham's kindness to obtain the paper for printing in the last number of the 'Transactions.' Mr. Latham issued copies of the paper at the meeting in May.

Mr. Campbell-Bayard presented a polariscope to the Society for use with the lantern, and our thanks are due to him for this valuable acquisition. The polariscope was exhibited at the

September meeting.

Several papers of local interest have been read, and will appear in the 'Transactions' for the year.

EXCURSIONS.

Altogether about a dozen excursions were made, of which two were whole-day excursions, viz. on Whit-Monday to Holmwood,

Leith Hill, and Wotton—Wotton House being visited by the kind permission of Mr. W. Evelyn; and on August 1st Bank Holiday to Ightham, Ightham Mote, and Tonbridge.

Particulars of all the excursions will duly appear.

SECTIONS.

With the exception of the Anthropological and Zoological Sections, which have been without Hon. Secretaries, all the sections have had meetings, and have been doing very useful work.

The Botanical Section has held a meeting in conjunction with the Microscopical, and one alone, and has also had several special evening excursions.

The Geological Section has had regular monthly meetings, including one with the Microscopical Section, and organized some extra excursions.

The Microscopical Section held three meetings, one alone, and two in conjunction with the Botanical and Geological Sections, respectively.

The Photographic Section, notwithstanding being without a duly appointed Secretary, held three meetings, having been assisted by Mr. Baldock, though at great inconvenience. The portfolios have not been able to be sent out so regularly as before.

The Meteorological Section has issued the rainfall returns with its accustomed regularity, and the report analysing these will be read in due course.

The Museum Committee reports having arranged to lend specimens, as authorized by the Council, for educational purposes. The museum-case in the Town Hall appears to attract attention, and thus answers the purpose for which it was placed there. About eighty-two specimens have been added during the year, exclusive of one hundred Roman coins from the find in Croydon, lent by the Croydon County Council. Loans of archæological and zoological specimens are much needed.

The Zoological Section has been without a Secretary, and it

is regretted that no report is to hand.

The Annual Soirée, owing to financial reasons, was not held; but in lieu of it the President provided a lecture, which was given by Mr. A. L. Lewis, on "British Stone Circles" on December 12th.

The need of appointing Secretaries to the Anthropological, Photographic, and Zoological Sections if any work is to be done in these branches is strongly pointed out, and it is hoped that some members will come forward to undertake the duties.

The thanks of the Council are given to all those who, during the past year, have in any capacity assisted in the work of the Society.

The President's Address.

LADIES AND GENTLEMEN,

In addressing you this evening, I feel that, though I have done my best, I have been able to do but little for the Society during the past year, and even for that little my grateful thanks are due to the Council, and also to Mr. Moore, who have in every way so actively supported me.

In my address this evening, I propose, with your permission, to give you my own views as to the aims and work in the future of our Society, which is within three months of commencing its

thirty-fifth year.

THE AIMS AND WORK IN THE FUTURE OF A NATURAL HISTORY SOCIETY.

In considering this subject, and looking through the past history of our Society, that glorious old hymn, "Change is our portion here," was very forcibly brought to my mind. Our Society held its inaugural meeting on April 6th, 1870, with a very fine address by Dr. Lee, and it was joined by 116 members This number gradually increased until it in its first year. reached the maximum of 303 on January 13th, 1892, when the number gradually declined until, at the Annual Meeting on January 19th, 1904, it was only 201. We ask ourselves what is the reason of this rise and decline, for we find that in 1871 the population of Croydon was 55,652 persons, in 1891 it was 102,695 persons, in 1901 it was 133,885 persons, and at the middle of 1904 it is reckoned to be 144,419 persons. neighbouring parishes have also grown in population. It will be noticed that between 1870 and 1892, when the population of Croydon had doubled, the membership of the Society had rather more than doubled; but that between 1892 and 1904, when the population of Croydon had increased 41,724 persons, the membership of the Society had decreased by one-third. Let us look The University Extension Movement, which began with Cambridge in 1872, organized series of lectures followed by examinations. This system took some years before it got into working order and became known, and I believe I am not far wrong when I state that at the time our Society reached its high-water mark in 1892, the competition of the University Extension Lectures began to be felt. It will be noticed that these lectures are organized on much the same lines as our own meetings, and the lecturers, like our own members, confine themselves to their own special subjects; but there is this

difference, that the extension lecturers, unlike our own members, cater for the young, and then there is the examination at the end of the course, which has attractions for the young. The result of this is that the young man or young woman passing these examinations is very apt to consider that they know everything about the subject, and consequently do not care to join a society which, rightly or wrongly (I think rightly), considers that no one can know too much about a subject, and that a person's education is not finished until he is dead.

The stress of modern life has also something to do with this decline, for after a hard day's work one does not willingly turn out in the evening. As, however, one gets on in life, and other interests grow around us, then perhaps he or she will join the natural history society, if it is still in existence.

It is this competition from the University Extension lectures, and also to a certain degree from the new technical schools and colleges, which is injuring the natural history societies, and

which has already destroyed several of them.

It is easy to state all this, but it is difficult to find a cure, though I cannot help thinking that perhaps the remedy is closer at hand than we are aware of. There are three points that I

wish to emphasize more especially, and they are :-

1. The most important of all, viz. the incorporation of the Society under the Companies Acts as a scientific society. I put this first of all because, as you are all well aware, that if anything happens to a company and it has to go into liquidation, the shareholders are only liable for the uncalled portion of their As you know, our Society is not incorporated, and consequently if anything went wrong, and the Society was dissolved owing any debt, this debt could be recovered from the members existing at the time of the dissolution. If it was incorporated as a scientific society, in which there are no shareholders, if anything happened the property belonging to the Society would only be liable, and not the individual members. This is one great advantage of incorporation. Another is the advantage of sueing and being sued. This power would enable our Treasurer to recover the subscriptions at law, a power which is most valuable to possess, though of course it must be sparingly exercised. I may mention as a fact that all the great societies make use of this power. The advantage of being sued is not perhaps so great, but still the advantage to a creditor having the Society to sue, and not any individual member or members, is very advantageous both to the creditor and to the members. I say nothing as to the added dignity of incorporation, for this is obvious to anyone who considers the subject carefully. With reference to the cost of incorporation, I have

made some enquiries, and have been informed that it is very small, and Mr. Moore has informed me that it would be about £30.

2. That the members of the Society should lay themselves out to give lectures elsewhere if called upon, of course on terms. It is an open secret that the Council have been asked to designate gentlemen willing to give lectures on certain subjects. The Council have willingly done what they were asked; but what I particularly wish to say is, would it not be desirable for the Council to announce this fact to all the world? We have, as you all know, some of the most eminent persons in the United Kingdom amongst our members, and I feel sure that these ladies and gentlemen would only be too pleased to place their great knowledge at the service of others if they were approached in the proper way.

3. That the members should endeavour to attend the sectional meetings in greater numbers, for it is very disheartening to our eminent members that, when they have taken a great deal of trouble over some subject, there are so few present to listen to

them and ask them questions.

4. That at the ordinary meetings the Council should see that the papers read are the best of their kind. I wish to emphasize this more particularly, for it is these papers which alone appear in the 'Transactions,' and it is by the 'Transactions' alone that the Society is judged by the public at large. For the last two or three years this has been the aim of the Council. The cost has certainly been heavy, but what has been the result? I do not like to prophesy, but I cannot help thinking that the decline in the membership will shortly be arrested, and that the Society will again increase. You perhaps will ask why this should be. I think that the answer is, that a Society such as ours caters for two kinds of members, the one kind whom I will denominate as the workers, and the others who, though they take an interest in the Society and support it by their contributions, and would probably do more if asked, are unable to work owing to age and other occupations. These members carefully look through and read the 'Transactions.' If they are good, these members show them with pride to their friends, and we are indebted to them for several new members. I need hardly specify what they do if the 'Transactions' are poor. They lose heart, and cease to take any interest, and finally resign. Ladies and gentlemen, we cannot afford to lose them. They are one of our great mainstays. The workers are comparatively few, probably not above one-fourth of our members are workers; but our other members are proud of the workers, and the better the work the greater becomes the reward of the work in the increasing number of those who join for the purpose of helping the workers, dare I

say it, with their contributions to enable them to do more. In this matter I can myself speak feelingly, for without the contributions so willingly given to the Meteorological Section, it would have been impossible to continue the rainfall work. All honour, therefore, I say, to those who contribute to the funds of the Society to enable those who are willing to work to do the work they have set for themselves, without anxiety as to how it is to

be paid for.

One of the greatest advantages which a natural history society possesses over the University Extension Lectures and the new technical schools and colleges is the organization of excursions to neighbouring places of interest. These excursions have always been a great feature with natural history societies, and their usefulness is universally acknowledged. They are usually undertaken by the different sections for the purpose of studying the features of the country appealing to the members of the section; and there are also general excursions open to all the members without distinction. It has always seemed to me a great pity that a short paper detailing the results of each excursion is not included in the 'Transactions.' Such papers would be extremely valuable after a time, for as the excursions do not take place to the same spot every year, a comparison of the changes which have taken place since the last excursion should prove of very great value. Such papers would show the appearance and disappearance of geological sections, of plants, of insects, of springs, of old buildings, and other interesting features of the district. The value of these accounts would be greatly enhanced if they could be illustrated by our photographers. The excursions are in charge of some member, who is supposed to have gone over the ground beforehand, and to be able to point out to the persons attending the points of interest to be noted. How much more interested the persons attending would be, if the member conducting the excursion could have had a paper in his hand showing what was observed on a previous occasion, but which has now been altered, or has wholly disappeared. I am aware that some short, may I say very short, accounts of the excursions appear in the reports made by the different sections to the President, but these short reports cannot, as you are all aware, quite convey what would very naturally be more amplified if put in the form of a paper.

I must now conclude my remarks, which I fear are rather dry and wearisome, with the hope that, whether they may be considered right or wrong, they may at least be productive of some ideas which will lead to the rehabilitation of such societies as have become extinct, and to the increase of the prosperity of our

own Society, in which we are all so deeply interested.

British Association.

REPORT OF THE CONFERENCE OF DELEGATES OF CORRESPONDING SOCIETIES AT CAMBRIDGE, AUGUST, 1904.

(Read Nov. 15th, 1904.)

Following the direction given at the last meeting of delegates at Southport, 1903, reported in the last issue of our 'Proceedings,' 1903-4, p. x, an Organizing Committee was formed from members present to endeavour to discover what local scientific work could be best done by the separate societies who were represented at the Conference. There were three or four reports only made, leaving the evidence that little interest had been taken in this recommendation of the meeting. On the subject of higher education, strongly recommended, little action had been taken.

The proposition of the desirability that local museums for natural history, antiquarian, and geological collections should be made was

again pressed forward, conversationally.

It was proposed, and supported, that it is desirable that kindred scientific societies should be associated with the British Association Corresponding Societies, although such societies should not publish reports of their proceedings if the funds of these societies were devoted to the formation of museums or other important scientific work.

The Chairman (Principal Griffiths, of Cardiff) suggested that it is very desirable that a general journal of the work done by the Corre-

sponding Societies should be published monthly.

He proposed that a fund might be formed by the members of the Corresponding Societies at the rate of five shillings for every fifty members in the separate societies. It was suggested that this journal would correlate the work of the several societies, and give direction for concerted action.

The matter was left open for consideration.

One objection made was that the cost of forming a museum absorbed all the spare funds of many societies, and that few societies could afford

such a subscription as that mentioned.

A long discussion was taken upon the desirability of reports of proceedings of all learned societies being printed of a uniform size, a principle said to be adopted in U.S.A. The size that the Chairman selected as the most appropriate was that of our own 'Proceedings.' WM. F. STANLEY.

Summary of Proceedings.

EXCURSIONS.

January 13th.—Woldingham and the Bourne. Conductor, Mr. W. Whitaker, F.R.S.

April 16th.—Banstead Wood. Conductor, Mr. W. Whitaker, F.R.S.

April 18th.—New Cross Gate. Conductor, Mr. N. F. Robarts, F.G.S.

April 30th.—Kew Gardens. Conductor, Mr. H. T. Mennell, F.L.S.

May 14th.—Beddington Caves and Subway. Conductor, Mr.

T. K. F. Page.

On Saturday, May 14th, by the kind permission of Mr. Trollope, about thirty members of the Society inspected the sand caves close by the Plough Inn, Beddington Lane. They are cut into the Thanet sand deposit which forms the hill on which is placed the new cemetery of Beddington and Wallington. The larger of the two caves consists of a tunnel some ten feet or so in diameter, whose main branch runs some three hundred feet or so into the hill. They are apparently of artificial origin, and it has been suggested that this tunnel formed part of a passage, largely subterranean, which connected a Roman villa situated on the flat land, now occupied by the Croydon sewage farm, with the Roman fortified camp of Noviomagus placed on the Woodcote Hill, such passage being intended for use in time of danger when the dwellers on the plain would desire to seek the greater safety of the military camp on the uplands.

After leaving the caves, the party paid short visits to the cutting in Sandy Lane and to the Almshouses in Bute Road; and then, at the kind invitation of the President, took tea in his garden at Wallington, and examined with respect and awe the numerous scientific contrivances which he has in use there to catch and record the fleeting vagaries of the English weather.

May 19th.—Botanical. Mr. Lloyd's Garden, Coombe Wood. Conductor, Dr. Franklin Parsons, F.G.S.

May 23rd, Whit Monday (whole day).—Holmwood, Leith Hill,

Wotton, and Dorking. Conductor, the President.

This excursion was favoured by good weather, and a good number of members attended. On arriving at Holmwood Station the party went across fields to Anstiebury, the site of an old Roman camp, the traces of which are clearly defined. On the way some water was passed, but all attempts to obtain Mollusca were in vain. From Holmwood to the borders of Leith Hill past Coldharbour the route lay over the Wealden Beds, but on passing through the latter place the change to the Lower Greensand (Hythe) Beds was apparent. Some of the party went up Leith Hill by the more direct route from Coldharbour, so as to enjoy the burst of view obtainable over Surrey and Sussex by approaching the summit from the high ground to the north, while

others followed the road round through the plantation underneath the summit. The rhododendrons were well out in flower, and several yellow azaleas were seen. After mounting the hill to the foot of the tower and having lunch, the route through the wood to Friday Street was taken; and on the way several shallow pits, dug to obtain the hard silicious bands of stone for road mending, were seen. The road led through Friday Street, along by the artificially maintained stream to Wotton, where, by kind permission of Mr. John Evelyn, a visit was paid to the picture gallery and museum containing the MS. of the famous Diary and Evelyn's 'Sylvia'; also to the Rose Garden and Temple. From Wotton the road was taken to Dorking through Westcott, where tea was had. The route covered one of the most picturesque and varied parts of Surrey.

June 4th.—Grays, Essex, and Deneholes Conductor, Dr. H. C. Male, B.Sc.

On June 4th a visit was made to these well-known deneholes. The day was fortunately fine, and fourteen members joined the excursion.

On arriving at Grays Station, a walk of a mile and a half north east brought the party to Hangman's Wood, where, in the space of a few acres, some seventy of these ancient pits are to be found.

Mr. Jonathan Seabrooke, of Grays, had kindly made all arrangements for our visit, and had provided men, windlass, ropes, candles, &c., to allow of our descending and seeing the pits.

The bottom of the pits is about eighty feet from the surface. They are excavated in the chalk, which is here covered by about fifty feet of Thanet sand, and above this by some six feet of gravel, equivalent to that of Dartford Heath.

Most of the shafts leading to these pits have now fallen in, only some four or five remaining open, the most accessible being selected for our descent.

Each complete denehole consists of a central chamber some sixteen to eighteen feet in height, which branches out into six other chambers, arranged in a double trefoil manner, the floor from end to end in some instances attaining seventy feet in length. Though originally distinct, each denehole communicating with the surface by a separate shaft, the partitions between neighbouring deneholes have in many cases been opened up, so that a number of adjoining chambers can be visited from the one shaft.

Mr. T. V. Holmes, a former President of the Essex Field Club, who with Mr. W. Cole made an extensive exploration of these pits in 1884, and again in 1887, was kind enough to accompany the

party. Mr. Holmes explained the position and extent of the excavations, and their probable use as store-houses or places of refuge, and gave reasons against their being simply ancient chalk-pits or flint workings, as has been from time to time asserted. Their age is uncertain, though it is probable, as their name suggests, that they were used as shelters in the time of the Danish invasions in the eighth and ninth centuries. They are possibly, however, of a much earlier date, tradition taking them back to Roman or Pre-Roman times.

After spending a couple of hours in exploring the pits, the members were invited by Mr. Seabrooke to tea at his house, and the remaining time was spent in rambling about his garden and

interesting grounds.

A vote of thanks to Mr. and Mrs. Seabrooke was proposed by Mr. Moore for their kindness and hospitality, and the members returned to town after a pleasant day.

June 16th.—Botanical. Farthing Downs.

July 16th.—Hayes, Keston, and Holwood Park. Conductor, Dr. Franklin Parsons, F.G.S.

July 21st.—Botanical. Hayes Common. Conductor, Dr. Franklin Parsons, F.G.S.

August 1st, Bank Holiday (whole day).—Wrotham, for Ightham

Mote and Tonbridge. Conductor, Mr. G. W. Moore.

As on a previous excursion to this neighbourhood, train was taken from Beckenham Junction to Wrotham, whence the party, to the number of about ten, walked to Ightham, visiting Ightham Church on the way. This church is old, dating from the twelfth century, and very interesting, but not much time was available. It contains several old brasses. Passing through Ightham village, the route followed was through Ivy Hatch, whence the road descended through an exceedingly pretty high banked lane by the side of the gardens of the Mote to the entrance. Permission had been obtained from T. C. Collyer Fergusson, Esq., to visit the house, and though there was not much time, owing to the gardener who showed the party round having to attend a local flower show, the place was found exceedingly interesting.

The house is probably the best remaining example of one of the old moated and partially fortified houses formerly existing in the country. From all accounts the original building dates back to just before 1200, and some remains of this are found in the offices. Originally built by Sir Ivo de Haut, the house passed later into the hands of Sir Robt. Brackenbury, but was

restored to the De Haut family by Henry VII.

From the Mote the party went to Shipbourne, where tea was had, and thence through a pleasant woodland and field route to Tonbridge.

September 17th .-- Fungus foray.

In addition to the above, some special excursions subsequently arranged by the Geological Section were also made, viz. June 20th and 24th, July 27th, and November 5th, particulars of which will be found in the Geological Section Report.

EVENING MEETINGS.

Feb. 13th.—Reading of the Meteorological and Botanical Committees' Reports.

March 15th.—"A Chat about Surrey Churches," by Dr. J. M. Hobson, B.Sc.

April 19th.—"Note on the New Cross Cutting, L.B. & S.C.R.," by Mr. N. F. Robarts, F.G.S. (See Trans., Art. 12.)

Exhibition of lantern views—"A Trip to Switzerland," by Mr. C. L. Faunthorpe.

May 17th.—"The Croydon Bourne-Flows," by Mr. Baldwin Latham, M.I.C.E., F.G.S. (This paper was published in the 'Transactions' for 1903.)

Sept. 20th.—Vacation notes; and exhibition of specimens with lantern and the polariscope presented by the President, Mr. F. Campbell-Bayard, F.R.Met.Soc. (See Trans., Art. 13.)

Oct. 18th.—"Description of some Fossils from a Croydon Garden," by Dr. G. J. Hinde, F.G.S. (See Trans., Art. 15.)
"Some Surrey Wells," fourth contribution, by Mr. W. Whitaker, F.R.S. (See Trans., Art. 14.)

Nov. 15th.—Report of British Association Meeting at Southport, by Mr. W. F. Stanley, F.G.S. (See 'Proceedings,' p. xlv.) Notes on "Bermondsey Abbey" (illustrated by lantern-slides), by Mr. N. F. Robarts, F.G.S. (See Trans., Art. 16.)

Dec. 20th.—Paper on the "Economy of Growing Canadian Poplars on Waste Lands for the Manufacture of Paper," by Mr. W. F. Stanley, F.G.S. (See Trans., Art. 17.)

"Notes on a Section of Woolwich and Reading Beds, New Cross Gate," by Mr. N. F. Robarts, F.G.S. (See Trans., Art. 18.) "Day Darkness in the City, 1897–1904," by Mr. J. E. Clark,

B.A., B.Sc.

Reports of Sections for 1904.

BOTANICAL COMMITTEE.

The Botanical Committee during 1904 have continued the investigation of the flora of the commons near Croydon, have exhibited botanical specimens at the Society's ordinary meetings, and added specimens to the herbarium. A joint meeting with the Microscopical Section has been held, and excursions have been made on Saturday

afternoons and Thursday evenings.

Taking the first of these subjects:—A few additions have been made during the year to the lists of the flora of the commons near Croydon, the most notable being the maiden pink (Dianthus deltoides) on Shirley Hills—an old record believed to have been lost, but still present in small quantity; and Rosa spinosissima, reported by Mr. J. E. Clark, from Coxley Plantation, Riddlesdown, very near to an old recorded but lost locality for the plant. The numbers at present stand:—

Hayes and West Wickham Commons	342	species.
Keston Common	277	- ,,
Shirley Hills	184	,,
Croham Hurst	255	,,
Mitcham Common	461	,,
Riddlesdown	101	,,
Worms Heath	52	,,
Farthing Down	107	,,

With regard to the joint meeting of the Botanical and Microscopical Sections, it was felt to be a decided success, which should be repeated this year. It was held on Thursday, March 24th. An address on "Mosses" was given by Dr. Parsons. Living, dried, and microscopical specimens were shown by the lecturer and members of both sections.

The Saturday afternoon excursions were held as under:—April 30th to Kew Gardens.

July 16th to Keston and Holwood.

September 17th to Ballard Lane and Addington Hills. Fungus Foray.

The first Saturday excursion was to Kew on April 30th, and was under the direction of Mr. Henry T. Mennell. The day was fine, and the attendance very good. There is nothing very fresh to report with regard to this well-known but always freshly interesting resort. The Alpine Garden naturally claimed our first and special attention. This and the herbaceous ground near to it appeal to the horticulturist and all interested in their own gardens as much as to the botanist. The house containing the choicer alpines, not planted out, was gay with many beautiful species of primulas, gentians, &c. The house devoted to the carnivorous plants, our native representatives of which are the sundews, or Droseræ, also claimed special attention, and the rest of the time was spent in the pleasure grounds and wilder parts of the Gardens.

The second Saturday excursion was to Keston and Holwood Park on July 16th. Salvia verticillata, an introduced species resembling in foliage the native S. verbenaca, was found on a roadside bank by Hayes Common. In Colyer's Wood, between Hayes and Keston actually in Bromley parish—where the caper-spurge, Euphorbia Lathyris, had occurred in some plenty in previous years, only dead stems of last year were found, but young seedlings of this curious plant were seen in the adjoining potato field, where also later in the year the thornapple (Datura Stramonium), another plant formerly cultivated, was found. In the wood on the other side of the road—Padmall's Wood, in Keston parish—the lily of the valley was found, and it was also abundant in Holwood Park. The lesser skullcap, Scutellaria minor, also grew in Padmall's Wood. In the ponds in Holwood Park and on their borders a number of aquatic and moisture-loving plants and several species of ferns grew in luxuriance—e.g. the white and yellow water-lilies, the bog-bean, Typha angustifolia, Osmunda regalis, &c.; these have no doubt been planted where they now are, but some of them may be the descendants of plants formerly native in the neighbourhood, the Osmunda being mentioned in old records at Keston Heath and Hayes Common. Several notable trees were seen to which names have been given; thus a large beech tree with twelve trunks springing from one base is called the "Twelve Apostles," and two ancient oaks bear the names of "Pitt's Oak" and "Wilberforce's Oak." Another well-known object is a yew and an oak tree, the trunks of which have completely coalesced.

The third Saturday excursion, usually known as the fungus foray, took place on Sept. 17th. The route taken was by Ballard's Lane to Shirley Hills, and fifty species were collected and identified, a larger number than on any previous occasion. Among the more noteworthy species were:—Agaricus (Tricholoma) humilis, A. (Collybia) confluens, A. (C.) dryophilus, A. (C.) protractus, A. (Mycena) filopes, A. (M.) tenerrimus, A. (Galera) embolus, A. (Psathyrella) atomatus, Paxillus atrotomentosus, Gomphidius viscidus, Boletus aurantiformis (so named at Kew), Polyporus chioneus, Arcyria punicea.

The Thursday evening excursions were as under:-

On May 19th, under the leadership of Dr. Parsons, a visit was paid to the Rock Garden of Coombe Wood, Coombe Road, by the kind invitation of Mr. Arthur Lloyd, who conducted the party over it. The extremely skilful imitation of natural rockwork, and the great success with which it is laid out to suit the needs of so many rare and beautiful alpine and other plants, were much admired. The free flowering of some of these plants, generally very shy in cultivation, is very noticeable. The beautiful *Gentiana verna* is an example of this, growing in large patches covered with its brilliant blue flowers.

The second Thursday evening excursion was on June 16th to Farthing Down, conducted by Mr. Jas. Ed. Clark, B.A., B.Sc. Starting about 6.15 from Coulsdon Station, a party of twenty-eight first followed the hedge which forms the north-eastern boundary of the common land. It was noted that most of the fine yews had been appropriated to the private side of the barbed wire fence, erected this last winter along the hedge above the first field. Beyond this the path running along the lower side of the hedge was followed, the hedge

agreeably tempering the strong wind, which elsewhere was rather too obtrusive on what in other respects was an almost perfect sunny summer evening. Our botanical finds included some very fine patches of the compact deep-blue milk-wort (Polygala calcarea), census number 18. Ripe wild strawberries were also abundant. During the ramble at the further end no fewer than seven orchids were found: tway-blade, spotted, pyramid (in bud), fragrant, butterfly, and fly. The dropwort (Spiræa filipendula) was barely in bloom, but promised this year also to be unusually fine. The party returned over the top of the Down to Coulsdon Station, having spent a very enjoyable two hours in the ramble.

The following is a list of the plants observed and noted down by Dr. Parsons:—Reseda lutea, Polygala vulgaris (blue, pink, and white), P. calcarea, Lychnis dioica, Linum catharticum, Ilex aquifolium, Euonymus europæus, Rhamnus catharticus, Anthyllis vulneraria, Hippocrepis comosa, Onobrychis viciæfolia, Spiræa filipendula, Pyrus Aria, Viburnum Lantana, Asperula odorata, Cnicus acaulis, Cichorium Intybus, Crepis taraxacifolia, Centaurea scabiosa, Primula acaulis and veris, Melampyrum pratense, Lamium maculatum, Plantago media, Euphorbia amygdaloides, Taxus baccata, Listera ovata, Orchis pyramidalis, O. maculata, Ophrys apifera, O. muscifera, Habenaria conopsea, H. chloroleuca, Carex Goodenovii, Briza media, Agaricus gambosus (in large rings), Æcidium crassum (on buckthorn).

The third Thursday evening excursion was on July 21st, when a small party, under the guidance of Dr. Parsons, visited the gravel-pits in the valley near Hayes Station, in which a number of interesting plants are to be found. Some of these are such as are found native on dry gravelly and sandy soils, as Hypericum humifusum, Malva moschata, Lepidium campestre, Jasione montana, Senecio sylvaticus, Scleranthus annuus, and Filago minima; with a few damp-loving species, as Ranunculus Flammula and Gnaphalum uliqinosum. Most of the finds, however, consisted of introduced species, garden escapes, and plants of cultivated ground; among these was the fuller's teasel (Dipsacus Fullonum), distinguished from the wild teasel by its glaucous lobed leaves and white flowers seated among strong hooked scales. On account of these hooked scales the heads are used by clothiers for raising the "nap" of the cloth. Other species were Melilotus officinalis, Saponaria Vaccaria (more plentiful than in 1903), Erysimum cheiranthoides, Alyssum incanum, Lepidium ruderale, Lychnis Githago, Potentilla norvegica, Enothera biennis, Erigeron canadensis, Senecio viscosus, and some obvious garden escapes, as Helianthus tuberosus (Jerusalem artichoke), and Nicotiana affinis. Some of these were mentioned from the same locality in our report last year.

Some botanical notes were also made at the general excursions of

the Society.

At the excursion to Leith Hill on Whit Monday, May 22nd, the ferns Lastrea Filix-mas and L. dilatata, Athyrium filix-famina and Lomaria spicant were fairly plentiful in the old camp, Anstiebury; Ranunculus Lenormandi, a form of water crowfoot commoner in the north than in the south of England, was found at Coldharbour; in the boggy ground above Friday Street grew the bog violet and the orange

club-shaped fungus, Mitrula paludosa, parasitic on Sphagnum moss; and by the stream below Friday Street grew the golden saxifrage (Chrysosplenium oppositifolium), the peppermint (Mentha piperita), the monkey flower (Minulus luteus)—these two no doubt escaped from gardens above; also Enanthe crocata, and the moss Rhyncostegium ruscifolium.

In addition to the plants already mentioned, the following less common species have been observed in the neighbourhood during the past year:—

Helleborus viridis.—Pebblecombe Hill, Betchworth.

Galium anglicum.-Upwood, near Caterham.

Eupatorium cannabinum.—Green Wrythe Lane, Carshalton.

Ruscus aculeatus.—Hedge at West Wickham.

Carex strigosa.—Gatton Park. C. E. S.

Barbarea intermedia.—Roadside near Buckland. C. E. S.

Salvia pratensis.—Another plant on Reigate Hill, looking native! R. M. Prideaux.

Cynoglossum montanum.—Ashstead! R. M. P.

Verbascum lychnitis.—Roadside near Cane Hill Asylum. C. E. S.

V. blattaria.—Roadside near Kingswood! J. B. Crosfield. Carex tomentosa, L.—Near Chertsey! E. F. Shepherd.

(! = specimen seen by C. E. Salmon.)

The following fungi have been observed during the year:

Agaricus (Clitocybe) tabescens.—Peteridge Wood, Reigate. (Verified at Kew. This species is not marked as British in Massee's 'European Agaricini.')

A. (Omphalia) fibula.—Mitcham Common. A. (Omphalia) umbelliferus.—Leith Hill.

A. (Omphalia) pyxidatus.—Shirley Hills.

A. (Phaliata) spectabilis.—Keston Common and Botley Hill.

A. (Flammula) sapineus.—St. Paul's Cray Common.

A. (Hypholoma) appendiculatus.—Peteridge Wood, Reigate.

A. (Hypholoma) lacrymabundus.—Sanderstead. A. (Hypholoma) velutinus.—Addington.

A. (Panxolus) egregius.—Croydon, on dung-heap. (Named at Kew. New county record.)

A. (Psathyrella) disseminatus.—Croydon, on damp plaster.

Coprinus niveus.—Carshalton, on horse-dung. Cortinarius collinitus.—Addington Woods.

C. elatior.—Colver's Wood, near Hayes.

C. tabularis.—Keston Common.

Paxillus panuoides.—Keston Common.

P. leptopus.—Keston Common. Boletus piperatus.—Shirley Hills.

Thelephora terrestris.—Shirley Hills.

Peziza vesiculosa.—Mitcham Common. P. aurantia.—Chelsham. (This species, which formerly occurred every autumn at Shirley and Coombe Lane, has not been seen there

for some years past.)

The meteorology of the year 1904 in relation to vegetation has presented less notable features than some of its predecessors. The year has been a dry one, more than three inches below the average of

the preceding ten years; January, February, May, and December being the only months in which the rainfall has been above the average. There was not, however, any drought severe enough to damage vegetation, though there was a very destructive fire on Hayes Common during the dry weather. The temperature of the year was about half a degree above the average.

January and February were wet and mild, but March was cold and dry. The dates of opening of the early spring flowers mentioned in the list of last year, except the very earliest, were some three or four weeks later than in the exceptionally forward spring of 1903. There was a good bloom on apple and other fruit trees, and an absence of destructive frosts in April and May, so that the fruit crop was exceptionally abundant. The hay crop was also abundant and well made. The corn crop was fair, but that of hops failed in many places.

May was wet, but June, July, and August were dry; July being a hot month. The autumn was dry and cold, with frequent fogs. The first frost to damage tender vegetation was on Oct. 15th; this affected especially the lower grounds, plants on higher levels being untouched. Fungi were fairly plentiful in September, but rather scarce later in the season. The number of plants remaining in flower was small; and had the annual soirée been held at the usual time in November, but a poor show only could have been made as compared with that in 1903.

Mr. J. E. Clark reports the following garden flowers in bloom on Christmas day (at Lile Garth, Ashburton Road):—Three roses, chrysanthemum, viola (yellow), Christmas rose, yellow jasmine, polyanthus, primrose, white knapweed. Ten species compared with nine last year.

Mr. Mennell reports that he never remembers such a dearth of flowers at Christmas in his garden on Park Hill. A few pansies, laurustinus very sparingly, were the only flowers actually out on Christmas day. The Christmas rose (*Helleborus niger*) followed a few days later, and the female flowers of the hazel on New Year's Day.

Mr. J. E. Clark reports that during December he noted the following wild plants in bloom:—Ranunculus repens (buttercup), Veronica agrestis, Stellaria media (chickweed), Ulex europæus (gorse), Potentilla sp. (cinquefoil), Scabiosa sp., Matricaria inodora, Senecio vulgaris (groundsel), Bellis perennis (daisy), Taraxacum officinale (dandelion), Primula acaulis (primrose), Poa annua.

The following circular, received from the South-Eastern Union of Scientific Societies, was referred to the Botanical Section:—

"WILD PLANT PROTECTION.

"The Council is desirous of eliciting information as to the danger of the extermination of wild flowering plants and ferns, and as to any means other than educational of checking the same. Will you therefore kindly bring the matter before your Society at an early date, and inform the Council whether in the opinion of your Society—

(1) Any particular species or groups which are in your district are in present danger of extermination.

(2) If so, from what cause.

(3) Whether your Society is of opinion that any legislative or other action should be taken to check such extermination."

In reply, the Section are of opinion that:-

(1) The species most in danger of extermination are—

a. The primrose.b The Orchidaceæ.

c. The ferns, except Pteris aquilina.

(2) a. The primrose is in danger chiefly from hawkers, who dig the plants up for sale. It has disappeared, or almost so, from accessible woods and places in the immediate neighbourhood of Croydon, though

it still exists in woods from which the public are excluded.

b. The Orchidaceæ are endangered by the digging up of their roots by hawkers for sale, and by other persons, in the generally vain hope of getting them to grow in their gardens; and also occasionally by the destruction of their habitats. Thus Aceras anthropophora appears to have been eradicated at Box Hill; of the two stations in this neighbourhood for Herminium Monorchis, one at White Hill has been destroyed by building, and the other at Warlingham by extension of a chalk-pit. At Keston, the station for Spiranthes autumnalis is in danger from the making of a new street. (Other plants incur similar dangers of accidental extinction in a neighbourhood where building is so rapidly progressing as around Croydon; thus Phyteuma orbiculare, which grew in the same place with Herminium Monorchis at Warlingham, has disappeared with it; and Sambucus Ebulus is in danger of extinction through building operations at South Norwood. The breaking up of pasture into arable land, and the draining of wet places, are operations which cause the loss of wild plants in many districts, but are less operative in this neighbourhood.)

c. The ferns, other than the brake, are in this neighbourhood such a vanishing quantity as to be no longer an object to the hawker, though any chance specimens that may appear are speedily rooted out by the private collector to plant on his rockery. The following species appear to have been lost to the neighbourhood of Croydon during the

past fifteen years :-

Lomaria Spicant.—A few small plants formerly in the side of a

ditch at Shirley Hills, now gone.

Asplenium Trichomanes.—Formerly grew on a hedge-bank—a somewhat unusual situation—at Crofton Lane, Orpington;

not seen for several years.

A. Ruta-muraria.—Formerly grew in some plenty on a wall at Addiscombe Road, Croydon; perished during a dry summer, owing to ivy having grown over the top of the wall, thus depriving it of its supply of moisture.

Scolopendrium vulgare.—In an old well at West Wickham; the lid of the well is now fastened down, and the plants will

probably perish.

Lastrea dilatata.—Gone from the station at Addington mentioned

Polypodium vulgare.—Formerly at Croham Hurst; not found recently.

(3) It is difficult to suggest any measures, beyond the preservation of commons and open spaces, for the protection of the disappearing members of our native flora, however much we may regret their loss. Building and other industrial operations cannot be stopped for their sake, and a strict watch against trespass is not to be expected where

only wild flowers and not game have to be protected, nor is it desirable that the nature-loving members of the public at large should be debarred from places to which they now have access on sufferance so long as they do not abuse their opportunities. It is unlikely that any measure like that for the protection of wild birds would be passed by Parliament.—E. F. KLAASSEN.

MICROSCOPICAL COMMITTEE.

This Section has only held three meetings during 1903, as it was considered wiser not to have too many, in order that those held should have a chance of being well-attended. Two of these sectional meetings have again been joint, as it was felt that the Microscopical Section best fulfilled its mission by acting chiefly as a helper to the other Sections.

On Wednesday, February 18th, a meeting of the Section was held, when Mr. Murton Holmes gave a short explanation of polarised light. Numerous specimens of crystals and other slides suitable for the polariscope were shown.

On Thursday, March 24th, a joint meeting of the Botanical and Microscopical Sections took place, when Dr. Franklin Parsons gave a most interesting address on "Mosses," illustrated by a very large number of living specimens, and also by microscopic slides.

On Tuesday, November 18th, there was a joint meeting of the Geological and Microscopical Sections, when a number of microscopes, with polariscopes, were on view, and a great many beautiful specimens, both mineralogical and palæontological, were shown under polarised light.

GEOLOGICAL COMMITTEE.

The Committee beg to report that the meetings of the Section have been well attended, an average of ten members and visitors having been present at the nine meetings which have been held, whilst at the committee meetings, nine in number, an average of six members have been present.

Seven excursions have been held, as follows:—

January 13th.—To Woldingham, under the guidance of Mr. W. Whitaker, F.R.S., for the purpose of inspecting the flow of the Bourne.

The party numbered about fifteen. The Bourne was found to commence in the field below Bughill Farm, and to be flowing over the road under the viaduct.

At Wapses Lodge the water had risen to a considerable height above the culvert.

At Kenley gasometer the water was nearly over the footpath, and a strong stream was flowing through the garden of the "Rose and Crown" Inn.

Several photographs of the water and stream were taken. The party walked down to the trams at Purley.

April 16th.—To Chipstead, under the guidance of Mr. W. Whitaker, F.R.S.

The party, numbering twenty-four, met at Chipstead Station and walked round Banstead Wood.

At the summit of the hill the conductor gave a short description of

the local geology, and Mr. Robarts called attention to the probable British trackway from Chipstead to Woodcote.

The gravels at the top of the hill were examined, and found to consist of large, almost unrolled flints, pebbles (tertiary?), ironstone, and chert, in a clayey matrix. There was no sign of current bedding.

The party then divided, some going to visit a supposed denehole, under the guidance of Mr. H. C. Collyer, whilst the remainder of the party completed the original route, walking down the valley to Stoat's Nest Station, examining the gravels in the valley, which were found to consist of flints more rolled than those of Banstead Wood, with a smaller percentage of chert, pebbles (tertiary?) and ironstone.

April 18th.—To New Cross Gate, to see a section in the London County Council's Tramway Yard, under the guidance of Mr. N. F.

· Robarts, F.G.S.

Six members were present, who examined the section, which commenced in sands below the Paludina bed of the Woolwich and Reading Beds, or else that bed had thinned out between the station and the L. B. & S. C. R. cutting about six hundred yards to the south-east, and south of New Cross Station. The beds were exposed down to the pebble-bed (Woolwich and Reading series), but the bottom of that bed was not shown, although it had been passed through to the Thanet Sand in a trial boring.

June 20th.—To Mr. George Young's Gravel Pit in Sydenham Road,

Croydon.

Mr. W. Whitaker, F.R.S., conducted the party, consisting of ten members. Mr. W. Bruce Bannerman, F.G.S., to whom the pit be-

longed, was also present, and gave information.

The section showed 1 ft. 6 in. to 2 ft. soil, above about 15 ft. of gravel and 1 ft. 6 in. of sand resting on London Clay, from which last were taken some iron pyrites and pyritised wood. In the gravel a quartzite pebble was found by Dr. Hinde. The gravel was formed almost entirely of subangular flints and a few "Blackheath" pebbles, but no sandstone, ironstone, or other tertiary remains, except the quartzite, were noticed.

June 24th.—To Messrs. Hall and Co.'s gravel pits at Beddington

Lane, under the guidance of Mr. W. Whitaker, F.R.S.

Seven members were present, who examined the gravels.

July 27th.—To the grounds of Earlswood Asylum, under the guidance of Dr. H. Franklin Parsons, F.G.S., for the purpose of seeing the limestone of the Wealden Beds containing fossils. The stone was not seen in situ, but lay about in heaps. It was found to contain Paludina and Unio.

Four members and a friend were present.

November 5th.—To Honor Oak Hill, under the leadership of Mr. W. Whitaker, F.R.S. Seven members and friends were present. The party walked over the hill and noted the landslip in London

Clay, almost upon the watershed forming the boundary between Surrey and Kent. The slip showed a vertical face of about twelve feet, and extended for about three hundred yards. A small remnant of the gravel once covering the district was noticed on the top of the hill.

Owing to the paucity of new sections opened during the year, there has been less to report than usual, but whilst new drains were being made in Plough Lane the Marsupites zone in the Chalk was discovered,

which had not previously been noted in this district.

A few geological photographs have been added to the Society's geological album.

Some photographs have been sent to the Committee of the British

Association for recording geological sections.

The thanks of the Committee are tendered to the following gentlemen, for permission to visit various sections at the excursions:—Mr. E. Riley, Consulting Architect, London County Council; Mr. George Young; Mr. W. B. Bannerman, F.G.S.; and Mr. H. Hall.

Museum Committee, 1904.

On behalf of the Museum Committee I beg to report, that in accordance with the Resolution of the Council, dated January 14th, 1904, "That the Museum Committee be empowered to lend specimens from the Carpenter Collection for educational purposes, for a term not exceeding twelve months," the Committee have offered loans of specimens to the Croydon Education Committee, to the School of the Convent of the Ladies of Mary, and to North Park College, which offers have been gratefully accepted.

A few specimens have been lent to North Park College, but arrangements have not yet been completed for handing specimens to the Education Committee, or the Convent School, owing to the large amount of cleansing which will be necessary, before they are delivered. It is hoped that arrangements for this will shortly be completed.

The Loan Museum still appears to answer the intention of the Society by attracting the attention of visitors to the Free Library.

The number of specimens received during the year has been eightytwo, exclusive of about one hundred Roman coins found in Croydon, lent by the Croydon County Council, the total thus being in excess of the previous year.

Loans of Archæological and Zoological objects suitable for exhibi-

tion are still much wanted.

The thanks of the Committee are tendered to the following members of the Society, who have made loans during the year:—Messrs. J. H. Baldock, F. Churchill, H. D. Gower, Miss Gwatkin, Messrs. W. G. Hinde, W. M. Holmes, E. A. Martin, F.G.S.; H. Franklin Parsons, M.D., F.G.S.; N. F. Robarts, F.G.S.; also to the Croydon County Council, Messrs. D. A. McAdam, A. J. Potter, and C. Morgan Smith, who are not members.—N. F. Robarts, Hon. Sec.

Members Elected, 1904.

January 19th.—Madame F. du Pont, Madame Ediltrude (M. E. Everitt), Miss Ivy L. Clayforth (Junior), Miss E. Baird Johnstone, Stanley E. Hall, George O. Silverlock.

March 15th.—Peter Anderson, F. E. J. Stone, Miss Dorothy F.

Silverlock.

April 19th.-J. Lewis Vincent.

May 17th.—T. F. Clarke, T. C. L. Wootton (Junior).

September 20th. — Alfred Clark, B. A., William Willox, M. A., M.I.C.E.

December 15th.—J. E. Bredall, John Morgan, Miss E. A. Bredall, Miss Annie J. Hinde (Junior).

Donations to the Library, 1904.

From Individuals.—List of British non-Marine Mollusca, Mr. Gower. Nature Notes, Mr. Whitaker. Notes on Westerness Plants and Notes on Epilobium collinum, Mr. Salmon. Photographic Lenses, Mr. Baldock. Account of some of the Meteorological Work of the late Jas. Glaisher, F.R.S., Mr. Campbell-Bayard.

From Societies.—The Photographic Journal; Journal of the Royal Microscopical Society; Journal of the Quekett Microscopical Club; Proceedings of the Scottish Microscopical Society; Journal of the Northants Natural History Society and Field Club; The Rochester Naturalist; Proceedings of the Academy of Natural Sciences, Philadelphia; Report of the Fernley Observatory, Southport; Report of the Hastings and St. Leonards Natural History Society; Transactions of the West Kent Natural History, Microscopical, and Photographic Society; Report of the Missouri Botanical Garden; Report of the British Association Meeting, Southport; Transactions of the Manchester Microscopical Society; Transactions of the Norfolk and Norwich Naturalists' Society; History of the Berwickshire Naturalists' Club; Report of the Commons and Footpaths Preservation Society; Report of the Kent and Surrey Commons and Footpaths Preservation Society; Report of the Peterborough Natural History, Scientific, and Archæological Society; Journal of the Manchester Geographical Society; Report of the Yorkshire Philosophical Society.

From Publishers.—The British Journal of Photography; The Amateur Photographer; The Bromide Monthly; The Magic Lantern Journal.

Croppon Butural Bistory and Scientific Society.—Receipts and Expenditure for the Year ending 31st December, 1904.	1904. Janyments. £ s. d. £ s. d. January 1. By Balance due Treasurer 2 13 5 Rent of Club Room 10 0 0 Hive of Rooms for Meetings 410 0 Cost of Transactions 36 8 6	Office 1 13 1903, 27 19 10 0 0 2 10 5 1 1 0 1 1 1 0	Botanical Section, Postages, &c 0 2 3 Geological 115 5 Printing Monthly Circular and Postages on same 2 19 3 Sec. & Treas. Stationery & Post. Account 3 3 0 Lecture Account— Paid A. Lewis, Esq 3 3 0 Kapenses 6 0 10 Less Sale of Tickets, &c. £1 14 10 Received per F. CBayard, Esq., for balance 7 9 0— 9 3 10	Re-fixing & Re-painting Notice Board at Institution 0 8 0 Subs. to—S.E. Union of Scientific Socs. 0 10 0 Com. & Footpaths Preser. Soc. 0 5 0 Flotographic Survey of Surrey 0 5 0 Soc. for the Protection of Birds 0 5 0—1 5 0 Assistant Secretary 1 1 6 0 Gratuities 1 1 6 0
Cropdon Antural Vistory and Scientific Society.—Receipts	1904. December 31. To Subscriptions(1903) received 1904 1908 1908 1909 1909 1909 1909 1909 1909	ss on account cal Section— yard, Esq 5 5 xe, Esq 0 10 er 0 2 0 0 2 0 0 2	Dr. G. Bower 0 10 0 Dr. J. H. Crocker 0 5 0 W. W. Wagstaffe, Esq 0 2 6 W. W. Wagstaffe, Esq 0 2 6 Underground Water Preservation 0 10 0 Croydon Corporation 0 10 0 Croydon Rural District Council 0 10 0 Croydon Rural District Council 0 10 0 Sutton Waterworks 0 10 0 Metropolitan Water Board 0 10 0 Rent of Lockers in Dark Room 0 7 6 One year's Dividend on Life 0 7 6 Membership Investment 12 1 8	£125 19 0

SPECIAL FUND ACCOUNT.

£186 9s. 0d. CONSOLS.

TOO F	1904. December 31. By Paid County Fire Office on Museum Case 0 2 6 Alterations to Case 0 13 6 Curator's Expenses 0 3 0 Balance 84 2 7	£35 4 7	SHEET. ## Sanary 1, 1905. ## Sanary 1, 1905. ## Sanare due Treasurer ## Sanare due Tre
	January 1. To Balance 80 11 7 Dividend, January 18 3 ", July 18 3 ", October 18 3	£35 4 7	January 1, 1905. To Balance, Special Account $\frac{\pounds}{\dots}$ $\frac{\$}{3}$ $\frac{\$}{4}$ $\frac{\$}{2}$ $\frac{J}{2}$ By Subscriptions for 1905, paid in advance 6 0 0


We, the undersigned, having examined the books of the above Society, also accounts and vouchers relating thereto, certify the above are properly drawn up so as to exhibit the true and correct view of the Society's affairs.

£40 2 7


F. J. TOWNEND, Hon. Treasurer. 6th January, 1905.

W. L. MOORE, Hon. Auditors.

£40 2 7







Bronze Palstave, Warlingham, 1904.

TRANSACTIONS

0F

THE CROYDON NATURAL HISTORY AND SCIENTIFIC SOCIETY.

1904-1905.

11.—Note on Bronze Palstave found at Warlingham.

By C. H. GOODMAN.

(Read April 19th, 1904.)

In December, 1900, a paper was read before this Society by Mr. Robarts, in which he described some bronze implements found at Beddlestead, in the parish of Chelsham. We have now to put on record another find from the same parish, about a mile eastward of the former position. The Oldhaven Beds on Worms Heath are dug for gravel for local use, and while a man named Levings was engaged in this work he found a bronze palstave under a bed of peat some four inches in thickness. It is $5\frac{3}{4}$ in long, and weighs 12 oz. The cutting edge is $2\frac{1}{2}$ in. in diameter, with a well-marked central rib, the blade being somewhat strongly pitted. This implement represents an earlier period in the evolution of the axe than those found at Beddlestead, as the latter were socketed and furnished with the well-known loop. It is being preserved by Mr. Lockton, of Warlingham.

12.—Notes on the New Cross Cutting (L.B. & S.C.R.).

By N. F. Robarts, F.G.S.

(Read April 19th, 1904.)

THE work of widening this cutting, which has been going on for upwards of a year, has given opportunity for the re-examination of the section which was exposed about sixty years since, when the term Plastic Clay embraced the beds since more specifically divided into the Blackheath or Oldhaven and the Woolwich and Reading Beds. A few notes therefore on the section recently exposed, with a slightly increased list of fossils, may be of interest.

By the courtesy of Mr. Charles L. Morgan, Chief Engineer of the L.B. & S.C.R., I was able, during the summer of last year, to pay frequent visits to the cutting both before and after the

members of our Society visited it on 18th April, 1903.

The unfortunately wet season, however, made any examination of the section almost impossible, at times for weeks together, London Clay and Plastic Clay having most undesirable qualities in continuous wet weather. Not only was the face of the section frequently obscured by slips, but the extraction of fossils was impossible unless the clay was moderately dry. Those of our members who have travelled upon the line must have noticed the frequent slips, which hindered the work, at times burying waggons and rails; whilst to all appearance the slips are likely to continue for a long time to come, a great part of the cutting

which has been graded having already given way.

These slips are, however, small compared to that recorded by Mr. C. H. Gregory, which took place in 1841.* The line had then been open about four years, when on Nov. 2nd, in the course of about four hours, about 50,000 cubic yards of clay slipped from the western side of the cutting (the inner side of the curve of the road), and "overwhelmed the line of railway for a length of 120 yards, and a depth of 10 or 12 feet." By Nov. 18th both lines were cleared, but on Nov. 22nd both lines were again covered, and traffic was suspended until Dec. 23rd, clay having come forward on both sides of the cutting. On Jan. 7th, 1842, the west side again gave way, and, in spite of relays of men working unceasingly by day and night, it was not until after Feb. 10th that the trains ran through regularly.

^{* &}quot;On Railway Cuttings and Embankments, with an Account of some Slips in the London Clay, on the Line of the London and Croydon Railway," by C. H. Gregory. March 26th, 1844. Inst. of Civil Engineers, vol. iii. p. 135.

What the general manager of the Company would have to put up with if these slips were repeated in 1904, I am unable to conceive, though possibly the engineer would be equal to removing the obstacle more expeditiously than his predecessor.

I might point out that these great landslips followed a year of excessive rain. Our President informs me that 1841 was a very wet year, the rainfall at Greenwich being 33:26 in., and was

only exceeded in 1852 and 1903.

The mass of clay was greater in 1841 than in 1903, the cutting then being far deeper and narrower than it has been since the great slip; but the effect of the heavy rains last year show the disposition of the clay to slide after very heavy rains. It was very noticeable last summer how the clay crept forward over the lower bed E, which never seemed to shift.

According to Mr. Gregory, the first slip "was materially assisted by the natural dip of the strata from west to east, and by the fact of the western slope being on the inside of the curve, thus leaving the slope less supported laterally." The following is the section given by Mr. Gregory, the depth of the original cutting at the centre line being about 75 ft., rising to 80 ft. on the western side:—

Yellow clay.		IN.
Blue clay		
Fine sand	0	3
Lignite		$0\frac{1}{4}$
Fine sand		
		_
Loose grey sand with fossils Strong blue clay.		10
Black clay and sand with fossils	-	9
Black dirty sand		
Dark sand with fossils, oysters, &c		
Stone with fossils	_	
Decomposed stone and sand with fossils	0	3
Plastic clay.		

The next published record of this cutting is that by Mr. Henry Warburton, who received from Mr. Simms the following section:—

London Clay, the lowest bed of which, from 10 to		
15 ft. thick, is of a blue colour.	FT.	IN.
Rolled flint pebbles		
Fine fawn-coloured sand	0	3
Lignite		

^{* &}quot;On the Occurrence of a Bed of Septaria, containing Fresh-water Shells, in the Series of Plastic Clay at New Cross, Kent" (Quart. Journ. Geol. Soc. 1845, p. 172).

Fine fawn-coloured sand		. IN. 0
and Cerithia	0	4
Grey sand with fragments of Cerithia	_	8
Strong black clay	0	10
Black clay and sand with fragments of oysters and Cerithia	0	9
Black sand	0	4
Dark sand with oyster-shells	0	6
Calcareous stone, with fresh-water shells	-	6 ¹ / ₄ 6 3
	8	$3\frac{1}{4}$

The shells recorded in addition to the above were *Paludina* and *Unio*.

It will be seen that Mr. Simms copied Mr. Gregory's section, merely verbally altering the description of some of the beds, and giving a few fossils.

Prestwich gives the section as follows*:-

	FEET.
London clay	40
Basement-bed London clay (flint pebbles in	
ochreous sand)	
Yellow sand	$2\frac{1}{2}$
Clay and sand with shells occasionally	3
Band of fresh-water limestone (Paludina)	$0\frac{1}{2}$ to 1
Sand and shells	6
Clayey sand and shells	5
0 0	

No further record of the section appears to have been published until Mr. Whitaker, in his memoir,† gave the sections published by Messrs. Gregory and Warburton, with some remarks of his own, as follows:—

(Yellow clay.	FT.	IN.
Blue clay [with many and large pieces of selenite		
The lower part laminated] 10 to		
(Flint pebbles [basement bed]	1	10

^{* &}quot;On the Structure of the Strata between the London Clay and the Chalk," &c. (Quart. Journ. Geol. Soc. vol. x. p. 103).

 $[\]dagger$ 'Memoirs of the Geological Survey of Great Britain,' vol. iv. part i. pp. 129-130.

	Fine fawn-coloured sand Lignite Fine fawn-coloured sand Ferruginous sand with fossils (Ostrea, Cerithium) Loose grey sand with fossils (Cerithium) Strong blue or black clay	0 0 2 0 0	. IN. 3 0 ¹ / ₄ 0 4 8 10
Woolwich	Black clay and sand with fossils (Ostrea, Ceri-	0	0
Beds 5	thium)	0	9
	Black dirty sand	0	4
	Dark sand with fossils (oyster-shells, &c.)	0	6
	dina-bed]	0	6
	Decomposed stone and sand with oyster-shells	0	3
	Plastic clay.		

I took a series of sections on different dates from March 26th to July 10th, the section often varying somewhat during the progress of the work, and according to the position north or south in the section.

The following may be regarded as a fairly representative section:—

A. London Clay	Yellow clay.
B. Oldhaven Beds	Pebbles in yellow sand,
	—pebbles very large at
	base 1 to 2 ft.
C. Woolwich and Reading	
Beds	Loam and sand 18 in. to 2 ft.
,,	Shelly bed (Cyrena) 3 to 4 in.
Ď	Clayey limestone (Palu-
	dina) 9 in.
E	Glauconitic sandy clay 3 ft. 6 in. to 4 ft.
	Ostrea bed 7 to 9 in.
F	Green clayey sand, pyri-
	tized wood 9 in.

By the kindness of Mr. E. T. Newton, F.R.S., I am enabled to give the following list of fossils which he has determined from specimens collected by himself and others, together with those in my collection, the horizon of same being indicated by the lettering of the section:—

B. Cliona.

Ostrea.

Cyrena.

Melania inquinata, Defr.

Odontaspes elegans (found on the surface, not in situ). Pyritized wood.

C. Cliona.

Ostrea bellovacina, Lam. Cyrena cuneiformis, Lon. Unio subparallela?, Edw. D. Unio subparallela.

Scrobicularia Condamini, Morris.

Hydrobia Parkinsoni, ? Morris (Stenothyra).

Melanopsis buccinoidea, Fer.

Paludina lenta, Brand (Vivipara).

Pitharella Rickmanni.

Fish-bone.

E. Cliona.

Cyrena intermedia, Melville.

Modiola.

Ostrea bellovacina, Lam.

Cerithium funatum, Mant. Hydrobia Parkinsoni, Morris (Stenothyra).

Melania inquinata, Defr.


Coprolite?.

F. Modiola Mitchelli, Morris.

Ostrea sp.

Cerithium funatum, Mant.

Melania inquinata, Defr.



13.—Notes on the Polariscope presented by the President.

By J. H. BALDOCK, F.C.S.

(Read September 20th, 1904.)

WITH reference to the very beautiful present just made to the Society by its President, Mr. F. C.-Bayard, I have been asked to say a few words of explanation as to what polarized light is, and its application to the instrument before us, after which I shall, with the kind assistance of Mr. Gower, show you some of the extremely beautiful results to be obtained by the means of the lantern polariscope.

Most people who possess microscopes which are capable of producing polarizing effects, know that by doing certain things, with certain parts of the instrument, they are able to produce certain effects, but it is very probable that many do not know

what happens to enable them to do this.

Distinction between Common and Polarized Light.—Every beam of common light appears to consist of an indefinite number of systems of waves, undulating in a determinate plane, always at right angles to the direction pursued by the ray. These waves vibrate in all azimuths around the course of the ray, but may be theoretically resolved into two component vibrations at right angles to each other. Thus, common light may be regarded as composed of two beams of light which are vibrating in planes at right angles to each other.

Polarized light differs from ordinary light in being produced by vibrations in a single plane only. Polarization once impressed on a beam of light continues permanent, whether the subsequent course of the ray is long or short, provided it continue in a

homogeneous medium.

What is known as the "Nicol's Prism," composed of Iceland spar, calcite, or carbonate of calcium, as it is variously called, is a convenient means of obtaining a polarized beam of light, depending on the principles of double refraction and total internal reflection. It is constructed thus:—A rhombohedron of Iceland spar is bisected in the plane which passes through the obtuse angles; the two halves are then joined again, in the same position, by means of Canada balsam. The refractive index of Canada balsam, 1.549, is less than the ordinary index of Iceland spar, 1.654, but greater than its extraordinary index, 1.483. The section of the Iceland spar prism is cut in such a direction that the ordinarily refracted ray strikes the Canada balsam at an

angle greater than its critical angle, and undergoes total internal reflection, while the extraordinary ray, striking the balsam at less than its critical angle, can traverse it. Hence, since the Nicol's prism allows only the extraordinary ray to pass, it may be used, like a tourmaline, either as a polarizer,

or as an analyzer.

At this point it may be as well just to state what is meant by ordinary and extraordinary rays. All transparent crystals which do not belong to the regular or cubical system are doubly refracting; when a double refracting crystal, such as the one we are considering, i.e. Iceland spar, is placed over a dark dot on a piece of white paper, and looked through, not one dot but two are seen; and if the crystal is rotated, keeping the eye in the same line, one of these dots will appear to revolve round the other, the ordinary image, corresponding to the ordinary ray, being fixed; while the extraordinary image, corresponding to the extraordinary ray, describes a circle round it.

Unfortunately, there is now such a scarcity of crystals of Iceland spar, especially of any size and purity, that a perfect crystal of, say, 2 in., would cost £200 or £300, even if it could be obtained at all, which is doubtful. Opticians have therefore been obliged to resort to some other means for polarizing light. In the instrument before you, this has been obtained by means of a number of flat, thin, colourless glass plates, the last one at the back being made of black glass, or blackened, and the whole so arranged that the light from the condenser in the lantern falls on the plates at an angle of fifty-six degrees from the normal, this being what is called the polarizing angle. When, therefore, a ray of light encounters such a bundle, part of it is reflected, and this reflected light is in part polarized, With one plate polarization is only partial, but with ten or twelve plates polarization is tolerably complete.

There are two disadvantages to this form of polariscope, *i.e.* that the lantern has to be turned sideways consequent on the elbow; and the other is that the polarizer cannot be rotated; but

these are not very serious objections.

We have now got polarized light, and, with the addition of a second polarizing arrangement called an analyser, which in this case, being much smaller, may be a Nicol's prism constructed as

already described, our apparatus is complete.

When the polarizer and analyser are so arranged that the plane of polarization of the two coincides, the light which has passed through the polarizer, which is rather less than half the original light, passes through the analyser in the same plane with little further loss. But when the analyser is rotated around the axis of the beam of light, the plane polarized light which falls on it is resolved into two components, one parallel with, and the other

at right angles to, the polarizing plane of the analysing Nicol, the former component passing, and the latter being arrested. As the angle of rotation is increased, the proportion of the latter component increases, and more and more light is arrested, until when the planes of polarization of the polarizer and analyser are at right angles to one another, the light is almost completely stopped, and the field becomes quite dark. Continuing the rotation beyond the right angle, the light gradually reappears. If, now, when the planes are at right angles to one another, we place between the polarizer and the analyser a transparent substance which has the optical property of rotating the plane of polarization, the polarized light which passes through this substance will have its plane of polarization so altered that a portion of it will be able to pass through the second or analysing prism, and will produce on the screen or in the microscope an image of the object, more or less bright, on a dark ground. A similar effect is produced if a doubly refracting substance is placed between the two prisms, the light being resolved into two com-

ponents, one of which is able to pass.

Frequently, especially when the objects exhibited under the polariscope are thin sections, the images appear brightly coloured, the colours changing to the complementary hue when the analyser is rotated at right angles to its former position. colours are due to what is called "interference," like the colours of thin films, as of a soap-bubble, though the mechanism producing them is different. In the thin film the light which is reflected from the deeper side of the film has to take a longer path than that reflected from the surface, hence it lags slightly behind, and if it does so to just such an extent that the vibrations in the retarded ray are moving in exactly the opposite direction to the corresponding ray with which it coincides, those particular waves are neutralized. Hence, as white light is made up of an indefinite number of series of waves of different frequencies, each corresponding to a particular colour, if one of these series of waves is cancelled out, the residual light will not be white, but of the colour complementary to that which has been cancelled out. In the case of polarized light a similar effect of colour is produced, owing to the circumstance that the light which emerges from the analyser after having passed through a doubly refracting object is composed of two portions which have travelled at slightly different rates of velocity, hence one portion lags behind another sufficiently to allow the waves of length corresponding to a particular colour to cancel one another, and the light appears of the complementary colour. In either case it is only when the thickness of the reflecting or doubly refracting medium is very small that the paths of the rays coincide with sufficient exactness to produce the interference effect. The colours of selenite films in the polariscope are thus produced. Selenite is a doubly refracting mineral which readily splits up into thin plates, a definite thickness of plates producing a definite pair of complementary colours.

Some curious and amusing slides were exhibited, in which plates of selenite producing appropriate colours had been arranged to form pictures, with leaves and flowers. In one slide a miller was changed into a sweep by the turning of the analyser.

14.—Some Surrey Wells. (Fourth Paper.)

By W. WHITAKER, B.A., F.R.S.

(Read October 18th, 1904.)

The total number of recorded well-sections in Surrey was brought up to 302 in my last paper on the subject, published in the 'Transactions' for 1900. We have now thirty-eight more, two thirds of which are in the western part of the county; but one of these is practically a duplicate of a previously published section, so that the total is 339. Of these only three reach to the depth of 500 feet (at Purley, Battersea, and Dulwich), and only two are of special interest.

At Purley a boring has been carried through the Chalk and the Upper Greensand to the Gault, thus for the first time proving

the depth to the Gault in that neighbourhood.

At Tatsfield a supply of water has been got for Limpsfield and Oxted by boring through the lower part of the Gault, the Folkestone Beds, the Sandgate Beds, and some way into the Hythe Beds. We have now a definite measurement of the Folkestone Beds, from top to bottom giving a thickness of 211 feet.

The figures for thicknesses and depths stand for feet, unless otherwise stated. Words referring to the classification of the beds, in square brackets, have been added by the writer.

Battersea. Latchmere Road Baths. No. 2 Boring. 1901.

Made and communicated by Messes. A. C. Potter & Co.

40 feet of tubes, of 13 inches internal diameter, fixed into the London Clay, to shut out surface-water, and 260 feet of tubes of 10 inches internal diameter, 9 feet into the chalk.

		Thickness	Depth
Pit, in Made Gro	ound	. —	9
[River] gravel		. 15	24
	Clay, with 6 inches of claystone at	t	
	the base	$39\frac{1}{3}$	$63\frac{1}{3}$
	Loamy clay		$93\frac{1}{3}$
	Sandy clay		109
[London Clay,]	Blue clay, with claystone 129 to)	
? 132 feet.]	129½ feet down	. 39	148
	Sandy clay		151
	Basement-bed [?]. Conglomerate and		
	shells	5	156

		Thickness	Depth
	Clay and shells		$160\frac{1}{2}$
	Mottled clays, brown, green, red, yel		-
[Woolwich and	low and grey (7 beds)	~ 24	$184\frac{1}{2}$
Reading Beds,			190
57 feet.	Grey clay	. 2	192
	Oyster-shells		195
	Grey (1 foot) and brown mottled clays		213
	Compact sand	. 6	219
Thanet Sand,	Running sand	. 21	240
$38\frac{1}{2}$ feet.	Loamy sand	. 11	251
, ,	Flints		$251\frac{1}{2}$
	(Hard chalk and flints	. 98	$349\frac{1}{2}$
[Upper (and	Soft chalk and flints, the top $32\frac{1}{2}$ feet		
? Middle)Chalk,	water-bearing	$143\frac{1}{2}$	493
$265\frac{1}{2}$ feet.	Soft chalk, streaked with grey		502
	Hard chalk	. 15	517

Camberwell. Honour Oak Pumping Station of the Southwark and Vauxhall Water Co. By Priory Farm, S.E. of Peckham Rye Common. 1903?

Over $107\frac{1}{2}$ feet above Ordnance Datum. Communicated by Mr. J. W. Restler.

Shaft and cylinders into the Chalk. Galleries driven at a depth of 236 feet, for a length of 3123 feet.

Rest-level of the water 4 feet above Ordnance Datum. Large

yield.

		Thickness	Depth
Soil		1	1
I and on Clary	Yellow clay	4	5
57 feet.	Coarse yellow clay	19	24
57 1eet.	Blue clay	34	58
	Fine grey sand	$7\frac{1}{2}$	$65\frac{1}{2}$
[Woolwich and	Clay and shells	11?+	$76\frac{1}{2}$
Reading Beds,	Mottled clay	7 ? —	$83\frac{1}{2}$
$42\frac{1}{2}$ feet.	Sandy clay and pebbles	$6\frac{1}{2}$	90
	Sand and concretions	$10\frac{1}{2}? -$	$100\frac{1}{2}$? —
[Mhonet Yand	Green sand	39	$139\frac{1}{2}$
41 feet.	Flints, dark coated	2?+	$141\frac{1}{2}?+$
41 1001.]		(? sh	ould be $151\frac{1}{2}$)
Chalk	***************************************	$148\frac{1}{2}$	300

Chiddingfold. For Mr. S. Barrow. 1901.

Made and communicated by Messrs. Duke & Ockenden.

	Thickness	Depth
Dug well [? old]		$9\overline{2}$
(Blue clay	21	113
[Weald Clay.] Sand rock	7	120
[Weald Clay.] Blue clay Sand rock Clay	130	250

Compton. Heath Nurseries. 1900.

Made and communicated by Messes. Duke & Ockenden. Water-level 48 feet down.

	Thickness	Depth
Dug well ? old]		50
Sand	6	56
Bargate stone		58
Sand and clay	50	108

Cranleigh. Bog.

Boring of 3 inches diameter, from 19½ feet downward. (Field 676 of 25 in. Map xxxix-ii. ed. 2, 1896.)

Communicated by Mr. Stephen Rowland, of Yew Tree House. 1901.

T	hickı	ness	Dept	h
Bog, cleaned out to the depth of	19 4	0	- 61 ft.	4 in

When the bottom of the bog was reached a good flow of water was obtained from several fissures in the shale, and, with a view of increasing the supply, the bore-hole was made, but with no result.

Croydon. Empress Laundry. 1902.

Made and communicated by Messes. Duke & Ockenden. The only indications of water were at 287 to 296 feet down.

	Thickness	Depth
Made ground		$\frac{1}{4}$
Gravel	. 4	8
(Clay	54	62
Rock	6	68
Clay		76
IT and on Clay Sand	13	89
[London Clay.] Sand and clay	3	92
Clay	16	108
Rock	2	110
\Clay	3	113
[? London Clay and Reading Beds.] Gree	n	
sand and clay		134
[Thanet] Sand		177
Čhalk	133	310

Croydon. Lambeth Water Co. Selhurst (Thornton Heath rather). 1901.

Shaft, made and communicated by Messes. Docwea.

		Thickness	Depth
IT and an Olary 1	Yellow clay Dark sand, with pebbles	$57\frac{3}{4}$	$57\frac{3}{4}$
[London Clay.]	Dark sand, with pebbles	$\frac{\hat{1}}{4}$	58
[Oldhaven Beds]	Light-coloured sand	$5^{\frac{1}{4}}$	63
16 feet.	Dark sand	11	74
	Blue stone	1	75
	Shells and sand	4	79
[Woolwich and	Dark clay	2	81
Reading Beds,	Shells and sand	5	86
	Blue clay	$\frac{1}{2}$	$86\frac{1}{2}$
31 feet.]	Mottled clay		$102\frac{1}{4}$
	Light-coloured sand	$\frac{1}{2}$	$102\frac{3}{4}$
	Sand and pebbles		105
? Woolwich &	Green sand	19	124
Thanet.	Thanet sand	38	162
Chalk	*************	78	240

This differs in details from the account of the trial-boring (printed in the 'Transactions' for 1894-5, p. 187). The London Clay is made a little thinner, the Oldhaven Beds a little thicker, and the depth to the Chalk 3 feet less.

Croydon. Surrey Ironworks (Messrs. Measures), Pitlake. 1902.

(Within 100 yards of the Ice Co.'s well, described in 1901.) Bored and communicated by Messrs. Duke & Ockenden.

	Thickness	Depth
[River Drift.] Sand and gravel	. 15	$1\tilde{5}$
Woolwich and (Blue clay	. 22	37
Reading Beds, Yellow clay	. 11	48
40 feet. Green sand and clay	. 7	55
Green and white sand	3	58
[Thanet Sand,] White and black sand	$12\frac{1}{2}$	$70\frac{1}{2}$
50 feet. Black sand	. 27	$97\frac{1}{2}$
Sand and clay	$7\frac{1}{2}$	105
Chalk and flints		300

Another account mades the depth to the Chalk 118 feet.

Dorking. Messrs. Young's Brewery.

Made and communicated by Messrs. Isler & Co. Water-level 4 feet down. Supply 6000 gallons an hour.

		Chickness	Depth
	(Pit	_	6
	Running sand	146	152
Lower	Sandstone and running sand	3	155
Greensand.	Red sand and sandstone	6	161
	Red sand	3	164
	Sand and sandstone	21	185

Dorking. Holmwood. Brickfield. Abandoned.

Made and communicated by Messrs. Duke & Ockenden.

 $[\text{Weald Clay.}] \left\{ \begin{matrix} \text{Blue clay ... } 107 \\ \text{Red clay ... } 17 \\ \text{Blue clay ... } 31 \end{matrix} \right\} 155 \text{ feet.}$

Dorking. Shellwood Farm. For the Duke of Northumberland. 1897.

Made and communicated by Messrs. Duke & Ockenden. Bored to 170 feet. Water-level 68 feet down.

Dulwich. Constance Road Workhouse, East Dulwich.

Communicated by Mr. W. M. BINNY.

65 feet above Ordnance Datum.

Boring of 12 inches diameter.

Standing water-level about 100 feet down.

Some water met with 40 feet down rose to within 30 feet of the surface. This was shut out by an iron lining tube, driven

down to a depth of 190 feet.

On the first test a large quantity of the Thanet Sand, with water at the rate of 7000 gallons an hour, made its way into the bore-hole. The sand was shut out by driving the lining tubes into the chalk; but the yield of water was thereby reduced considerably. The water was pumped for a week continuously, and samples then taken were reported as suitable for domestic purposes.

	Thickness	Depth
Made Ground		3
[London Clay.] (Brown clay	12	15
Blue clay	$19\frac{1}{2}$	$34\frac{1}{2}$
[London Clay.] Clay and shells	$1\frac{1}{2}$	36
Sand and gravel [? pebbles]	$\frac{1\frac{1}{2}}{3}$	39
(Clay		63
Puerry clay	10	73
[Woolwich Beds, $52\frac{1}{2}$ feet.] Fints [? pebbles]	$3\frac{1}{2}$	$76\frac{1}{2}$
Beds, 52½ feet. Sand	$12\frac{\tilde{i}}{3}$	89
Sand	$2\frac{1}{2}$	$91\frac{1}{2}$
[Thanet]. Fine grey sand, with water	44	$135\frac{\tilde{4}}{3}$
[Upper and (Chalk with layers of flint	$67\frac{1}{5}$	203
? Middle Chalk. Hard chalk without flints		509
Total depth given as 504.		

Elsted. London and South Western Railway. 1898 and 1899.

Two wells, made and communicated by Messrs. Duke & Ockenden.

The first a dug well to 36 feet, bored to 149.

The second, water-level 30 feet down.

Blue clay, with 8 inches of rock at 24 feet, to sand 118½ feet.

Farnham. Castle Brewery. 1901.

Made and communicated by Messrs. Duke & Ockenden. Dug 62 feet, and then bored for 79 feet. Water-level 45 feet down.

Farnham. United Breweries Co. 1896.

Made and communicated by Messes. Duke & Ockenden. Dug well (6 feet diameter) 16 feet. Bored to 132 feet. Water-level in well 12 feet down, in bore-tube 10 feet down.

Farnham. Wrecclesham. Mr. G. F. Roumieu's, Willey Park. 1898.

Made and communicated by Messrs. Duke & Ockenden. Dug well 30 feet, the rest bored. Water-level 154 feet down.

> Clay and sand \ldots 217 250 feet. Sand 18)

Farnham. Upper Hall Schools.

Information and specimens, from Messes. Duke & Ockenden. Shaft 50 feet, the rest bored.

Gravel and Bagshot Sand ... 64 Fundan Clay 50 114 feet.

Farnham. Runfold. For Mr. G. F. Roumieu. 1900.

Made and communicated by Messes. Duke & Ockenden. Dug well 20 feet, the rest bored.

Well full of water. Water-level in bore-hole 57 feet from the surface.

Frimley. Ridgemount, Black Down Hill. 1896.

Communicated by Dr. A. Haviland.

Above the 350 feet contour-line [? is there such ?].

Water stood 7 feet [? from bottom].

	Thickness	Depth
Plateau gravel	. 6	$\bar{6}$
Sand, varying only in colour	. 75	81
Clay, with sand sometimes	. 3	84
Sandbetween 15	and 20 ?	100
Bluish sand, having a sulphurous smell	. 5 ?	105

On visiting the well a few days after the above report was taken, it was found that the thick colour of the water had disappeared, and the offensive smell had gone.

Godalming. Munstead Heath (south-eastward from the town). Mr. P. N. Graham's, 1896.

Made and communicated by Messrs. Legrand & Sutcliff.

XX7 1 1 1	4 22	0 1	\circ	. 1	7	/B T \
Water-level	1 ()()	reeu	O	mones	UUWII	TATE A L

		Thick	cness	De	pth
			IN.	FT.	IN.
Pit (the rest bore			-	6	0
[? Folkestone	(Red sand	. 5	0	11	0
	Yellow sand, with ironstone from	l			
Beds.]	$33\frac{3}{4}$ to 34 feet down	24	0 -	35	0
	Buff stone, with ironstone from				
	51 ft. 6 in. to 51 ft. 8 in. down		6	59	6
	Grey limestone	6	1	65	7
	Buff sand		6	69	i
	Grey limestone	_	$\tilde{2}$	70	3
	Buff sand and layers of Bargate		_	• •	
	Stone		11	81	2
	Bargate Stone		9	82	_
[? Hythe Beds,	Buff sand and layers of Bargate		U	04	11
$162\frac{1}{4}$ feet.	Stone		7	107	6
1024 1000.	Sand and sandstone layers		6	115	0
	Light-buff sand	7	0	$\frac{110}{122}$	0
	Stiff buff sandy marl		6	145	6
	Greenish sand		6	150	0
	Grey calcareous sandstone		4	150	4
	Greenish buff sand		2	151	6
	Greenish buff sandy marl	39	6	191	0
į	Buff clayey sand	6	3	197	3

Godalming. Shackleford, W.N.W. of the town. 1899. Made and communicated by Messrs. Duke & Ockenden.

Gomshall. Mr. Gilligan's Tannery.

From	MR.	J.	F.	BLAKE	s	notes.
------	-----	----	----	-------	---	--------

Thick	ness	De	pth
		FT.	IN.
4	0	4	0
66	0	70	0
1	0	71	0
10	0	81	0
	0	117	0
	Õ	128	0
	•		
	_	0	
	66 1 10 36 11	FT. IN. 4 0 66 0 1 0 10 0 0 1 0 1 0 1 0 1 0 1 0 1	FT. IN. FT. 4 0 4 66 0 70 1 0 71 10 0 81 36 0 117 11 0 128

[There seems to be some doubt as to the last two beds, but there is a note that the boring reached to 140 feet.]

SECOND WELL. November, 1888.

Tubed to 139 feet. Water rose and overflowed above 2 feet above the ground.

acove the grou.	nu.	Thick	ness	De	pth
		FT.	IN.	FT.	IN.
[Drift?] B	allast		0	4	0
	Folkestone red sand, highly charged with water Green sand, very wet	66	0	70 71	0
	Red sand, highly charged with	l			
	water	57	0	128	0
	Blue clay (as in first well)	1	0	129	0
	Shingle containing small pebbles		0	130	0
	Light-coloured rock	. 1	2	131	2
Lower Green-	Dark green sand	. 5	6	136	8
sand. Division	Light-coloured rock	2	4	139	0
doubtful.	Quartz and shingle, interspersed	l			
doubtui.]	with very thin layers of chert	14	0	153	0
	Soft rock	. 4	0	157	0
	Hard rock		0	158	0
	Green sand		0	162	0
	Very hard rock		0	164	0
	Clay mixed with chalk	. 4	0	168	0
	Very hard rock		0	170	0
	Soft rock		0	171	0
	{ Blue clay	2	3	173	3

Gomshall. Southbrook Farm.

MSS. of the late J. H. BLAKE.

	Thickness		Depth	
	FT.	IN.	FT.	IN.
Ballast, gravel, and sand	8	0	8	0
Yellow sand	13	0	21	0
Rock (6 inches), and then sand and rock	48	0	69	0

Guildford. Waterworks. 1904.

Boring of $13\frac{1}{2}$ inches diameter. (Pit of about 5 feet at top.)

Communicated by Mr. C. G. Mason, Borough Surveyor.

Made ground	Thickness 61	-
[River Drift.] Dark sand Clean sharp sand	. 4	$7\frac{1}{2}$ $11\frac{1}{2}$
Sand and ballast [gravel]	. 6	$\begin{array}{c} 17\frac{1}{2} \\ 24\frac{1}{2} \end{array}$

		Thickness	Depth
	(Chalk and flints	. 21	$45\frac{1}{2}$
	Chalk with less flints		$84\frac{1}{2}$
	Grey chalk [? marl-layer]	$1\frac{1}{2}$	86
	Chalk and flints in layers		115
	Chalk and flints, with grey layers	23	138
	White chalk	$49\frac{1}{2}$	$187\frac{1}{2}$
Upper and	Chalk marl	$4\frac{1}{2}$	192
Middle Chalk.	Grey chalk	. 59	251
	Grey chalk marl	. 5	256
	White chalk		260
	Grey chalk	. 28	288
	White rock chalk	. 24	312
	Rock chalk with flints	. 6	318
	Melbourn rock	. 11	329

Apparently the Upper Chalk goes to 138 feet, and then the Middle Chalk is reached, if the identification of the bottom bed as Melbourn Rock be right.

Guildford. Near the Wey, about half a mile north of the railway station. For the Woking Water Co. 1899.

Made and communicated by Messrs. Legrand & Sutcliff. Overflowed (September).

,	Thickness	Depth
[? Alluvium.] Soil Clay	. 3	\bar{s}
[Clay	. 2	5
[River Drift.] Sand and gravel	. 10	15
Blue [London] Clay. A little sand and shells in	1	
the lowest 15 feet. Pebbles at the base	52	67
Brown and blue clay	. 6	73
[Reading Beds, 73 feet.] Brown and blue clay	. 51	124
73 feet. Green sand	. 15	139
Pebbles and flints	. 1	140
Chalk and flints	. 167	307

Guildford. West Surrey Dairy Co.

Boring made and communicated (1901) by Messas. Islee & Co. Lined with 90 feet of tubes, of 4 inches diameter, 2 feet down.

Water-level 73 feet down.

		Thickness	Depth
Well (old)	**********		74
· ·	Chalk	. 7	81
	Chalk and flints	. 60	141
Upper Chalk.	$\langle \text{ Flints } \dots \dots \dots \dots \dots \rangle$. 6	147
	Hard chalk Chalk and flints	. 3	150
	Chalk and flints	. 100	250

Haslemere. Dene Park. 1901.

Made and communicated by Messrs. Duke & Ockenden.

Water first struck at 70 feet. A small quantity at 93. Increased at 100-110. Water-level, when at rest, 98 feet down. Infiltration 300 gallons an hour.

	Thickness :	Depth
(Sandstone	87	87
[Hythe Beds.] Clay and sandstone	clay	96
alternating	14	110
[? Atherfield.] Blue clay	9	119

Hindhead. Wey Valley Waterworks. 1899.

Made and communicated by Messrs. Duke & Ockenden. Shaft 215 feet, the rest bored.

Water-level 203 feet down.

Sandstone $33\frac{1}{2}$ 282				
$[\text{Hythe Beds.}] \begin{tabular}{ll} & \text{Blue rock} & \dots & 3 & 241 \\ & \text{Sandstone} & \dots & 6 & 247 \\ & \text{Blue clay} & \dots & 1\frac{1}{2} & 248\frac{1}{2} \\ & \text{Sandstone} & \dots & 33\frac{1}{2} & 282 \\ \end{tabular}$!	Thickness	Depth
$[Hythe Beds.] \begin{cases} \text{Blue rock} & & 3 & 241 \\ \text{Sandstone} & & 6 & 247 \\ \text{Blue clay} & & 1\frac{1}{2} & 248\frac{1}{2} \\ \text{Sandstone} & & 33\frac{1}{2} & 282 \end{cases}$		(Sandstone	238	238
[Hythe Beds.] $\begin{array}{cccccccccccccccccccccccccccccccccccc$		Blue rock	3	241
Sandstone $33\frac{1}{2}$ 282				247
Sandstone $33\frac{1}{2}$ 282	[Hythe Beds.]	Blue clay	$1\frac{1}{2}$	$248\frac{1}{2}$
	. 0	Sandstone	$33\frac{1}{2}$	282
(MOCK 1 200		Rock		283
Sandstone $12\frac{1}{2}$ $295\frac{1}{2}$		Sandstone		$295\frac{1}{2}$

Horley. Albert Brewery (Messrs. Youell & Elkin). 1895.

Made and communicated by Messes. Islee & Co.

Dug 3 feet, the rest a boring of 6 inches diameter.

Water overflowed at the rate of about 9 gallons a minute. Pumping goes on at the rate of 2000 gallons an hour.

		Thickness	Donth
	(Woold alar		11
	Weald clay	11	
	Stone		19
	Blue marl	41	60
	Blue marl and stone	$19\frac{1}{2}$	$79\frac{1}{2}$
	Stone	$1\frac{1}{2}$	81
	Marl	2	83
[0 AH Was14	Marl and stone	5	88
[? All Weald Clay.]	Marl	$6\frac{1}{2}$	$94\frac{1}{2}$
	Marl and stone	91	$185\frac{1}{2}$
	Sandstone *	$25\frac{1}{2}$	211
	Marl and stone	$2\frac{1}{2}$	$213\frac{1}{2}$
	Sandstone	8	$221\frac{1}{2}$
	Marl	$3\frac{1}{2}$	225
	Marl and stone		$229\frac{1}{2}$
	(Marl		235

^{*} A letter from Messrs. Youell & Elkin (Nov. 1895) describes this 25 feet bed as limestone, and adds that an adequate supply came from it.

		Thickness	Depth
	Marl and stone	. 16	$25\overline{1}$
	(Marl	. 4	255
	Marl and stone	. 9	264
	Marl	. 1	265
[? All Weald Clay.]	Marl and stone	$2\frac{1}{2}$	$267\frac{1}{2}$
	√ Marl	. 21	$288\frac{1}{2}$
	Sandstone	$egin{array}{ccc} rac{1}{2} \ 1rac{1}{2} \end{array}$	289
	Stone	. $1rac{ ilde{1}}{2}$	$290\frac{1}{2}$
	Sandstone	. 4	$294\frac{1}{2}$
	Marl and sandstone	$2\frac{1}{2}$	297
	Marl	. 3	300

Lambeth. Commercial Road. Charing Cross and Strand Electricity Supply Corporation.

Made and communicated by Messrs. Isler & Co.

Lined with 30 feet of tubes, of $13\frac{1}{2}$ inches diameter, 6 feet down; and with 225 feet, of 10 inches diameter, 5 feet down.

Water-level 121 feet down. Yield 10,000 to 15,000 gallons an hour.

	Thickness	Depth
[Alluvium.] Blue clay	. 20	$2\overline{0}$
[River Drift.] Gravel	. 12	32
Blue [London] Clay	. 99	131
(Mottled clay	. 6	137
[Reading Beds, Mottled clay	31	168
71 feet.] Mottled clay	. 8	176
71 feet.] Mottled clay	$^{\circ}$ 26	202
[Thanet Sand.] (Dark sand	. 19	221
Flints	. 1	222
[Upper] Chalk		400

Lambeth. Workhouse, Renfrew Road, Lower Kennington Lane.

Made and communicated by Messrs. Isler & Co.

Lined with 170 feet of tubes, of $13\frac{1}{2}$ inches diameter, a foot down.

Water-level 100 feet down. Supply 10,500 gallons an hour.

	Thickness	Depth
Made Ground	$5\frac{1}{2}$	$5\frac{1}{2}$
[River Gravel.] Ballast	$13\frac{1}{2}$	19
Blue [London] Clay		7 9
Grey sand		106
Blue clay	$1\frac{1}{2}$	$107\frac{1}{2}$
[Reading Beds, Mottled clay	$12\frac{1}{2}$	120
Conglomerate	. 5	125
Green sand and pebbles	$_{ m S}$ 22	147
Grey [Thanet] sand	. 23	170
Chalk and flints	. 230	400

Liphook. Mr. Rapley's. 1890?

_				
From Mr. W. Topley's MSS.	Thickn	ess	Dep	$^{ ext{th}}$
	FT. I	N.	FT.	IN.
Hassock. Yellow impure clayey sands overlying	ξ			
buff and finer grained sands		0	14	0
Rag and sand-rock	. 1	2	15	2
Hassock. Yellow clayey impure sands like those				
above	. 41	10	20	0
Bargate. Not hard, unfit for building	. 1	7	21	7
Hassock. Yellow and impure clayey sands		9	26	4
Bargate. Harder and better stone than that above				
Used for garden-walks		6	27	10
Hassock. With two courses of Bargate stone, abou				
3 inches thick	. 2	6	30	4
Bargate. Very hard; breaks with a conchoida				
fracture	. 1	2	31	6
Hassock. Hard and compact [but with] brown				
impure sands	. 4	10	36	4
Bargate. Very hard. Upper layers siliceous (no				
acted on by hydrochloric acid)	. 1	8	38	0
Hassock		0	40	0
Bargate. Very hard, from under which water cam		0	43	0
, , , , , , , , , , , , , , , , , , , ,				

The Bargates not regularly bedded, but in lenticular and more or less rounded concretions.

Purley. East Surrey Waterworks. Between the Brighton and Caterham Roads, westward of the railway station.

About 215 feet above Ordnance Datum.

Made and communicated by Mr. R. Batchelor (with notes from specimens in the Company's office at the works, in brackets).

	Thickness	Depth
Soil and Gravel [Valley Drift]	$5\frac{1}{4}$	$5\frac{1}{4}$
[Upper, Middle, and Lower Chalk.] Chalk and flints	$451\frac{3}{4}$	457
(Chalk marl, base firm	. 10	467
Lower Chalk, (Chalk marl, base firm	:	
? at base Upper light-coloured greenish sand, with		
Greensand. glauconite-grains, ? chalky, a		
478)		479
Green sand, fine (like the last, bu		
finer, at 480 feet. Pale green		
sand at 482, 484, rather greener		
400 400 1 400	10	491
Opper Green- / Dool-	. 1	492
sand, 35 feet? Dark greensand rock (light-grey fine	e	102
sand at every 2 feet, from 492 to		
510, getting clayey going down		
ward, and at 512 a sandy clay)	. 22	514
[Gault.] Clay (sandy clay, every 2 feet, from 514 to		011
$521\frac{1}{2}$		522
27	_	024
A large supply of water has been got at these v	vorks.	

Puttenham. The Priory (Messrs. Bell Stewart & Co.). 1900.

Boring made and communicated by Messrs. Legrand & Sutcliff.

Water-level 63½ feet down (October).

Well (old), the rest bored $68\frac{1}{2}$ Sand (Folkestone Beds) $52\frac{1}{2}$ 121 feet.

Tatsfield. East of Titsey Wood. Boring for the Limpsfield and Oxted Water Co. 1900.

From a statement furnished by the foreman to Mr. Landale (Chairman).

(All below 305 feet and all in these brackets communicated by

MR. R. F. GRANTHAM.)

When the boring was $296\frac{1}{2}$ feet deep, water stood at the depth of 89 feet. On Nov. 17th, at over 305 feet, it was $86\frac{1}{2}$ feet. Dec. 14th, 78 feet down (end).

10,000 gallons an hour, day and night, were pumped for a fortnight, and Mr. Grantham thinks that more could have been

got with a permanent pump (Aug. 1901).

got with a permanent pamp (mag. 1001).				
	Thickness		Depth	
	FT.	IN.	FT.	IN.
Soil, clay and loam mixed		0	10	0
[Carle] (Blue clay	41	6	51	6
[Gault.] {Loamy sand (clay)	15	0	66	6
White sand (water first met with				
at 89 feet)	26	0	92	6
Pale yellow sand (buff)	37	6	130	0
Yellow sand	20	0	150	0
Rock, hard (ironstone)	1	6	151	6
[Folkestone Yellow sand	12	6	164	0
Beds, 211 ft. Rock, hard (ironstone)	1	.0	165	0
Yellow sand	19	. 0	184	0
Pale yellow fine sand (buff)	41	0	225	0
Yellow sand, a shade coarser [than				
above] (darker buff)		0	265	0
Dark yellow sand		6	277	6
[? Sandgate Beds.] Blue clay (dark) and green sand		-		
mixed		6	284	0
[Hythe Beds.] Hard rock Specimen simply dark	_	9		-
sand, not rock		0	350	0
	. 00		000	

An account from Messrs. Isler & Co. differs in details, making the thickness of the Gault and of the Sandgate Beds a little less, that of the Folkestone Beds and of the Hythe Beds a little more.

Upper Norwood. Brewery, Chapel Road, midway between Knights Hill Road and Elder Road. 1901.

Communicated by SIR B. BAKER.

192 feet above Ordnance Datum. Shaft, of 5 feet diameter,

116 feet, with perforated tube of $11\frac{1}{2}$ inches diameter, of 84 feet. Supply about 100 gallons an hour. Temperature of the water $54\frac{1}{2}^{\circ}$ (September).

		Thickness Dep			pth
		FT.	IN.	FT.	IN.
? Undescribed		21	0	21	0
	(Clay	174	6	195	6
[T] [1]	(Pebbles	2	3	197	9
[Liondon Clay.] -	Oyster-shell rock	0	6	198	3
	[Basement Pebbles Oyster-shell rock Pebble and dark sand	1	2	199	5
	(Sand	8	8	208	1
	Blue clay and shells	5	5	213	6
	Sand	7	5	220	11
[Woolwich and	Rock, sand and shells	5	9	226	8
Reading Beds,	Clay and marl (hard)	7	1	233	9
67½ feet.]	Clay	10	9	244	6
	Pebbles and sand	7	6	252	0
	Sand (hard)	11	6	263	6
	(Sand (hard) and pebbles	3	3	266	9
Thanet Sand,	Sand	25	0	291	9
29± feet.	Flints	4	3	296	0
Chalk and sand	ì	?4	0	300	0

Wandsworth. Public Baths, High Street.


Made and communicated by Messes. A. C. Potter & Co. Supply 5000 gallons an hour.

Suppry 3000	gamons an nour.	cmt t 1	T 17
		Thickness	Depth
Made Ground	***************************************	. 6	- 6
[River Drift.]	Sand and ballast	. 6	12
[202,02 20 41200]	Blue clay, with claystones at the		
	depths of 29 to $29\frac{1}{2}$, 50 to 50 $\frac{1}{2}$		
II and an Class	feet		$50\frac{1}{4}$
			96^{4}
	Clay		00
[London Clay,	Loamy clay, 6 inches of claystone		105
$172\frac{1}{2}$ feet.	at the bottom		
	Clay		173
	Sandy clay		$183\frac{1}{2}$
	Hard pebbles and shells [basement	•	
	bed]		$184\frac{1}{2}$
	(Clay and shells	$8\frac{1}{2}$	193
fw. I la and	Mottled along byonn rollow nod one	l	
[Woolwich and	great (four hode)	34	227
Reading Beds,	Grey sandy clay	. 6	233
$60\frac{1}{2} \text{ ft.}$	Pebbles and sand	11	244
	Clay and pebbles	. 1	245
	Dead sand	9	254
Thanet Sand,	Sand	12	266
30 feet.	Loomy gond	9	275
502 lee.	Loamy sand	, 9	
	Green-coated flint	00	$275\frac{1}{2}$
[Upper Chalk.]	Dense chalk and flints	96	$371\frac{1}{2}$
1 - 11	Soft chalk and flints, water-bearing	$79\frac{1}{2}$	451

Windlesham. Highams.

Boring, from bottom of old well, made and communicated by Messes. Merryweather.
Abandoned, not sufficient water.

		Thickness	Depth
Old well. Stra	ta not known	-	39
	Loam	4	43
	Green loam	5	48
	Green sand	5	53
	Green sand with seam of light-coloured		
Bracklesham	clay		59
Beds.	Light-coloured clay or marl	6	65
,	Tough clay	6	71
	Tough mottled clay	. 6	77
	Hard mottled clay	5	82
	Mottled clay	4	86
[Bagshot Sand, 108 feet.]	Green loam	27	113
	Green sand		138
	Sandstone		142
	Running sand		145
	Live sand	14	159
	Green sand and pebbles	7	166
	Dark sand	5	171
	Live sand	14	185
	Dark loam	9	194



15.—Description of some Fossils from a Croydon Garden.

By George J. Hinde, Ph.D., F.R.S.

(PLATES I. AND II.*)

(Read October 18th, 1904.)

I wish to call the attention of the Society to some fossils, now exhibited, which have been collected in my garden at South Croydon from time to time during the last eighteen years. The garden is situated on the higher part of the west slope of the valley along which the Brighton Road runs. The Chalk is here near the surface, and is only covered by a layer of soil about a foot in thickness. This surface soil consists of chalky débris commingled with a brownish sandy loam, the residue of the Eocene Tertiary deposits which once spread over the area. The fossils are found in this surface soil, and they have evidently been weathered out of the Chalk where they now occur. There is no evidence for assuming that they have been brought to their present position from a distance, though in some cases, perhaps, they may have been washed down from the higher part of the slope by the action of rain.

The fossils are, for the most part, rounded bodies ranging from the size of a mustard seed to that of a large playing marble; they are of a greyish tint, much resembling water-worn pebbles of Chalk, and to an ordinary observer they would doubtless appear of this character, and would not be considered worth picking up to look at. Until very lately they do not seem to have been noticed by geologists in the Chalk of this neighbourhood, and there is no mention of them in the lists of fossils in the Chalk of the railway cuttings between Croydon and Oxted, so carefully drawn up by the late Caleb Evans, unless, perchance, they are

included in the term Coscinopora.

But that these bodies are altogether different from mere Chalk pebbles can be proved by examining them with a lens, their surfaces will then be seen to consist of a very fine reticulation or network formed by the junction of small bodies with four arms or rays (Pl. II., figs. 2, 4). These are connected so as to bound small rounded holes which are the apertures of canals radiating from the centre of the fossil. On splitting open a specimen the canals appear as fine straight lines (Pl. I., fig. 6). When well

^{*} By the kind permission of the Council of the Royal Microscopical Society, these plates have been reproduced from the Journal of the Society for February, 1904.

† Geologists' Association, 1870, p. 30.

preserved, moreover, the outer surface of these fossils is studded over with minute slightly projecting spines (Pl. II., figs. 1, 8, 9), more readily perceived by a rasping sensation when the finger is

rubbed over them than with a lens.

The interior of the fossils is generally solid, for the canals and other microscopic interspaces have now been filled up by calcite, or by an infiltration of silica. The frequent occurrence of this latter substance has given rise to an impression that the fossils were originally of silica, but it is now definitely known that when unaltered by fossilization the skeleton mesh-work is of carbonate of lime.

A closer study of the structure of these fossils can only be made by means of sections sufficiently thin to be transparent under the microscope. These, however, as a rule, only show a confused mass of delicate fibres closely interwoven together, and until a clue is obtained to the character of the individual constituents of the fibres and the manner in which they are united together, it is very difficult to understand the nature of the organism. As a consequence much division of opinion has arisen in the past among palæontologists respecting these fossils, and they have in turn been referred to various groups of the animal kingdom.

By some fortunate circumstances, mentioned later on, some specimens were sent to me which proved conclusively that these fossils were sponges with a spicular skeleton of carbonate of lime. The spicules consist of four arms or rays (Pl. II., fig. 5); one of these is elongate, tapering to a fine point, and furnished with lateral prickles or spurs; at the base of this long or apical ray there are three short, curved, divergent rays with blunt terminations. These individual spicules are connected together to form the skeleton of the sponge in such a manner that the elongate apical ray is always directed towards the outward growing surface of the sponge, and remains free or partially free (Pl. II., figs. 1, 8, 9); while the three short basal rays of the spicule are firmly welded by their truncate ends to adjacent spicules, and form a porous mesh-work which bounds the radial canals (Pl.II., figs. 1, 2, 4). The union of the basal rays is so close and intimate, that in microscopic sections of the fossils the individual spicules can be seldom distinguished (Pl. II., figs. 6, 9), but they are shown on the surface of well-preserved specimens (Pl. II., figs. 2, 4).

A very perfect specimen of one of these sponges in an early stage of growth was sent to me by Mr. H. Muller, of Eltham, Kent. It is hardly as large as an ordinary pin's head, and is embedded in a fragment of flint. As shown in the figure (Pl. II., fig. 1), the outer surface is bristly, with the apical rays of the spicules all directed outwards, whilst the short basal rays are fused together. The further growth of the sponge is produced by the formation of successive layers of spicules, which overlap

each other and grow together so intimately that the full-grown sponge has a firm, stony character, which enables it to resist disintegration. Mr. Muller's specimen, which he supposed to be a radiolarian, furnished me with an important clue to the real

structure of these fossils.

In their perfect condition these sponges appear to have been provided with a thin outer layer which covered the stony resistant skeleton just described. This dermal layer is composed of small spicules of various forms, some simple rods, others with three or four rays (Pl. II., figs. 3, 7). These spicules are only commingled or interfelted together, and not welded as the spicules of the sponge-body. Rarely is any definite arrangement shown, but in one instance they are concentrically disposed round a pore-like opening (Pl. II., fig. 10). Owing to the absence of any definite connection in the component spicules, this outer covering seems to have readily fallen to pieces after the death of the organism, and very rarely are portions of it preserved on the outside of the fossils. Out of a total of about 3000 specimens* I have only detected it in 18, some of which are figured (Pl. I., figs. 7, 8, 15, 20, 25). In none of the Croydon specimens is it shown.

These Chalk sponges were first referred to the genus Millepora by the late Professor John Phillips in 1829; since then they have been placed in various genera, according to the views held of their affinities, until at last, in 1878, Professor Steinmann proposed a distinct genus for their reception, and gave it the name of Porosphæra. He considered the fossils, however, to be hydrozoa, and not sponges. Several species have been described; they are all closely allied, and most of them are represented in the collection

exhibited.

Porosphara globularis is the commonest form; it is usually rounded like peas or marbles, but sometimes oval, loaf- or cushion-shaped, and without any distinctive base (Pl. I., figs. 1-10).

P. nuciformis is typically pear-shaped, occasionally also melonor loaf-shaped, with longitudinal ridges and shallow grooves which converge to the obtuse pole of the sponge (Pl. I., figs. 11–18).

P. Woodwardi is oval or rounded, with well-marked branching canals which converge to one or more points on the surface. It has a concave and rugose base (Pl. I., fig. 19). This species has only been found in the Grey Chalk of Dover and in Dorset.

P. pileolus is thimble- or inverted cup-shaped, sometimes hemispherical, with a deeply concave, cup-shaped base, and thick walls

(Pl. I., figs. 20-21 a).

P. patelliformis is limpet-shaped, with peaked summit, a deeply

^{*} The large majority of these were collected by my friend Dr. A. W. Rowe, F.G.S., during his well-known researches in the zones of the White Chalk of the English coast, and I am greatly indebted to him for the opportunity of examining them.

concave or occasionally flattened base, and relatively thin walls (Pl. I., figs. 22-26a).

P. arrecta is conical or pillar-shaped, the base concave, with

thin margins (Pl. I., figs. 27-28a).

Up to the time of writing I have obtained from my Croydon garden 683 specimens of Porosphæra; 624 of these belong to P. globularis, 32 to P. nuciformis, 24 to P. pileolus, and 3 to P. patelliformis. The smallest specimen found is only 4 mm., whilst the largest is 27 mm. in diameter. The Chalk of this locality has hitherto been included in the zone of Micraster coranguinum, but the comparatively large size of many of these sponges and the occurrence in the same area of Offaster pillula, Lam., indicate the possibility that it may be in the next higher zone of Marsupites. This supposition is strengthened by the late discovery of Marsupites and Uintacrinus in the Chalk at Beddington.*

Specimens of *Porosphæra* may be found sparingly in most exposures of the Chalk in Croydon, when carefully searched for, and I have picked them up in fields, more particularly round the base of Croham Hurst, where the Chalk is near the surface. They are, however, more numerous and more readily met with in the Chalk cliffs at Margate, Dover, Newhaven, near Brighton, the Isle of Wight, and in Dorset; also near Flamborough, Yorkshire. Specimens obtained direct from the Chalk are, as might be expected, in a better state of preservation than those which

have been weathered out on the surface of fields.

Recent calcisponges with a skeleton of fused spicules, like that of Porosphara, were unknown till 1892, when Prof. Dr. Döderlein, of Strassburg, announced the discovery of a sponge of this character from the Japanese Sea, to which he gave the name of $Petrostroma\ Schulzei$. The full description and figures which appeared five years later† distinctly showed a close resemblance in structural characters to Porosphæra, and I was enabled to confirm this by an examination of a fragment of the recent sponge,

kindly given to me by Dr. Döderlein.

Shortly after, in 1898, I received from Mr. T. S. Hall, M.A., of the University of Melbourne, Australia, a small insignificant-looking fossil from beds of Tertiary age near Geelong, which he thought might be some sort of a sponge. To my great surprise it was a calcisponge with a spicular structure similar to that of the Chalk Porosphæra and the recent Petrostroma from the Japan Sea. It was so beautifully preserved that the details of the skeleton-mesh could be seen as distinctly as in recent specimens,

and I made it the type of a new genus, Plectroninia.;

<sup>Geological Mag., dec. v. vol. i. 1904, p. 482.
Zoolog. Jahrbuch, Bd. 10, 1897, p. 15.
Quart. Journ. Geol. Soc., vol. 56, 1900, p. 51.</sup>

The unexpected discovery of the recent Japanese sponge and the Tertiary form from Australia with structures so closely related to those of the Chalk *Porosphæra* clearly establish that this latter genus is a calcisponge with the skeleton spicules fused together. Dr. Rauff has placed these sponges in a separate order, the *Lithonina*.*

There is one feature of more general interest in connection with these Chalk sponges which may be mentioned. Many of the rounded and pear-shaped specimens have a cylindrical hole or perforation, which in some cases extends only for a short distance and terminates blindly, but more frequently it passes quite through the specimen, so that it is a genuine bead (Pl. I., fig. 1). At one time these perforations were thought to be artificial, and due to human agency; but it is now generally admitted that they are natural, and probably arise from the sponge after having passed through the early, mobile stage of its existence, fixing itself on and growing round the stem of a seaweed or some other marine organism not capable of preservation in the fossil state. On the decay and disappearance of the supporting body the more resistant sponge would be left with the hollow cast, which subsequently becomes filled with the soft chalky matrix as we now find it.

Both in this country and in the North of France these sponge-beads have been found in association with the remains of the "River Drift" folk; and it has been surmised by Sir John Evans, the late Sir Charles Lyell, and other writers, that these prehistoric inhabitants may have used them for personal adornment. To show their suitableness for this purpose I have strung those picked up in my garden—seventy-seven in number—and it will be seen that the necklace which they form might well prove

attractive to a primitive race.

In addition to Porosphæra, described above, the same beds of Chalk in this part of Croydon contain another kind of sponge so generally similar in form and size to Porosphæra, that the two are frequently confounded with each other. The form referred to much resembles a small weathered flint pebble; some specimens, when broken open, are found to be of nearly solid flint, with slight traces of spicular structure; in others there is a comparatively thin outer layer of flint completely enclosing a loose central core or kernel of porous flint, which is the cast of the sponge. These sponges have a siliceous skeleton of irregular, four-rayed warty spicules connected into a mesh-work; thus very distinct from the skeleton of Porosphæra. The late Prof. v. Zittel placed them in the Lithistid genus Plinthosella. Proportionally they are less numerous than Porosphæra, but 225 specimens have been collected in the same garden area.

^{*} Palæontographica, Bd. 40, 1893, pp. 203, 204.


EXPLANATION OF PLATE I.

The figures are of natural size, except where otherwise indicated.

- Fig. 1. Porosphæra globularis, Phillips, sp. Large oval specimen, with tubular perforation. Zone of Micraster cor-anguinum; South Croydon, Surrey. Collection of G. J. Hinde.
 - " 2. Ditto; showing overlapping layers of growth. Zone of *Marsupites*; Margate, Kent. Collection of Dr. A. W. Rowe, F.G.S.
 - , 3. Ditto; loaf-shaped. Zone of Belemnitella mucronata; Ballard Cliff, Dorset coast. Collection of Dr. Rowe.
 - , 4. Ditto; cushion-shaped specimen. Zone of *Bel. mucronata*;
 Ballard Cliff. Collection of Dr. Rowe.
 - , 5. Ditto; of average size. Zone of Actinocamax quadratus; Cliff, east of Brighton. Collection of G. J. Hinde.
 - . 6. Ditto; median section, showing the arrangement of the radial canals. Upper Chalk. Collection of G. J. Hinde.
 - ., 7. Ditto; completely enveloped with a spicular dermal layer.

 Zone of B. mucronata; Ballard Cliff. Collection of Dr. Rowe.
 - ,, 8. Ditto; partially covered with an uneven dermal layer. Same zone and locality as the preceding. Collection of Dr. Rowe.
 - .. 9, 10. Ditto; loaf-shaped specimens, showing faint indications of surface grooves. Zone of *Marsupites* (*Uintacrinus* Band); Thanet coast. Collection of Dr. Rowe.
 - ,, 11. Porosphæra nuciformis, v. Hagenow, sp. Viewed from above, showing the convergence of the grooves at the summit.

 Zone of Marsupites (Uintacrinus Band); Margate.
 Collection of Dr. Rowe.
 - ., 12. Ditto; side view. Zone of A. quadratus; near Newhaven.
 Collection of Dr. Rowe.
 - ,, 13. Ditto; showing closely-arranged grooves. Zone of A. quadratus; Winchester. Collection of Dr. Rowe.
 - ,, 14. Ditto; with prominent apex. Zone of A. quadratus; Sussex coast. Collection of Dr. Rowe.
 - ,, 15. Ditto; with fragments of the dermal layer. Zone of A. quadratus; near Newhaven. Collection of Dr. Rowe.
 - ,, 16, 16 a, Ditto; viewed from above and in profile. Zone of Marsupites (Uintacrinus Band); Thanet coast, Kent. Collection of Dr. Rowe.
 - ,, 17. Ditto; viewed from above. Same zone and locality as the preceding. Collection of Dr. Rowe.
 - ", 18. Ditto; with surface grooves and ridges radiating from several centres. × 2 diam. From same zone as the preceding; Sussex coast. Collection of Dr. Rowe.
 - ,, 19. Porosphæra Woodwardi, Carter, sp. Showing the branching surface canals. × 2 diam. Zone of Holaster subglobosus; Dover. Collection of Dr. Rowe.



G.M.Woodward del.et lith

-West, Newman imp.



- Fig. 20, 20 a. Porosphæra pileolus. Thimble-shaped specimen, with a fragment of dermal layer on the exterior; the base (20 a) showing concentric bands of growth. Zone of A. quadratus; near Newhaven. Collection of Dr. Rowe.
 - " 21, 21 a. Ditto. Zone of Marsupites (Uintacrinus Band); Thanet coast. Collection of Dr. Rowe.
 - ,, 22, 22 a. Porosphæra patelliformis, sp. n. Viewed in profile (22); the deeply concave base (22 a) showing concentric lines of growth and faint radial lines. Zone of A. quadratus; Sussex coast. Collection of Dr. Rowe.
 - ,, 23, 23a. Ditto; a conical specimen, viewed in profile (23); the base with faint concentric lines of growth (23a). Zone of Marsupites (Uintacrinus Band); Thanet coast. Collection of Dr. Rowe.
 - ,, 24, 24 a. Ditto; a depressed specimen, viewed in profile (24); the base with concentric and radial lines (24 a). Same zone and locality as the preceding. Collection of Dr. Rowe.
 - ,, 25. Ditto; viewed from above, showing some fragments of the spicular dermal crust. Same zone and locality as the preceding. Collection of Dr. Rowe.
 - ,, 26, 26a. Ditto; a small specimen, viewed in profile, natural size (26); and the concave base, with rod-like spicules radiating from the centre to the margins, enlarged 4 diam. (26a). Zone of Terebratulina gracilis; East Cliff, Dover. Collection of Dr. Rowe.
 - " 27, 27 a. Porosphæra arrecta, sp. n. Viewed in profile (27), and showing the base (27 a), enlarged 3 diam. Zone of Rhynchonella Cuvieri; Branscombe Cliff, South Devon coast. Collection of Dr. Rowe.
 - ,, 28, 28 a. Ditto; showing the exterior and the basal aspect, enlarged 3 diam. Zone of Marsupites (Uintacrinus Band); Thanet coast. Collection of Dr. Rowe.

EXPLANATION OF PLATE II.

Fig. 1. Porosphæra globularis, Phill., sp. A small specimen, preserved in flint, showing the spicular structure of the exterior. × 50 diam. Upper Chalk; near Sidcup, Kent. Collection of Mr. H. Muller.

of the skeletal spicules bounding the apertures of the radial canals. × 40 diam. Zone of Belemnitella mucronata; Ballard Cliff, Dorset coast. Collection of Dr.

Rowe.

,, 3. Ditto; three-rayed spicules of the dermal layer. × 100 diam.

Zone of Actinocamax quadratus; Scratchell's Bay,

Isle of Wight. Collection of G. J. Hinde.

", 4. Porosphæra nuciformis, v. Hag., sp. Portion of the surface, showing the skeletal spicules and the radial canal apertures. × 40 diam. Zone of A. quadratus; Cliff, east of Brighton.

ray armed with lateral prickles. From a microscopic section near the margin of the specimen. × 200 diam. Zone of Micraster cor-anguinum; South Croydon.

Collection of G. J. Hinde.

,, 6. P. globularis. A portion of the skeletal mesh, showing its structure of four-rayed spicules, the basal rays of which are now fused together. × 100 diam. Zone of M. coranguinum; South Croydon. Collection of G.J. Hinde.


7. Ditto; a fragment of the dermal layer, showing three- and four-rayed spicules irregularly intermingled. × 50 diam. Zone of B. mucronata; Ballard Cliff, Dorset coast. Collection of Dr. Rowe.

8. Ditto; a small specimen preserved in chalk, showing blunted apical rays of spicules projecting from the surface.

× 40 diam. Upper Chalk, Gravesend, Kent.

9. Ditto; the skeletal mesh near the margin of a specimen preserved in flint, showing the curved facial and the projecting apical rays of four-rayed spicules. × 40 diam. Upper Chalk; Chatham. Jermyn Street Museum.

,, 10. Ditto; portion of the outer surface of the dermal layer, showing rod-like spicules arranged concentrically round a central pore (?). × 50 diam. Zone of Belemnitella mucronata; Ballard Cliff, Dorset coast. Collection of Dr. Rowe.



G.M.Woodward del.et_lith.

West, Newman imp.







RELICS, BERMONDSEY ABBEY.

- 1. PINMAKER'S TOOL.
- 2. Pilgrim's Bottle.
- 3. BIRDCAGE WATER-HOLDER, MODERN?
- 4. THIRTEENTH CENTURY JUG.
- 5. SEVENTEENTH CENTURY APOTHECARY'S JAR.
- 6. Mediæval Bottle.

16.—Notes on Bermondsey Abbey.

By N. F. ROBARTS, F.G.S.

(Read November 15th, 1904.)

Some recent excavations on the site of Bermondsey Abbey led to an offer by Mr. C. Morgan Smith to lend to our Loan Museum some specimens of pottery, &c., which had been found during the work of building some houses for the South Eastern Railway. At the same time Mr. Smith kindly offered to place any information he possessed at my disposal if I would write some notes upon the specimens and other discoveries, an offer I was very glad to avail of.

It would, I thought, be of interest to this Society if I could at the same time give a little information about the Abbey of Bermondsey, respecting which I then had no knowledge, an ignorance which possibly I shared with other members. I have accordingly collected some information relative to this "forgotten Monastery," as Sir Walter Besant called it, and beg to submit a few particulars which should be of interest to our Society in view of the very intimate connection which existed between the Abbey of Bermondsey and the parish of Croydon.

Bermondsey, probably best known to most of us by its market gardens, now almost extinct, and its tanneries with their distinctive aroma, as we pass them on the railway, is so different from what it was even one hundred years ago, that I think we should first try to realize the original environment of the

Monastery.

Founded very shortly after the Norman Conquest in A.D. 1089, the Priory of Bermondsey stood about half a mile south of the Thames, half a mile from where now stands London Bridge, and half a mile from the Kent or Dover Road. The conventual buildings stood on a flat meadow through which ran sundry watercourses, giving the neighbourhood the name of Bermond's Ey or Island. The etymology of Bermond is disputed, and need not detain us, but the Ey is doubtless the Saxon word for island.

We must remember that the south side of the river was more or less a marsh, probably often flooded, the only road being the causeway leading from the bridge near St. Mary Overie's to where St. George's Church now stands, from which branched off the Dover Road, whilst the causeway itself continued straight on

to the higher ground of Clapham.

The only approaches to the Monastery were by the present Tooley Street leading from the bridge to the Monastery, or by the country path—now Long Lane—from the junction of the

Dover Road with the causeway.

There would have been a few houses along the causeway, the forerunners of the famous inns of the Borough, and possibly a few fishermen's huts along the river-bank; but the City of London, guarded by the Tower at its eastern boundary, ended almost opposite the Monastery, and stood on the high gravel cliff overlooking the marshy meadows on the south side of the river, protected by the South work, as the Roman embankment was

called, now giving us the district known as Southwark.

Four hundred and fifty years later the environment of the Monastery had altered very little—there were several large houses in Tooley Street near the bridge; St. Thomas's Hospital and the large inns stood near or in the Borough High Street, and probably houses had begun to creep along the Dover Road and gather near the parish church of St. Mary Magdalen of Bermondsey, but the country aspect was still prevalent, and even at the beginning of the last century the fields were still open, as you can tell for yourselves if you now walk through the length and breadth of Bermondsey, for you will hardly find a house more than a hundred years old whilst the wilderness of bricks and mortar, most of it squalid, did not then exist.

The site where the Monastery stood lies directly south of the present Tower Bridge. To the north-west stood the parish church of St. Mary Magdalen; Bermondsey Square, or what is left of it, marks the position of the main court of the Abbey; whilst Abbey Street, between Long Walk and the wall of the parish churchyard, occupies the place where stood the conventual church.

The farm buildings are kept in memory by Grange Walk and Grange Road, and the site of part of the conventual buryingground is occupied by the new dwellings belonging to the South Eastern Railway Company. Crucifix Lane—by some said to be a corruption of Christopher Lane, but which I prefer to think commemorates a crucifix erected there—led to the Abbey; and Pickle Herring Wharf was doubtless connected by a road with the Abbey for it was the landing-place for the Abbey's supply of sea fish.

It is therefore comparatively easy to locate the position, although hardly a stone now remains to show the site of what was once one of the three most famous and powerful monasteries in England.

The founder of the Monastery was one Alwin Child, a citizen of London, who in 1081 built a church in Bermondsey, which he dedicated to the Saviour.

A few years later, in 1089, he annexed to it a Convent of Cluniac monks, four of whom were sent here in that year, at the instigation of Archbishop Lanfranc, from the Priory of La Charité sur la Loire, to which priory Bermondsey became subordinate as a cell.

The Cluniacs were a most rigid sect of Benedictines, so called

from their Abbey at Clugni.

Bermondsey was therefore an alien priory acknowledging the jurisdiction of, and collecting revenues for, the Priory of La Charité sur la Loire, thus encouraging the export trade—an economical proceeding which afterwards led to difficulties.

Reference is made to, in 'Domesday,' Alwin Child's church where it is described as "Nova et pulchra Ecclesia," but no

traces of this church have been preserved.

In 1094 William Rufus endowed the monastery with the Manor of Bermondsey, and from this date we may trace the rise in power and influence of the prior and monks until the dissolution of the monastery by Henry VIII. The grant of the manor was confirmed by Henry I. in 1127, who also gave to the priory the Manors of Rotherhithe and Dulwich, and William Maminot at the same time gave it a moiety of the Manor of Gravesend.

At this date also began a connection between the monastery and Croydon, which lasted for upwards of four hundred years, for in the twenty-seventh year of his reign Henry I. granted to the priory the Manor of Whaddon, or Woddens, in Croydon, which they kept possession of until the 14th of Richard III., when they exchanged it to the Archbishop of Canterbury for the Rectory of Croydon. The priory became so closely related with various properties in Surrey, that it may interest you if I refer

to its different Surrey possessions more particularly.

In 1144 William de Watteville gave the convent the Manor of Warlingham with the consent of Robert, William, and Otwell, his sons, which manor in the 11th of Edward II. the monks had licence to devise to Robert de Kelesey for life; and in 1152 the convent appears to have had two carucates of land at Legham, in the parish of Godstone, in Surrey, probably given to them at about that date. In 1159 King Henry II. confirmed to the priory the donation of the church of Camberwell and others; and Henry III. granted the monks a market every Monday at their manor of Charlton, in Kent, and a fair on Trinity Sunday yearly. I should mention that this fair had no connection with the celebrated "Horn" fair at Charlton.

In 1173 the priory received from King Henry II. a charter of

free warren over all their lands in Surrey.

In the reign of Edward III. the priory of Bermondsey was sequestered with other alien priories for the use of the Crown; but Richard III. re-established it, and subsequently, in 1380, for a fine of two hundred marks, enfranchised it, thus enabling its members to purchase and possess lands in their own right. In 1399 Henry IV. converted it into an abbey, and thus the monks were more fortunately placed than other alien priories

when in 1408 Henry took for his household expenses all the revenues of alien priories and the income of all vacant bishoprics

and abbeys.

No doubt the parent priory of La Charité raised protests against this fruitful source of income passing out of its possession; and indeed we learn a little later, in 1457, that the Abbot of Cluni sent over three monks to the King, to substantiate his claims to the House of Bermondsey.

The ambassage was unsuccessful; the King would hardly give them a hearing; one of the monks died here, the other two returned home, one of them having first written the following

letter to the Abbot of St. Albans:—

"For the rest, be it known to you, my Lord, that after having spent four months and a half on our journey and following our Right with the most serene Lord the King and his Privy Council, we have obtained nothing; nay, we are sent back very disconsolate, deprived of our Manors, our Pensions alienated, and what is still worse, we are denied the obedience of all our Monasteries, which are 38 in number: nor did our Legal Deeds, nor the Testimonies of your Chronicles avail us anything, and at length after all our pleading and expenses, we return home moneyless, for in truth after paying what we have eaten and drunk, we have but five crowns left, to go back about 260 leagues. But what then? We will sell what we have, we will go on; and God will provide. Nothing else occurs to write to your Paternity; but that as we entered England with joy, so we depart thence with sorrow; having buried one of our Companions—viz. the Archdeacon, the youngest of our Company. May he rest in Peace. Amen."

Poor monks! Henry VIII. was not the only king who found it advantageous for himself and the commonwealth to reduce the

powers and revenues of the religious orders.

In 1338 the church of this house appears to have been dedicated afresh, with several of its numerous altars. The cloister and refectory were either built or rebuilt by Prior Dunton in 1380, who covered the nave of the church with lead, and made new with glass the windows of the presbytery in 1387.

In 1397 the prior and convent had a grant of the hundreds of Brixton and Wallington (which then included Croydon), with the return of writs, &c., within the same, which was afterwards con-

firmed to them by letters patent of King Henry VI.

In 1430 Abbot Thelford covered the cloister with slate, "cum petra vocata slat." This is interesting as being, as far as I know, the first time the use of slate is recorded. One wonders whether they were Horsham slates, or Welsh.

The various transactions respecting property in Surrey appear

to have been as follows:-

In 1318, 11th & 12th Edward II., the convent agreed with Walter Reynolds, Archbishop of Canterbury, for the purchase of two acres of land in Croydon of the yearly value of two shillings (I wonder where that land is situate), with the advowson of the rectory there; and in 14th Edward II., for the rectory itself and advowson of the vicarage, in exchange for a hide of land at Withflete, with the mills valued at ten marks per annum, and other appurtenances in Southwark, and a yearly rent of £28 13s. 11d., formerly given them (13th Henry I.) by Robert Marmion; but this sale was never concluded.

In 1390, 14th Richard II., the priory, with consent of William Courtney, Archbishop of Canterbury, patron, John Godewyke, then rector, obtained a grant of the Rectory of Croydon in exchange for the Manor of Woddens or Whaddon, in that parish, the said Monastery to be exempted from all tithes arising and becoming due to the said rectory in future. It was agreed by indenture annexed that, in presenting to the vicarage on every future vacancy, the archbishop should nominate two clerks, whereof the convent should present one for institution. Amongst those instituted were—Richard Bondon (7th Aug. 1402); John Scarburgh, alias Causton (20th Jan. 1408); Henry Carpenter (30th Oct. 1487); William Shaldo (3rd Dec. 1487).

In 1307 they had also a certain portion of the tithes of Cheyham, in Surrey, in lieu of which they received of the rectory a

pension of two marks.

In 1497, on 4th June, the Abbot and Convent of St. Saviour's. Bermondsey, conceded (pro hac vice) to the archbishop the nomination to the parochial church of Croydon, vacant by the death of Mag. William Shaldo, when Roland Phylippis was collated to

the vicarage by Archbishop Morton.

By an indenture, Monday, the first week in Lent, the 14th of King Henry II., it was agreed that the collation and patronage of the vicarage of Croydon should remain in the archbishop and his successors, and that upon a vacancy the archbishop and his successors should name two proper persons to the prior and convent, one of whom they should choose and present to the said vicarage. Probably because the annual value of the church was 100 marks, and the manor only 80 marks per annum.

Thus matters continued until the dissolution of the Convent of Bermondsey, at which time the great tithes as parcel of the possessions of the church were granted by the Crown, and the right of presentation reverted to the see of Canterbury, and is now a

peculiar belonging to it.

As regards other advowsons, the first the convent possessed was that of the church of St. Saviour's at Bermondsey (it must be remembered that, so far, I always speak of the original St. Saviour's, not St. Mary Overie's, which now goes by the name of St. Saviour's); this was confirmed to them by Henry I., 1127.

In 1158 William de Watteville gave them the advowson of the Rectory of Warlingham, a chapelry of Chelsham, in Surrey, which was confirmed to them by the King the year following, which in the 28th Ed. I. they obtained the bishop's, and in 8th Ed. II. the King's licence to appropriate. They continued in possession of these until the dissolution.

In 1159, 5th Henry II., the advowson of the rectory of Beddington was given to the priory by Inglegram de Furteneys and Sybil de Watteville (sister of William aforesaid and wife of Alan Pirol), which grant was confirmed to them by the King the same

year, and afterwards by King Edward III.

In the 38th Henry III., anno 1246, they recovered an annual pension of 100s. payable to them out of this rectory, and also two marks sterling for tithes of lands in the said parish formerly belonging to Richard Huscarle, which was continued to them as a pension in lieu of the said tithes.

The Abbey possessed a cell at Derby.

The first abbot was John Attilburgh, made prior in 1390, and abbot in 1399. As an abbey the house continued for over two hundred years, until on 1st Jan. 1538 it voluntarily surrendered its estates, the abbot getting a pension of £333 6s. 8d. per annum (500 marks), and the six monks £38 13s. 4d. between them, and £7 6s. 8d. was distributed in other annuities. Thus ended the Abbey of St. Saviour's, Bermondsey, and we must now follow the fortunes of the building, apart from the prior and monks.

In 1541 Henry granted the site of the Abbey to Sir Robert Southwell, Master of the Rolls, at a yearly reserved rent of 10s., who at once conveyed it to Sir Thomas Pope, Kt., and Elizabeth his wife in fee, who is said to have taken down the church and its adjacent building and erected a dwelling house as mansion of the manor from the materials. This was henceforth called Bermondsey House. I doubt if Sir Thomas Pope really pulled down the whole of the buildings, except the church. It seems much more likely that he pulled down part and rebuilt with all modern improvements. The house is said to have been surrounded by a property of about twenty acres in extent.

Important transactions took place at various times at this Monastery. In 1154 King Henry II., after his first coronation, held his Court there when he treated with his nobles on the state

of the kingdom.

In the reign of King Henry III., many of the nobility having taken the cross upon them, met at this house to deliberate on the order of their journey.

The Bishop of Winchester, who then lived at Winchester House, Southwark, on the river-bank near to St. Mary Overie's,

claimed an annual procuration or entertainment for one day; but in 1276 this was contested, and a compromise was made that the prior and convent, on the first coming of the Bishop of Winchester to Bermondsey after his installation, should meet him as their diocesan, in procession, and in lieu of the entertainment should pay him and his successors five marks in silver for that time at his house in Southwark, and in every succeeding year two and a half marks at Michaelmas, and, if he went beyond sea, should meet him in procession on his return.

One important connection which the Monastery had with Southwark and with present day charity must not be omitted.

In 1213, Richard, Prior of Bermondsey, with the consent of the convent, built adjoining to the walls of the Monastery an almshouse or hospital for converts and poor boys, in honour of St. Thomas of Canterbury. It was under the government of the almoner, and was exempt from episcopal jurisdiction. the origin of the well-known St. Thomas' Hospital now at Westminster, though no longer the hospital of St. Thomas of Canterbury. There seems to be some little doubt whether the hospital we know as St. Thomas' was thus founded, or whether it was founded by the Priory of St. Mary Overie; but I think that at all events the credit rests with Bermondsey, though it is possible St. Mary Overie had a share in the present foundation, as in 1212 the monks of St. Mary Overie erected a temporary building after their monastery was burnt down, which was subsequently used as a "hospitium"; and in the reign of Henry III., Peter des Roches, Bishop of Winchester, incorporated it with the almonry founded by Prior Richard of Bermondsey, and called it "The Spital of St. Thomas the Martyr of Canterbury." After the dissolution, Henry VIII. conveyed the hospital to the Corporation of the City of London, who called it St. Saviour's Hospital; the name did not, however, catch on, and eventually a compromise was entered into, and the name of St. Thomas retained—but as St. Thomas the Apostle, and not that of the "holy blisful martir" thus meeting the views of the Protestant portion of the community.

But I must leave the history of the Abbey, and consider it in

its more material aspects.

There is no known engraving which accurately represents the Abbey or Abbey Church. I am informed by Mr. Frowde, the courteous chief librarian of Bermondsey Free Library, who has assisted me in gaining sundry particulars of the Abbey, that the plan of the buildings published in many books on Bermondsey is imaginary. We know nothing of the architecture of the conventual church, which probably contained all styles from Norman to Perpendicular. In the excavations for the foundations of the South Eastern Railway Model Dwellings certain stones were discovered, which, before being carted away—no one having sufficient interest

to preserve them—were happily photographed by Mr. C. M. Smith. One portion of a column of Purbeck marble is still in a house in Grange Walk, if anyone wishes to secure it; and I believe, though I have not seen them, there are some Saxon ornaments in the great wall near the churchyard.

A general view of the remains in 1805, taken from the steeple of St. Mary Magdalen, gives us some little idea of the style of Bermondsey House, which no doubt incorporated certain of the

old monastic buildings.

The only portion now standing is Nos. 6 and 7, Grange Walk, in the front wall of which are the staples on which the east gate of the Abbey hung; the wall facing the street is very thick—some three or four feet—and no doubt formed part of a very

substantial gateway.

There was until a few weeks ago a mediæval wall dividing the S.E.R. Model Dwellings from No. 66, Abbey Street. I went to photograph it, and found the workmen were just building a new wall, to make the yard look nice I suppose, and they had cut away a portion of the old brickwork so as to reface it. I did my best to photograph it, and you can see in the photograph by the difference in the size of the bricks the junction of old and new work. The face is now put-on, and until No. 66 is in its turn pulled down no more of the old wall can be seen.

Engravings remain in Wilkinson's 'Londina' of the (1) east view of the gateway; (2) the interior of a room adjoining those under the hall of Bermondsey Abbey (House?); (3) the inside and outside of the hall; (4) the inside of one of the rooms under the hall. Wilkinson thinks that the view of the inside and outside of the hall is probably of the hall or refectory of the Monastery, as its appearance seems older than Sir Thomas Pope's time.

According to Walford's 'Old and New London,' the east gate of the monastery was removed early last century (it really was taken down in 1805), and nearly all that was left of the old buildings shared the same fate, and Abbey Street was made upon

the site.

The Neckinger Road marks the ancient watercourse formerly navigable as far as the precincts of the Abbey; whilst Walford says that the church of St. Mary Magdalen stands on the site of the ancient conventual church. This I think is incorrect.

There is no doubt that in 1810 the present churchyard was enlarged by annexing to it a strip of land sixteen feet in width that formed a part of the conventual burial ground. There is in the church part of a stone coffin which was then found about six feet from the surface, in front of the 'White Bear' tavern. The lid possesses no ornament, but has a raised beading passing down the centre. This, according to Mr. E. B. Price,* is a rough

^{*} Brit. Arch. Journal, vol. ii. p. 170.

sandstone, but I make it to be carboniferous limestone; at all events I noticed on it a trilobite and plenty of encrinite stems, and this leads me to what originally attracted my attention to Bermondsey Abbey—the discovery of chalk coffins or graves. I find that the above writer records that about forty feet from the stone coffin was discovered a massive wall, which appears to have been the south wall of the Abbey church. Eighteen inches from the south side of this wall and at a depth of 7 ft. 9 in. was found a grave formed of carefully hewn blocks of chalk. The flooring of the grave was concrete, formed of finely screened gravel mixed with lime three inches thick; the grave was twelve inches in depth, and contained a human skeleton completely embedded in a mass of brown loam. There was no lid or other covering. Mr. Price records chalk graves of the Anglo-Saxons found by Sir Christopher Wren in the foundations of St. Paul's Cathedral. I think the Anglo-Saxon date may be incorrect.

In the foundations of the model dwellings mentioned above Messrs. Smith, the contractors, found four chalk graves containing human remains, showing that the conventual burial ground ex-

tended to the other side of Abbey Street.

These were somewhat similar to the grave recorded by Mr. Price; but, instead of being plain at the head, as shown in Mr. Price's illustration, these were built round for the head in the same shape as the stone coffin now in St. Mary Magdalen's.

The graves recently found were at a depth of about six feet, and the bodies had been buried in sand. There were no lids, or any stones under the skeletons. The bodies had—as you see from the photographs—been laid on their backs, and simply surrounded and protected by chalk blocks. The skeletons were re-buried at Nunhead Cemetery by the Bermondsey County Council; but Mr. Smith has preserved the blocks of chalk, and I hope that the Scientific Committee of the Croydon Council—the Roads Committee—will secure them for the Borough Museum at Grange Wood, where months ago it was reported they were to be placed.

Mr. C. H. Read, F.S.A., has placed the date of these graves as thirteenth century, which is confirmed by the jug exhibited on the table, which Mr. C. M. Smith informs me was found in one of the graves, which I am advised at the British Museum is of late thirteenth century work. I think we may therefore fairly conclude the burials to be those of members of the convent in the

thirteenth century.

In the progress of the excavations the other pottery upon the table was found.

The small pot has been suggested to be a modern water-pot for a bird-cage, the hole in the handle being for the insertion of a piece of wood to keep it in its place.

The small cup is, I think, an apothecary's jar of about the

seventeenth century.

I must not conclude without some reference to the famous Rood of Bermondsey. This is said to have been found upon the banks of the Thames, and caused the Abbey to be one of the

famous places near London for pilgrimages.

Prayers said before the shrine were considered very precious. In 1465 John Paston wrote to his mother: "Go visit the Rood of North door & St. Saviour in Bermondsey among while ye abide in London, & let my sister Margary go with you to pray to them that she may have a good husband or she come home again." I don't know if the prayer was answered.

It is recorded that on the demolition of the Abbey church Sir Thomas Pope caused the Rood of Grace to be removed and "set up on the common in Horseleydown," at the end of the present

Crucifix Lane.

We read that in 1538 (? 1559), in the mayoralty of Sir Richard Graham, as follows: "M. Graham, may". On Saynt Matthies day thapostull the xxiiiith day of February Sonday did the Bishop of Rochester preche at Polls Cross & had standyng afore hym all his sermon tyme the pictur of the Roode of Grace in Kent & was gretely sought with pilgrims and when he had made an ende of his sermon the pictur was torn all to peces, then was the pictor of Saynte Saviour that had stand in Barmsey Abbey many yeres in Southwarke takyn doon." We must remember that the word "picture" at the above date was used for statues and carvings, as well as paintings.

So few remains of the Abbey have been preserved, that I must not conclude without alluding to a beautiful piece of plate, now in St. Mary Magdalen's, which I cannot better do than by reading the description given by Rev. T. S. Cooper in the "Church Plate

of Surrey '' ('Surrey Arch. Journ.').

"Not earlier than the fifteenth century, and not very early in that.

"15 Cent. Plate. — This remarkable and most interesting piece of plate is said to have belonged originally to Bermondsey Abbey, and to have come into the possession of the parish church at the dissolution of that monastery in 1537. That it once belonged to the Abbey seems very probable, but, since no mention of it occurs in Ed. VI. this 'Inventory of Church Goods,' it can hardly have come into possession of the parish so early as is supposed. On the reverse side of the boss is an indented lion's head, uncrowned, which I had thought from its resemblance to the head of the lions or leopards of the royal arms as used by Henry III. and onwards might be a Goldsmiths' Hall mark, but which Mr. Cripps thinks 'is much more like an ownership mark'; in this case it would be a stamp used in the Abbey.

"In the centre of this beautiful plate is represented a lady about to place a helmet on the head of a kneeling knight. To

the right may be seen his charger's head. The background is filled in with dome-topped gateway and fortified walls, and two trees, one a palm, the other trefoil-headed. The whole is no doubt from some current picture, probably of a legend of the Crusades: the costumes therefore would be no safe guide to the date of the plate. Round the boss is a band in silver gilt in vine foliage and grapes of early design; and on the rim spirally twisted lobes alternately concave and convex, with foliage ornament in the spandrils. The marks of the compasses inside the lobes are very distinct."*

In the garden of the vicarage of St. Mary Magdalen's is the

jamb of one of the fireplaces from Bermondsey House.

One curious relic has recently been found on the site of the Abbey—a small box made of thin pewter, about 7 in. long by $1\frac{1}{2}$ in. deep by about $2\frac{1}{2}$ in. wide at one end and 2 in. at the other (I speak from memory), somewhat of the shape of a coffin. On the inside of the lid, which apparently had been soldered on, are some ruled lines of dots forming a chess-board pattern in squares of about $\frac{1}{2}$ in. There are also one or two letters stamped on the metal. The ruling appears to have been upon the metal originally, and has no connection with the object of the case itself, the metal having simply been cut from a ruled sheet when required for making the case or casket. The British Museum authorities I understand cannot identify the use of the case. I suggest it was a reliquary to contain some precious object.

I hope I have not tired you with this description of one of our To walk through Bermondsey now and to try famous Abbeys. to picture what it was a hundred years ago, when the fields were still open; to go back further and try to imagine it in the early part of the sixteenth century, when the Abbey was in its glory; when the Monastery of St. Mary Overie existed in Southwark, when the great houses of Winchester and Rochester stood in the Borough, and the famous inns down the High Street were full of guests; or to think of it still earlier, when the Monastery of Bermondsey stood isolated in green fields surrounded with streams in the fourteenth century, and the 'Tabard' was cared for by that right merry man the Hoste, who with the Merchant and the Cook, the Wife of Bath and the Monk, with the Somnour and the Miller and the rest of the jovial crew, a rollicking party, tempered only by the gentle presence of the Prioresse and the Clerk of Oxenford and the poore Parsoun of a towne, went down the Kent Road past St. Thomas a Waterings, leaving St. Saviour's of Bermondsey on their left—is a pleasant occupation, and one which may afford some of us, at all events, a pleasant relief to necessary business walks and occupations.

^{* &#}x27;The Church Plate of Surrey,' Rev. T. S. Cooper, M.A., F.S.A.



17.—ECONOMY OF GROWING CANADIAN POPLARS UPON WASTE LANDS FOR THE MANUFACTURE OF PAPER.

By WILLIAM F. STANLEY, F.G.S.

(Read December 20th, 1904.)

From the low profits upon farming, in competition with imported produce, many low-lying lands are found not worth cultivation. These lands are commonly in the market, offered to be sold at a low price. My object in the present paper is to bring before the notice of this section the commercial value of such lands for the growth of poplar-trees, which would be available for the manufacture of paper, if works were established near where the poplars were grown.

There is one condition necessary for the success of papermaking, which is, there must be a clear stream of running water for the necessary water supply. In some cases, where there is a good fall in the stream, this would also be available for supplying the whole or part of the power required in the

manufacture.

As regards the growth of poplar-trees, the experience upon which this paper is founded are my own observations during

twenty-three years.

In 1879 I purchased six acres of poor clay-land at a low price, which had formerly been a brickfield. By filling the pits I made the land undulating, and built my house upon it. As the part of the plot, where there was original soil, was bounded by buildings on two sides, I planted a band of quick-growing poplars (Populus Ontariensis), to the extent of about two acres, to hide the buildings. I was afterwards surprised at the rapid growth of the trees. During a short stay in Belgium I took great interest in the manufacture of excellent paper from the same kind of poplar, and afterwards took particular interest in the growth of the poplars I had planted, to test as far as possible the commercial possibilities of growing poplars for paper-making in this country.

To make this proposition clear, I think it would be well to give my idea of the success of a commercial scheme with the above premises, founded upon my own data; for this I propose, as a speculation, that about a thousand acres of poor clay-land should be acquired, having a clear stream running through it, with mill-power, if possible. Such land, I have been told, has

been sold for seven pounds an acre.

I would suggest forming a syndicate, engaging a subscribed

capital of £50,000 to provide outlay upon the following conditions :--

A First Call of £22,000.

v ·	
To be invested in 1000 acres of suitable clay-land	, £
to cost within £10 an acre, say	. 10,000
Provide poplars for planting at four feet apart, 250	0
per acre, at 35s. per 1000. (The market pric	е
according to printed catalogue)	. 4,500
Labour, ploughing the land once, and planting, a	t
30s. per acre	. 1,500
Cost of administration, six years, allowing one year	
of this time to get the plantation in working	g
order	1,000
Interest, ten per cent. on capital, five years (les	SS
bank interest on deposit account)	5,000
	£22,000

£22,000

The administration is put at a low price, in that there would be very small cost after the planting was complete, for which £4,500 would be sufficient. Practically the land might be then left to itself, unless it could be let as a game preserve or otherwise, to pay for the superintendence.

After the fifth year a paper-mill would have to be built, which would cost £25,000 with machinery fitted; but it would be well to make a second call of capital, £28,000, making the total

£50,000.

In the sixth year, or the fifth year after the 2,500,000 poplars were planted on the 1000 acres of land, these trees would have attained the average growth of 8 ft. in height by 3 in. diameter, and weigh about 9 lb. each = 10,000 tons. If we subtract about one-third of this for one-third of the trees being felled for paper-making, say 3,000 tons,—this would provide material to produce about 1000 tons of finished paper, placing the value of this at three-halfpence per pound, £14,000.

If we now set down £7,000, or half the above, for cost of manufacture with the material supplied, we have a clear profit of £7,000, or over twelve per cent. interest on the investment

for the first year of manufacture.

When the trees are thinned out they grow much more rapidly, so that after the fifth year they increase nearly an inch per year in diameter. If we continue to take one-third of the trees standing every year, I find this would establish about a uniform amount of timber per year to be used in the manufacture of the paper. In twenty-two years there would be left only 3333 trees standing, or about supply for four years, of the trees originally planted.

Taking my own trees, after twenty-one years' planting, that were left standing about six to the acre, or about 30 ft. apart, these measured 18 to 20 in. diameter for about 10 ft. of butt. weighing about 12 cwt. each, or equal to 3600 tons. This, if taken for 1000 acres, would be enough, allowing for continuous growth for four years' supply, in the interval of which other trees would be coming on, or other timber, oak or ash, might have been planted advantageously for profit, and new land acquired to

continue the supply of poplars for the mill.

If the land were resold it would fetch about cost value, to buy new land. With a moderate amount of water-power, if this power were not sufficient to work the mill during the summertime, the top wood of the trees would supply supplementary power if this were burnt in a suitable wood-burning boiler, such as are commonly in use in the United States of America. If part of the land were very wet, willow might be grown, forming an excellent material for tough paper. There is no doubt other commercial products would be derived from the same lands upon which the poplars were grown.



18.—Notes on a Section of Woolwich and Reading Beds, NEW CROSS GATE.

By N. F. Robarts, F.G.S.

(Read December 20th, 1904.)

The erection of buildings at New Cross Gate by the London County Council, in connection with their tramway system, necessitated considerable excavations, in the spring of this year, in the hill to the south of New Cross Road, which exposed to view a section of the Lower London Tertiaries which I think should be recorded, to supplement particulars which have already been given of the neighbouring well-known section in the New Cross cutting of the London, Brighton and South Coast Railway.

Owing to the kind permission by Mr. E. Riley, Superintending Architect of the London County Council, of free access to the works, I was enabled to make several visits whilst they were in

progress and examine the section in detail.

The ground occupied by the tramway buildings is about 600 yards north-west of the northern end of the section in the L.B. & S.C.R.'s New Cross cutting described in the paper I laid before the Society on 19th April, 1904.

The ground south of the New Cross Road dips from south to north, falling about 22 ft. 6 in. in 580 ft., the distance from the frontage to the retaining wall in the rear of the premises.

The ground required to be levelled, which led to a section being made above the level of New Cross Road of about 22 ft. 6 in. in depth, whilst the foundations showed about 6 ft. more, and bore-holes a still greater depth.

The beds seemed to change their character as they went north of the railway cutting, being less clayey and more sandy, whilst the dip being south-easterly the lower beds of the series are brought to the surface at New Cross Gate.

The excavation being rectangular enabled the south-easterly

dip of the beds to be easily traced.

The following section fairly represents the southern side of the excavation :-

		FT.	IN.
A.	Soil	0	6
	Orange sand	2	0
	Clay with sandy partings	10	0
	Yellow sand		
	Sandy clay		
	Orange sand	-2	0

		FT.	IN.
C.	Shell bed (Cyrena)	1	6
D.	Oyster bed		
\mathbf{E} .	Shell bed (Cyrena)	1	0
To!	(Mottled clay	1	3
г.	Mottled clay	1	9
G.	Pebbles	2	0
	Sand		

The fossils in this section were almost all contained in the three shell beds overlying the mottled clay, but there were traces of leaf-remains in the clays of B.

Mr. E. T. Newton, F.R.S., has kindly examined the fossils for

me, and determined them as follows:-

Comparing this section with that at Loampit Hill,* the upper beds appear to almost reach the lowest beds exposed in the L. B. & S. C. R.'s New Cross cutting, so that the sections at that place and this give us practically a complete section from the lower beds of the London Clay to the Thanet Sand.

I am favoured by Mr. Riley with the following sections from bore-holes made at the works:—


40.02 ft. above O. D. Mould	4 0 5 0 1 6 5 0 2 0 4 6 5 0 3 0	38:40 ft. above O. D. FT. IN. Made ground 5 0 Blue clay and shell 4 0 Mottled clay 3 6 Gravel 8 6 Pebbles & green sandy clay 10 0 Grey sand 9 0
Grey sand		
FT.	39 8	FT. $\overline{40}$ 0

^{* &#}x27;Memoirs of the Geological Survey' (1872), vol. iv. pt. i. p. 127.

The pebble-bed contained some pebbles of very considerable size. The two shell beds, consisting chiefly of *Cyrena*, were both a hard rock.

It would be desirable to watch for sections in the neighbourhood which may show if any beds intervene between the lowest in the railway cutting and the highest in the present section.

I wish to record my thanks to Mr. E. Riley, for the particulars of the sections in the bore-holes and permission to visit the works; and to Mr. E. T. Newton, F.R.S., for kindly naming the fossils.



19.—Report of the Meteorological Committee, 1904.

Prepared by the Hon. Sec., Francis Campbell-Bayard, F.R. Met. Soc.

(Read February 21st, 1905).

THE same arrangements under which the daily rainfall of the district round Croydon has been observed and tabulated have been continued throughout the year 1904. The number of stations in the printed list is 97, and there are four additional stations viz. Camberwell Cemetery, Forest Hill; Camberwell Green; Camberwell Town Hall; and Leyton Square, Camberwell—the records of which are complete, with the exception of a very few days which have been interpolated, for the whole year, and which will be found at the end of this Report. These 101 stations are under the superintendence of 77 observers. Two changes have occurred: Mr. Grant removed from Harp's Oak Cottage, Merstham, to Hale Edge, South Nutfield, at the end of March; and Mr. Jordan ceased observing at Woodfield Avenue, Streatham, at the same time. It is a pleasure for the Committee to be able to inform the members that a new station at Streatham has been established at "The Pumping Station" by Mr. J. W. Restler, the engineer of the Southwark and Vauxhall District of the Metropolitan Water Board, to whom the Committee are greatly indebted for some valuable records. The observations at Farningham Hill have been temporarily interrupted, owing to illness in Mr. Waring's family. Mr. J. E. Clark is leaving Ashburton Road, Croydon, and has already established a new station at Purley; and Mr. Spencer C. Russell has established a new station at Epsom, a place not represented in the printed return: and Mr. W. Oxtoby has also established a new station at Grove Vale, East Dulwich, a place not hitherto represented. additional returns will involve a slight extra cost in printing for the Society, which it is hoped will not be objected to, seeing that there is no similar publication in the United Kingdom or, I believe, elsewhere in the world.

Appendix I. to this Report contains a list of the observers, with particulars relating to the stations and gauges, and also the monthly tables of daily rainfall, of which a sufficient number have from month to month been pulled for the use of the Society. These printed tables contain the records of all observers, with the exceptions already mentioned, reporting to the Committee.

Appendix II. contains a record of all falls of rain of 1.00 in. and upwards, extracted from the monthly tables in Appendix I.

The rainfall of the district for the year is very different to that

TABLE I.

THE RAINFALL OF 1904 AS COMPARED WITH THE AVERAGE OF THE TEN YEARS 1891-1900.

	110002104012014100446110
Year	Li. + 0.21 - 1.51 - 1.51 - 1.550 - 1.96 - 1.99 - 1.92 - 1.93 -
Dec.	H. (10.0)
Nov.	II. 1.64 1.197 1.197 1.197 1.198 1.1
Oct.	H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sept.	II
Aug.	10.082 10.092
July	Th. 1.39
June	The state of the s
May	++++++++++++++++++++++++++++++++++++++
April	The contract of the contract
Mar.	The contract of the contract o
Feb.	++++++++++++++++++++++++++++++++++++++
Jan.	In + + + + + + + + + + + + + + + + + + +
STATIONS	Knockholt (F. G.) Dorking Caterham Banstead Addington Hills Nutfield (O. G.) Reigate Hill Sevenoaks Forest Hill (Waterworks) Addington (Pumping St.) Redhill* Bickley D'Abernon Chase D'Abernon Chase Addington (Park Farm) Leatherhead. Sutton (Waterworks)* Forest Hill (Newfield H.) Orpington. W. Norwood Oxshott.

THE BAINFALL OF 1904 AS COMPARED WITH THE AVERAGE OF THE TEN YEARS 1891-1900 (contd.).

	0740000041007000400
Year	1.05
Dec.	H
Nov.	H. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Oct.	In 1.25 In
Sept.	10.056 10.077 10.077 10.056
Aug.	In. 100
July	10.00000000000000000000000000000000000
June	10.00
May	H + + + + + + + + + + + + + + + + + + +
April	Hermonia (1975)
Mar.	10.00 10
Feb.	++++++++++++++++++++++++++++++++++++++
Jan.	In + 0.31 + 1.04 + 1.20 + 1.20 + 1.20 + 1.30 + 1.53 + 1.76 + 1.76
STATIONS	Nunhead Sideup Croydon (Duppas House) Wimbledon Hill* Greenwich Croydon (Waddon N. B.) Wallington Croydon (Brimstone Bn.) South Norwood* Beddington Richmond* Brixton Wimbledon (Sew. Wks.) Raynes Park New Malden Esher Kingston (Sew. Works) Surbiton Wilmington Wilmington Battersea (Waterworks) Deptford

of the previous year, 1903, in which we had an excess of rain varying from 20.74 in. at Leatherhead to 9.82 in. at New Malden. In this year, by way of contrast, we have a deficiency at every station, with the exception of Knockholt, which has an excess of 0.21 in., which varies from 5.28 in. at Raynes Park to 0.34 in.

at South Norwood.

With respect to this year's rainfall, I have prepared Table I., which consists of 43 stations from amongst the 48 whose averages for the ten years 1891-1900 are given in the Meteorological Sub-Committee's Report for 1900, the stations for which the individual records are not the same being marked with a *. On looking at this table and comparing it with a similar table in the Report for 1903, we note the very large excess of rain in January and February, which for January varied from 3.05 in. at Addington Park Farm to 0.16 in. at Battersea Waterworks, and for February from 1.89 in. at Dorking to 0.35 in. at New Malden, as against in January, 1903, 0.86 in. at Addington Park Farm to 0.00 in. at Caterham; and in February, 1903, of +0.29 in. at Knockholt to -0.68 in. at Raynes Park. In March, with the exception of 3 stations at which there were small excesses—viz. Leatherhead, Esher, and Wilmington—there was a deficiency which varied from -0.70 in. at Knockholt to -0.01 in. at South Norwood. In April the deficiency was much smaller than in March, and there were 16 stations showing an excess. May had an excess at every station which varied from 1.37 in. at Richmond to 0.35 in, at Battersea Waterworks. June has a deficiency at every station, varying from 1.36 in. at Esher to 0.46 in. at Oxshott. July also has a deficiency at every station except four -viz. Nunhead, Sidcup, Greenwich, and Deptford, which have very small excesses—varying from 1.61 in. at Reigate Hill to August, September—with the single 0.04 in. at Richmond. exception of Knockholt, which has the slight excess of 0.01 in.— October and November have considerable deficiencies, especially October, where the deficiency value is over an inch at every station, with the single exception of Wilmington, where it is 0.75 in. December is a month of somewhat variable conditions, 18 stations having an excess; the values range from +0.91 in. at Knockholt to -0.44 in. at Raynes Park.

That the year has been a dry one as a whole has been shown by Table I.; but that there should be a very large number of rainy days—in fact, nearly as many as the extremely wet year of 1903—will probably come as a great surprise. For this purpose Tables II., III., and IV.—giving the number of rainy days at Wallington, Greenwich, and Reigate Hill, as compared with the

average 1891-1900—have been constructed.

TABLE II.

Number of Rainy Days at Wallington, Surrey.

Average of 10 years	Jan.	Feb.	Mar.	Apr.	May	Jun.	July	Aug.	Sep.	Oct.	Nov.	Dec.	Year.
	18 17	14 12	13 19	$\begin{array}{c} 11 \\ 12 \end{array}$	11 14	11 13	10 14	15 19	12 15	16 25	16 20		164 193
1904	24	21	17	13	18	8	10	9	15	17	17	21	190

TABLE III.

NUMBER OF RAINY DAYS AT GREENWICH OBSERVATORY, KENT.

Average of 10 years	Jan.	Feb.	Mar.	Apr.	May	Jun.	July	Aug.	Sep.	Oct.	Nov.	Dec.	Year.
1891-1900	16	12		11		12	12	15	12	16	15	16	163
1903 1904	16 24	11 20	18 15	$\begin{array}{ c c }\hline 12\\12\\ \end{array}$	16	11	13	18	16	27	15	11	184
1904	24	20	19	12	18	.0	11	10	13	17	11	21	180

TABLE IV.

Number of Rainy Days at Reigate Hill, Surrey.

Average of	Jan.	Feb.	Mar.	Apr.	Мау	Jun.	July	Aug.	Sep.	Oct.	Nov.	Dec.	Year.
10 years													
1891-1900	18	13	14	11	11	11	13	14	12	17	16	19	169
1903	22	14	21	13	13	13	15	20	17	23	15	11	197
1904	18	21	16	11	16	8	9	11	12	15	13	18	168
									1				

In considering these three tables, it will be at once seen that the Wallington and Greenwich tables are in many respects similar, whilst the Reigate Hill table is different. It is very evident that, from the number of rainy days both at Wallington and Greenwich, the relative falls must be much smaller. The only anomalous reading is that of November at Greenwich, which gives a total of no less than six days smaller than Wallington. When, however, we come to consider the Reigate Hill record, we have an entirely different state of circumstances. The yearly number of rainy days is actually one below the average, and no less than twenty-nine below 1903. It is very difficult to account for this, though possibly owing to the station being situated on the escarpment of the North Downs, though not at the highest point, the slighter rains were driven over the station, thereby causing a loss of rainy days, but not affecting the aggregate amount of fall by much. In studying the individual months, it will be noticed that both at Wallington and Greenwich there were in January and December a large number of rainy days, whilst at Reigate Hill the number was only about

the average. At all three stations February had a large number of rainy days. The other months are somewhat alike at all three stations, though the number of rainy days is on the whole smaller at Reigate Hill than at Wallington and Greenwich, except in August, when Reigate Hill had a number slightly larger than the other two stations.

The number of falls of one inch and upwards given in Appendix II. are only eight, and are relatively very small, the highest being 1.55 in. on July 25th at Greenwich. It will be

noticed how small also is the area of the different falls.

TABLE V.

Duration of Rainfall at Duppas House, Croydon, 1904. Level of gauge, 162.00 O.D. Mr. Baldwin Latham, M.Inst.C.E.

1904.	Rainfall in inches.	Number of Days '01 or more fell.	Duration of Rainfall in Hours.	Mean Duration of Rainfall in inches per hour.
January	3.63	22	122.25	.0297
February	3.05	19	71.60	0426
March	1.52	16	46.90	.0324
April	1.26	11	26.96	.0465
May	2.44	16	61.55	.0396
June	.80	9	20.32	.0394
July	1.26	11	19.98	.0631
August	1.655	10	31.86	.0519
September	1.215	12	43.07	.0282
October	1.885	15	58.62	.0322
November	1.405	14	37.91	.0371
December	2.435	19	57.26	.0425
Total	22.555	174	598.28	.0377

Mr. Baldwin Latham has most kindly furnished me with a table (Table V.) giving the duration of rainfall at Duppas House, Croydon. If we study this very valuable table we shall note how small the rate of fall has been. The total number of hours during which rain fell is 598·28 hours, which gives the actual number of days of twenty-four hours each as 24·9 days, and the actual annual rate of fall as ·0377 in. per hour. The greatest

rate of fall took place in July, which has '0631 in. per hour, and the next in August, which has '0519 in. per hour; whilst the lowest rate of fall occurred in September, which has '0282 in. per hour, and in January, which has '0297 in. per hour. In 1902 the total number of days of twenty-four hours each was 22.0 days, and the rate of fall '039 in. per hour; and in 1903 there were 31.5 days, with a rate of fall of '0512 in. per hour.

In conclusion, the Committee desire to thank those, fifteen in number, who have given donations in aid of this rainfall work, which, as far as the Committee can learn, is unique; and they would like to mention that the whole of these donations is expended in the printing of the returns, no payment being made to any observer, or any member of the Committee, all of whose services are voluntary.

CAMBERWELL CEMETERY, FOREST HILL, SURREY.

Observer—W. Oxtobr. Gauge (self-recording) 8 in. in diameter.

Height of gauge above ground, 2 ft. 2 in. Height of station above sea-level, 160 ft. Time of observation, 9 a.m.

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
IN.	IN.	IN.	IN.	IN.								
1.77	1.58	1·10	0.73	1.88	0.79	1·30	1·02	0.75	1·33	1.35	1.68	15.28

THE GREEN, CAMBERWELL, SURREY.

Observer—W. Oxtoby. Gauge (self-recording) 8 in. in diameter.

Height of gauge above ground, 2 ft. 2 in. Height of station above sea-level, 17 ft. Time of observation, 9 a.m.

Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
IN.	in.	IN.	IN.	IN.								
2.07	2·09	1·45	1.03	2·02	0.86	1·74	1·18	0.96	1·34	1.50	1.86	18·10

THE TOWN HALL, CAMBERWELL, SURREY.

Observer-W. Oxtoby. Gauge (self-recording) 8 in. in diameter.

Height of gauge above ground, 49 ft. Height of station above sea-level, 21 ft.

Time of observation, 9 a.m.

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
IN.	IN.	IN.	IN.	IN.								
1.91	2·07	0.99	0·89	2·10	0.72	1.75	1.54	0.91	1·48	1·35	1·73	17·44

LEYTON SQUARE, CAMBERWELL, SURREY.

Observer—W. Oxtoby. Gauge (self-recording) 8 in. in diameter.

Height of gauge above ground, 2 ft. 2 in. Height of station above sea-level, 14 ft. Time of observation, 9 a.m.

Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Year. IN. IN. TN. IN. IN. TN. IN. IN. IN. IN. IN. IN. IN. 2.07 2.06 1.30 0.962.01 0.69 1.00 1.240.781.171.481.70 16.46

APPENDIX I.

CROYDON NATURAL HISTORY AND SCIENTIFIC SOCIETY

(Meteorological Committee.)

						₩ : :
No.	STATIONS.	Observers.	Size of Gauge.	Height	ound,	Height of Statn. ab. Sea-level.
			S S	Ще	Gr	Hei Sta Sea
	And the second s		IN.	FT.	IN.	FT.
	Holmbury St. Mary (Ioldwynds)	F. Cornish	5	1	0	530
	Abinger (The Rectory)	Miss Brodie-Hall	5	1	0	381
	Abinger (The Hall)	The Lord Farrer	8	2	0	320
	Dorking (Denbies)	J. Beesley	5	0	6	610
5	Redhill (Linkfield Lane)	Mrs. Stephenson	5	1	0	350
0	Nutfield (The Priory, old gauge)	J. Moffatt	8	1	2	468
	Nutfield (The Priory, new gauge)	J. Moffatt	8	1	2	331
	Buckland (Hartswood)	R. W. Clutton	5	1	0	174
	Reigate Hill (Nutwood Lodge)	H. E. Gurney	. 5	1	0	440
10	Upper Gatton (The Park)	F. Druce	5	1	0	600
10	Merstham (Rockshaw Lodge)	T. W. Hill	5	1	0	475
	Harp's Oak Cottage	R. C. Grant	5	1	0	454
	Chipstead (Shabden Park)	J. Crerar	5	1	0	550
	Chaldon (The Rectory)	Rev. G. E. Belcher	5	1	0	542
15	Caterham (Metropolitan Asylum)	P. E. Campbell, M.D.	5	1	0	610
10	Westerham (Hill Estate)	W. Morris	5	1	0	539
	Westerham (The Town)	W. Morris	5	1	0	380
	Knockholt Beeches (Field Gauge)	W. Morris	5	1	0	785
	Knockholt Beeches (Tower Gauge)	W. Morris	- 5	24	6	812
20	Chevening (The Park)	C. Sutton	5	1	0	360
	Sevenoaks (St. John's Hill)	W. W. Wagstaffe	5	1	10	380
	Chelsham (Fairchildes)	A. S. Daniell	8	1	0	600
	Warlingham (Egremont)	H. Rogers	5	1	0	614
	Kenley (Hazelea)	Mrs. Carr-Dyer	5	1	0	282
25	Kenley (Place Fell)	J. V. Brett	5	1	0	300
	Sanderstead (The Red House)	Capt. Carpenter, R.N.	5	1	0	320
	Burgh Heath (The Reservoir)	Sutton Dis. Water Co.	5	1	0	580
1	Hedley (The Hurst)	Mrs. Lyall	5	1	3	450
	Leatherhead (Downside)	A. Tate	5	1	0.	250
30	D'Abernon Chase	Sir W. Vincent, Bart.	5	1	0	280
	Oxshott (Beverstone)	W. H. Dines	5	1	0	212
	Banstead (The Hall)	Mrs. Maitland	8	1	0	488
	Sutton (Carshalton Road)	Sutton Dis. Water Co.	5	1	0	110
	Sutton (Sewage Works)	C. Chambers Smith	8	1	0	94
35	Benhilton (Angel Hill)	J. C. M. Stanton	5	1	3	125
	Carshalton (Sewage Works)	W. W. Gale	5	1	0	118
	Wallington (Maldon Road)	F. Campbell-Bayard	5	4	1	140
	Beddington (Riverside)	S. Rostron	5	1	0	120
	Croydon (Brimstone Barn)	Croydon Corporation	- 5	1	0	130
40	Croydon (Waddon New Road)	Croydon Corporation	5	1	0	146
	Croydon (Duppas House)	Baldwin Latham	8.	1	0	158
	Croydon (Windmill Road)	A. Malden	5	1	6	174
	Croydon (Park Hill Rise)	H. F. Parsons, M.D.	5	-1	0	250
	Croydon (Ashburton Road)	J. E. Clark	õ	1	0	188
45	Croydon (Avondale Road)	Dr. G. J. Hinde	5	1	0	225

No	STATIONS.	Observers.	Size of Gauge.	Height	Ground.	Height of Statn. ab. Sca-level.
			IN.	FT.	IN.	FT.
	Addington Hills (The Reservoir) Addington (Park Farm)	Croydon Corporation W. Whalley	8 5	0	9	473 268
	Addington (Pumping Station)	Croydon Corporation	8	1	0	331
	West Wickham (Wickham Court)		5	1	2	300
50	Hayes (Hayes Place)	W. Beale	8	1	0	350
	Orpington (Kent Water Co.)	W. Morris	5	1	0	220
	Farningham Hill (Hill House)	A. J. Waring	5 5	3	0	300 82
	Southfleet (Kent Water Co.) Chislehurst (Hawkwood)	W. Morris Miss Edlmann	5 5	1	0	300
55	Bickley (The High Field)	J. Batten	5	1	2	295
	Bromley (The Palace)	Coles Child	5	1	0	187
	Bromley Common (Elmfield)	Rev. J. P. Faunthorpe	5	0	9	240
	Beckenham (Wickham Road):	E. Scovell	5	1	2	155
0.0	Anerley (The Town Hall)	H. W. Longdin	8 5	40	0	191
60	South Norwood (Woodvale) Beddington Corner (Millgreen Rd.)	E. Dean	5 5	5	0	216 77
	Morden (Steel Hawes)	Miss R. Hames	5	ő	2	100
	Wimbledon (Sewage Works)	C. H. Cooper	5	1	0	58
	Wimbledon (The Downs)	Francis Fox	5	1	0	162
65	Wimbledon (The Windmill)	Jesse Reeves	$\tilde{2}$	1	0	172
	Raynes Park (Pumping Station)	C. H. Cooper	5	1	0	47
	New Malden (Sewage Works) Worcester Park (Manor Lodge)	T. V. H. Davison F. D. Outram	5 5	1	9	$\frac{45}{120}$
	Esher (Sewage Works)	A. J. Henderson	5	1	0	40
70	West Molesey (Chelsea Water Co.)	H. Wrinch	5	1	0	32
	Surbiton (Chelsea Water Co.)	H. Wrinch	5	0	6	25
	Kingston (Sewage Works)	T. Stevens	5	1	0	25
	Kingston (County Hall)	E. Underwood	5 8	0	9	31
75	Richmond (The Terrace) Putney Heath (The Reservoirs)	J. H. Brierley H. Wrinch	5	$\frac{1}{1}$	6	109 180
10	Wandsworth Com. (Patten Road)	F. J. Brodie	5	1	0	100
	Streatham (Woodfield Avenue)	F. Jordan	5	1	0	120
	West Norwood (Thornlaw Road)	W. Marriott	5	1	0	220
	Up. Norwood (Dulwich-wood Park)	T. P. Caldicott	5	1	2	276
80	Up. Norwood (Fox Hill Gardens)	W. H. R. Ryves	5	0	9	300
	Forest Hill (Dartmouth Road) Forest Hill (S. & V. Water Co.)	L. W. F. Behrens J. W. Restler	5	1	0	$\frac{220}{344}$
	Sidcup (Hatherley Road)	Lionel Burrell, M.D.	5	1	2	160
	Wilmington (Kent Water Co.)	W. Morris	5	1	0	25
85	Dartford (West Hill House)	Lieut-Col. C. N. Kidd	õ	1	3	100
	Greenhithe (H.M.S. Worcester)	Cap. D. Wilson-Barker	5	5	0	30
	Eltham (High Street)	W. Morris	ő	1	0	245
	Nunhead (S. & V. Water Co.) Brockwell Park	J. W. Restler Lond. County Council	5	$\frac{4}{1}$	$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	$176 \\ 140$
90	Brixton (Acre Lane)	F. Gaster	8	1	0	77
	Clapham Park (New Park Road)	D. W. Horner	5	1	3	128
	Battersea Park`	Lond. County Council	5	9	6	12
	Battersea (S. & V. Water Co.)	J. W. Restler	5	3	0	21
05	Telegraph Hill	Lond. County Council	5	8	6	135
95	Greenwich (Royal Observatory) Deptford (Kent Water Co.)	Astronomer Royal W. Morris	8 5	0	5	$\frac{155}{20}$
	Southwark Park	Lond. County Council		10	0	. 9
- 1						

Note.—The observations are taken at 9 a.m., except at Kingston (County Hall) (7.30 a.m.), Reigate Hill, Croydon (Ashburton Road), Addington (Park Farm), Greenhithe, and Brixton (8 a.m.), and Sevenoaks, Battersea Park, and Southwark Park (10 a.m.).

Stead

The figures in this row give the totals for the month.

January

totals from

The t

-8	gainra¶	NI C	?	0	Ŧ	÷	0	•	Ō	÷	Ò	31	0	-	ġ	Õ.	٠	. (0	9)	0	,	•	•	•		- 1	0	0	77 1	io d	?	3.5	٠
uo	gaiqıO	IN.	:	:	.15	.12		:	.07	:	.05	.18	.03	.17	.20	÷0.		• 6	20.0	c).	#O.	70.	:	:	:	•	• 5	17.	Ŧ9.	08.	.87	.71	34	3.73	:
	Hayes	i.		.10		.23	:	:	01.	.03	÷0.	07.	•03	.50	.58	.05	:	* ì	cT.	:	. 1	I.	:	:	:	:	• l).T.	69.	• 5.7	.42	.85	++.	4.25	*
un	West	IN.	70.	90.	:	.25	:	:	20.	.0.5	.03	. 54	.01	.58	08.	Ŧ0.	:	• 6	200	40.	70.	÷0.	:	:	:	:		17.	69.	.55	.43	:03	02.	4.65	:
	SalbbA .qmn'l)	N.	10.	60.	11	.13	:	:	.10	·04	Ŧ0.	.25	.05	.56	.55	.05	:	• (60.	-0.5	90.	.05	:	:		. [TO.	77	1).	28	.42	86.	.65	4.95	:
(·m.)	Rading Tark F	IN.		.11	-11	.13	:	.01	60.	.05	.04	.23	.03	.25	78.	.05	:	* 1	01.	60.	90.	.05	•	:	:	:	. ;	GT.	92.	.41	.32	86.	-74	5.11	:
-	gaibbA slliH	IN:	0.	60.	.11	.12	.01	•	20.	<u>ç</u> 0.	÷0.	.18	.03	·25	.233	.05			60.	.03	90.	.05	-0.5	0	:	• 0	77 1).T.	+1.	.23	88	08.	6.	4.34	:
(.br	Croydor (Avond	IN.	.05	.11	.11	.12	.01		-07	•04	Ŧ0.	.50	Ŧ0·	.23	•24	90.	:	:	60.	Ŧ0·	.05	10.	:	•	:	. 0	20.	.19	98.	77.	.43	02.	.53	4.54	:
. 6	Croydor (Ashbn.	IN.	.02	80.	.10	.10	•		.05	.03	.05	.17	.03	.21	.23	.05	:	•	80.	90.	ç0.	.03	.05			. 0	.0.	.13	.63	-53	.28	Ŧ1.	.53	3.95	:
(IIII	Oroydor (Park I	· · ·					:	:	÷0.	.05	-0.5	.16	.03	.23	$\frac{x}{\cdot}$.05	:		80.	1 0.	Ŧ0.	Ŧ ().	.01	:	;	:		ŤĮ.	.63	.50	.31	92.	.35	3.62	:
(.br	Croydor (Wdml.	ż	.05	20.	60.	60.	:	:	÷0.	.03	.05	.16	.0.5	.24	·15	Ŧ0.			80.	Ŧ 0 ·	1 0·	.05	:	:	:	:		1.	.58	.22	22.	02.	•34	3.43	:
(.E	Croydor (Dup. 1	-	.05	90.	.10	.11			₹0.	Ŧ0.	.03	71.	.03	.23	.16	₹0.	:	:	60.	.03	Ŧ0.	.05	:	:	:	:		.15	.61	-55	.32	02.	98.	3.63	:
(.b1	Oroydoi (Vn.W.)	IN.	.03	20.	90.	.15	:	:	.04		.05	.16	.03	15.	.16	20.	:		60.	Ŧ0.	*	T:0:	:	:	:			.50	09.	.55	.33	.75	98.	3.64	:
Bn.)	Croydor (Brim. 1	IN.	:	:	.18	80.		:	.03	.05	.0.	.15	.0.5	.21	.15	Ŧ0·		:	90.	.03	Ŧ0.	₹-0·	:03	.02	:	:		.12	69.	.21	.25	09.	01.	3.32	:
	Bedding	N.	.0	80.	.10	.12	*		£0.	†0 .	.03	.18	.03	.23	.18	90.		:	80.	₹0.	Ŧ0.	.05	:	:		:	14	.16	.67	+2.	•34	.76	÷3.	3.84	:
	gaillsW		0.	20.	.12	.11	.01		.04	.05	.03	.19	.03	.23	.16	90.		:	90.	•04	.03	.0 <u>.</u>	:	:	:	- 1	.01	ŤĮ.	.62	.24	.37	.78	.29	3.75	:
uoı	Carshal	IN.		90.	.10	.14	:	0	Ŧ0.	.05	.03	.20		.25	.25	.05	+04	:	.10	.03	.05	60.	:		•	:		15	.35	.30	.25	.75	.30	3.58	:
uo	Benbilt	IN.	90.	.01	60.	·II	:		.05	.02	.09	.16	.05	22.5	114	90.	:	:	₹0.	.03	.03	÷0.	*	:	:	:	:	.08	.36	.21	.29	SS	.20	3.06	:
(.sa	M.wəZ)	IN.	÷0.	.03	20.	11.	:		.05	.03	÷0.	.20	.03	.24	.15	Ŧ0.	:		90.	₹0.	+0.	90.	:		:	:	:	.10	.37	.23	·34	1.00 1.00 1.00	.37	3.55	:
(. Av	Sutton (Watery	IN.	.05	.05	-11	.13			.03	.03	.03	.17	.03	.25	61.	90.	:	:	90.	·04	.03	.04	:	:	.01	:	:	.12	.48	.28	.39	.87	.20	-	:
p'	Banstea	_	.03	80.	.13	17	:		:10	90.	.04	0.6.	0.0	0 85	66.	01.			60.	.10		80.	:	:	:	:		.17	66.	.25	70 70	1.08	.27	2.06	:
	tiodsxO	IN.	.05	.03	30.	.22			.0:			(.6.	.03	66.	9 .	-15	:	•	•03	.05	:	90.	:	:	:	:	:	.12	.47	.25	.17	.76	- 30	3.42	:
	D'Аретп Сhase	ż	_			.21					_					31.				80.		:	:	:	:	:	:	.16				o oc		3.58	:
	Leather	1,0	.01	.05	.04	.30	:	:	90.	.03	.07	.53	.03	.50	.22	.12	:	:	0.	90.	.01	90.	:		:	:	:	.22	.73	.31	.32	06.	.43	4.45	:
	Hedley	1 .	:	:	16.	-18			80.	90.	-07	-16	90.	.2.2.	51.	.10	:		•03	:	.10	-07		:	:		:	.26	.83	.29	+3.4	16.	**	4.60	:
-	Burgh Heath	IN.													• Э	ne	GV.	Ā	TH	ETS	:01	T												5.20	:
·o I/	Day of l	1	H	2	00	4	170	9	2 1	- 00	0 0	0 0	2 =	1.5	000	7	15	16	17	18	19	50	21	22	23	24	25	56	27	28	29	30	31		4

100	
3	
0	
-	
2	
2	
aum	
100	
2	
101	
-	
weere J	
-	
13	
2	
2	
5	
3	
200	
20	
20	
3	
-	
-	
23	
2	
20	
eye	
avere	
33	
2	
-	
3	
-	
1	
200	
3	
5.9	
-3	
17.	
104	
2	
21	
. 7.750	
D	
7	
4	
3	
-	
ma	
2	

	20042017		71	-	Eer-				in at				and a		100	N. I				1000	A set	Sala														
	West		0	0	0	Ò	•	٠	0	0.	0	-	0	.5	.18	.04			0	0.	0.	0.	٠	÷	٠	٠		0	3	÷1	·T·	7	:0	2.6		
	Streatham	IN.	:		ī	90.	:	:	.04	.01	:	.17	.05	.18	.17	•04	:	:	90.	Ŧ0.	.03	.05	:	:		:	:	.10	67.	.17	.11	£‡.	60.	2.17	:	
-	Wandswth.	IN.	·04	.03	.10	80.	:	:	.04	.03	.03	.18	.03	·24	.25	90.	:	:	•04	.04	90.	.03	:	:	•	:	:	.05	.Is	.30	80.	27.	.17	2.51		
	Бигиеу Бигиер	IN.	20.	.01	60.	80.	:	:	•04	.02	.03	.17	.05	.27	.13	•04	:		.03	Ŧ0.	.05	₹0.	.02	:	:	:	.01	.03	.27	.55	-11	.39	. ct.	2.58	:	
	BaomdəiA	IN.	.03	.03	.07	ij	:	:	·04	:	₹0·	.17	.03	.24	.05	.03	:	:	.03	÷0÷	.02	90.	:	•		•	.05	.05	97.	.28	II.	.61	.53	2.53	:	-
4	Kingston (CountyH.)						:				_																								:	
(Kingston (Sew.Wks.)	-		_			:					_									_														:	
	Surbiton	IN.	.03	.03	60.	.12	:	:	.03	.03	·04	.17	.03	.22	:13	20.	•	:	.03	90.	.05	·0 1		:	•		:	.05	.30	.23	80.	.62	.30	2.70	:	
-	West																																		:	
	Еврег									_																									:	
	Worcester Park												_																					2.87	:	
	Malden	ż							_					_	_	-				_						-			_					2.02	:	-
	raynes Park	_					:		_																				Maria						:	
	Wimbledor (IlimbaiW)						:																												:	
(winibledon anwoUsdT)										_																							1	:	
(Wimbledon (Sew. Wks.	N.	0.	.01	-07	20.	:	:	.03	.01	.01	.19	.01	.21	.18	•03		:	:	•	.01	.05	:	.01		i,	:	.05	.56	.25	.12	.32	:31	2.21	:	
	Morden	IN.	.05	.01	.03	.13	- 1	0.	.03	.05	.03	.17	.03	.23	.17	60.	:	:	20.	.03	-05	.03	0.	.03	-05	.05	-27	60.	.27	.21	.50	.56	.59	3.19	:	-
r	Beddingtor Corner	IN.	:	.05	:	.12	60.		.03	-05	80.	.11	.02	.50	.16	90.	:	:	90.	.02	·04	•04	:	:	:	:		20.	.35	.22	.36	.70	.19	86.7	:	-
	Norwood		:	60.	60.	60.	:	:	•04	•04	.03	.03	.16	·25	.19	.05	:	:	80.	.05	:	•10	.01	:	:	:	:	-80.	.41	.23	.21	.55		3.13	:	-
	Anerley South		:	.05	80.	90.	·01	:	.04	.01	:	.11		.10	.12	80.	:	:	:	80.	.05	:	·04	:	:	:	:		.29	တ္	*	99.	:53	2.49	:	
u	Вескепиял		-03	.05	90.	.11	:	•	•04	.03	•05	.13	.05	.23	.16	.05	:	:	80.	0.	.05	÷0.	:	:	:	:	:	.11	.47	-19	.26	.61	.46	3.23	:	
		_		:	•16	.10	:	3	ij	•04	.02	•14	.03	.56	.50	÷0.	:	:	60.	90.	.05	.04	:		:	:	•	-11	.55	.21	.32	.75	.35	3.63	:	
	Bromley	IN.	:	20.	-0.	.10	:	: :	.03	÷0.	•04	.12	:	•24	•16	•	:	:	60.	20.	90.	-04	:	:	:	:	:	01.	.44	.18	.27	.63	-22	3.02	:	
	Bickley	IN.	.05	•04	-07	.11	:			.03			-01	.24	.16	•04	:	•	60.	.05	+0.	.02		:	:	:	:	:13	.48	.21	.26	69.	.31	3.23	:	
7	erudəleidə	IN.	:	:	.16	60.	:		90.	.04	.03	.14	.01	.24	.19	.03	:	:	.10	.07	90.	.02	:	:			:	.12	.46	.19	.22	09.	.20	3.02	:	-
	Southfleet	IN.	.01	.03	.13	·11	:			60.							*	:	90.	.05	÷0.	•03	-03	:	:	:		90.	.32	.29	.20	.48	.16	2.72	:	
	Day of Mo		Н	2	ന	4	30	9	<u></u>	00	g,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24								*	+-	-

* The figures in this row give the totals for the month.

+ The totais from January 1st.

(January, 1904.)

reddish hue was seen at Croydo and snowdrops opened at Nutfiel on the 29th. The month's rainfa 410.4, at Chipstead, Wallington, an Croydon (Duppas House) 38°.8, a Worcester Park 38°.2, and at Wai trict on the 2nd, and a glazed from solar halo was seen at Claphan Park on the 5th, and at Greenwic on the 11th, and a lunar halo wa 26th. A very brilliant meteor of on the 13th at 8 p.m. Hazel ca is nearly double the average in mos the month is about 1° above th average, and was at Clapham Par ingham 37°.6. There were recorde The month has been an extreme wet one, and if we may take th record of Greenwich as fairly repre senting the district, it has not bee has been a mild month. There was a silver thaw throughout the di healthy, catarrhal affections bein prevalent, and there were als several cases of scarlet fever of mild type. A thunderstorm occurre in most places on the 13th; and seen throughout the district on th kins out at Crohamhurst on the 9tl at Wallington 39.3 hours of sun light, which is 2.9 hours or one po cent, below the January average olaces. The mean temperature exceeded since January, 1894. month has been somewhat at Wallington on the 23rd. the fifteen years 1886-1900.

F.R. Met. Soc., Hon. Sed F. CAMPBELL-BAYARD,

Southwark Park	IN.	:	:	20.	.05	:		•04	:	:	.12	:	.30	90.	.05	:	60.	3 6	90.	70.	0.0	•	:	:	:	• (.03	7.8	.19	.14	.40	.14	1.87	:
Deptiord	IN.	.01	:	•08	20.	:	:	.05	.02	.02	15	.02	.24	.16	.03	:	• 0	3	0.00	.03	•05	TO:	•	:	•	. (•04	.22	.18	80.	.29	98.	2.19	:
Greenwich	IN.	.05	.05	.08	80.	.01		.05	•04	.03	•16	.03	.59	.16	•04	:	.06	0 0	co.	70.	.05	:	:	:	• 5	TO.	÷0.	.58	÷ is	.10	.43	67	2.53	•
Telegraph Hill	IN.	:	:	.03	.04	:	:	.03	:	.04	.10	:	.24	•16	.04	:	. 3	000	±0.	c0.	90.	:	:	•	:		.05	.10	.16	.29	•44	-22	2.13	
Battersea (S&VWC)	IN.	:	•04	.10	.02	:	:	.03	:	.02	.10	.01	.22	.05	.02	:		60.	:	:	:	:	:	:	:	. (-05	.16	.12	20.	.26	.16	1.43	
Battersea Park	IN.		90.	.10	·08		:	.05	.05	.03	91.	.03	.31	.05	.03	:	• 2	000	70.	.03	•04	:	:	:	:		÷0.	.24	.18	.15	.42	.21	2.30	
Clapham Park	IN:	•04	.01	11	80.	:	:	.05	.01	.02	.18	.02	.25	.21	·04	:	• 0	00.	•04	0.5	90.	:	•	:	:	:	.07	.25	.22	.12	.33	.25	2.46	:
Brixton	IN.	•04	.05	111	90.	:	•	.05	.02	.03	15	.01	.26	.24	.04	:	• 5	co.	•04	÷0.	.05	:	:	:	:	:	.05	.19	.28	.05	•34	.26	1.41	:
Brockwell Fark	IN.	:	.05	.10	80.	:		•04	.02	.02	.18		.23	.20	.02	•	1.	70	70.	70.	•04	:	:	:	:		-02	.58	.22	80.	.51	.55	2.47	:
Nunhead	IN.	:	.03	.10	90.			.05	.01	.01	-11	.01	.12	.13	.01	:	- 0	20.	.03	:	90.		:	:	:	:	•03	:13	.12	20.	.22	.23	1.55	•
Eltham	IN.	.01	0.4	60.	.10			80.	.10	.03	.10	60.	.27	.22	.04	:	• (000	-0.2	90.	90.	:	.01	:	:		.07	.35	•19	•14	•44	.29	2.93	
Greenhithe	IN.			.05	.01	•	:		.05	.01	.08		60.	.18	.05		• 6	60.	0.00	.03	-05					•	.02	.03	.15	.02	90.	.05	.92	:
Dartford	IN.	90.		F	60.		:	.03	80.	.01	15	:	.25	.23	.03	:	• 0	en.	.03		•	:		:	:	:	80.	.23	.20	.22	.40	115	2.40	:
-gaimliW not	IN.	:	.05	.12	60.			.05	20.	.02	5	.01	.23	.25	.02	:	• 3	₹0.	.03	.05	.03	:	• 1	.01	:		20.	.29	.22	.17	.51	.15	2.56	
GuobiR	IN.	•04	.03	01.	.10		:	.05	.12	•03	T.	.01	.24	87.	.05		• (OT.	.05	.05	.03		:	:	:		20.	•33	.17	.19	•56	60.	2.70	:
Forest Hill (S&VWC)	IN.	:	90.	.10	90.	.01	:	.04	.03	.02	717	.05	.27	.23	•04	:	• 1	7.0	.05	÷03	··04	:	:		:	:	.10	.28	.22	.10	.34	.85	2.63	
HiH taəroT (.br.mtra()		60.	.00	-	60.			0.0	•04	:03	-17	.05	96.	06.	.03	:	e (<u>c</u> 0.	90.	•04	.05	:	:	:	:	:	80.	.30	.22	:	.42	.28	2.61	:
U. Norwood Fox H.Gs.)														•T	10e	EEI	I X	TH	LL	70	N												3.03	:
Dul.W.Pk.)) 2		00.	01:	900		•		.00	0 0	9 -	00.	700	H 9	0.0		:	-08	90.	90.	.05	:	:	:	:	:	.10	33	.99	1 70	1 7C	.53	88	4

19 19 19 19 19 19 19 19											-										-				_		-		-	_				
Holmburs Holmburs		IN.	2	.56	.23	90.	.01	.07	.23	.05	.61	.34	:	.74	:	.04	.01	•23	90.	• 1	7	0.	.05	:	:	:	• 0	.0.	• (0.	.05	3.34	1	7.81
State Control Contro		IN.	201	.25	.22	.07	.03	90.	.23	.05	09.	:3]	.01	.70	.03	.05	.03	.23	80.	.01	.15	.05	.01	:	:	:	:	:	• 1	.07		3.37	0	8.25
Note		N.	.23	.58	.23	80.	.01	80.	•24	.03	89.	.31	.02	89.	.05	.05	÷0.	.55	80.	•	.11	.05	0.	:	:	:	• 0	0.7		.05	.05	3.51	0	8.62
Machine Mach		IN.	c7.	.58	.23	.13	.03	.10	.21	.02	.72	.35	:	29.	90.	20.	.01	.31	60.		.50	.05	.05	:	:	:	• 6	<u>ç</u> 0.	•	80.	.03	3.91	0	10.05
Machine Mach	Chelsham	IN.												ЭE	יםכ	ďĐ	X.	ІН	LΝ	ON	[4.41	1	9.37
Holmbury National Property Holmbres Holmbury National Property Holmbres Holmb	Sevenoaks	K.	•34	.16	.21	.10	.03	80.	.27	.07	.56	.57	:	.49	.12	•04	:	.23	.07	:	.56	0.5	90.	:	:	:	. 0	20.	.01	÷0.	.05	3.47	3	7.59
Holmbury Holmbury		IN.	.18	•24	.23	.12	90.	.05	.32	80.	99.	.31	:	89.	90.	.04	:	.32	.14		.24	.03	•04	:	:	• (10.	•		60.	•04	3.94	4	9.56
Holmbury Holmbury		N.	.12	.18	•16	•08	.01	.03	.50	.05	.46	.31	:	.35	.03	.05	:	.16	.01	:	.15	:	.05	:	:	:	:	:	:	.11	.01	2.43		5.91
Holmbury Holmbury		IN.	91.	•21	.56	.10	.03	.10	.25	•03	99.	•34	:	29.	90.	•03		.58	•04	:	.58	.03	.05	:	:	:	:	:	:	.12	.01	3.69		8.90
Holmbury Holmbury		IN.	.18	.30	89.	80.	:	.10	.27	80.	.58	.30	:	.65	90.	90.	:	.31	60.	:	.25	.05	90.	:	:		:	:	:	:	•03	4.15		9.11
Holmbury Holmbury		IN.	.18	.36	•24	80.	.01	80.	.25	.03	.64	.29	:	86.	.05	90.	:	.30	60.	:	.21	.03	.05	:	:	:	:	:	:	01.	.01	3.62		8.83
Mainten	madrətaO	IN.	.50	.56	.20	.13	.03	80.	•19	.03	09.	.41	:	.61	.05	90.	:	.30	60.	:	.50	.03	.04	:	:	:	. (.03	:	Ξ.	:	3.63		20.6
Holmbury Holmbury	Chaldon	IN.	.17	.41	.17	.10	:	60.	•04	.01	09.	.42	:	£9.	90.	-07	:	.58	80.	:	.18	•04	.03	:	:	:		•04	:	·05	.03	3.50		8.73
Holmbury Holmbury	DastegidO	IN.	.16	.34	.22	80.	.01	60.	.27	.05	.58	.37	:	.78	60.	20.	:	.24	60.	:	.15	•03	.01	:	:	:	. (90.	:	.05	.01	3.65)	8.56
Holmbury Holmbury		IN.	.13	.29	.18	.10	.05	.07	.23	.03	.59	.34	.01	69.	90.	.05	.01	.56	.10	.01	.17	•04	.03	:	:	:	•	•04	.01	.03	:	3.48	,	8.40
National Property Nati	Merstham	IN.	-15	.21	.11	.10	.03	20.	.16	.02	.62	.58	:	.65	.04	.05	:	.27	.07	:	.16	.03	.03	:	:	:	•	.03	:	90.	:	3.13		7.92
Holmbury Holmbury		IN.	•14	.35	.20	.10	.03	.07	.24	.03	.55	.43	:	.71	.05	.04	:	.24	-11	.01	.16	•04	.03	:	:	:	•	.05	:	90.	.01	3.62	!	8.56
Nathen N	[[iHətsgiəA	IN.	•14	.31	•19	60.	.05	.05	.19	.03	.49	.29	:	.57	.04	.03	:	.24	.11	•	•14	•04	.03	:	:	:	:	.05	:	.05	.02	3.11		6.93
Type Mudim [And Mury Mar.] Appendence Appendence 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.3. Mar. 1.4. Mar. 1.3. Mar. 1.5. Mar. 1.5. Mar. 1.6. Mar. 1.5. Mar. 1.6. Mar. 1.5. Mar. 1.6. Mar. 1.5. Mar. 1.6. Mar. 1.6. Mar. 1.6. Mar	Buckland	N.	.08	.36	•14	90.	0.	90.	.17	•03	.59	.28	:	.65	60.	.02	:	.27	.07	:	.13	•03	.03	:	:	:	:	.05	•	•04	·0 <u>1</u>	3.18		8.16
TudmloH Martin Str. Mar		Ä	•14	.56	.16	60.	•03	90.	.16	.02	.61	.28	.01	69.	20.	•03	:	.29	60.	•	.13	•04	•04	:	:	:	:	.03	:	•05	.03	3.30)	8.53
National Color Nati		IN.	ij	.22	.12	.10	.02	90.	.12	.03	.45	.28	.01	.47	80.	•04	:	.22	.11	:	.12	.05	•04	:	:	:	:	•03	:	.05	.01	9.73		96-9
Table Mulm (Mather) Ward Man (Mather) A pinger 1 A pinger 2 A pinger 3 A pinger 4 A pinger 4	(Linkfd.la.)	z	-14	.25	.18	.12	.07	.17	÷0.	.59	.33	.13	:	.72	20.	•04	:	.28	.10	:	.15	90.	•04	:	:	:	:	90.	:	:	.07	3.61	1	6.59
Waturdmound August Nat. Holmbury Bt. Mary 1 Abinger	(Denbies)	1,2	15	.39	.28	.07	;	.12	.32	.05	.72	.33	:	06.	.02	.05	:	.22	60.	:	.14	90.	:	:	:	:	:	-02	.04	.05	:	4.07	-	9.25
Water Manner Mark Nation of the control of the con	(The Hall)	1/2	.23	.38	.58	80.) (.12	.20	.03	29.	.28	:	.93	.03	.02	:	.25	.12	:	.13	.05	.01	:	:	:	:	80.	:	:	•04	3.00	1	9.12
QuodmloH R. 1.4.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	[{Gctory)	ن _خ ر ا(.17	.44	19.4	-0.	,	. 4	.30	90.	.52	•43	:	08.	0.05) :		.29	.12	:	ěĮ.	90.	.02	:	:	:	:	.07		90.	:	2.00	2	9.31
	St. Mary	i z	.13	.40	0.6.	60.	60.	60.	66.	5.0	.54	.32		.74	91.	90.		.23	.14	:	.15	.10	.03	:	:	:	:	80.	.01	•04	:	2.87		9.41
		-	г	6	1 60	0 4	4 30	ء دو	- L	00	0.00	10	11	12	000	7 7	15	16	17	8	19	20	21	22	23	24	25	26	27	28	29		*	+-

	Faints!	IN.	.21	.14	.26	80.	.03	90.	•24	.03	09.	72.	• 6	0).	50.	<u>.00</u>		.28	-0.	• •	TT.	: 5	TO.	•		Ċ	10	•	: [-	10.	10	3.34	6.91	
-	notgniq10	IN.	18	889	.21	60.	. 0	90.	555	• (02.	7.6.	: 6	20.	.01	.03	:	•29	ი ე	• •	01.	• 6	70.	•	:	•	•	:	::	2	:	3.53	7.26	
	Науев		_			_	:	• (67.	• 1	2	98.	1 •		.01	÷0.	0.	67.	60.	: :	OT.	: 0	20.	:			•	•	:	.1.	2	3.57	7.85	
-	West mailabiW	IN.	-05	•333	.30	90.	. 0	90.	.21	10.	7).	.40		.64	.03	.01	:	28	÷0.	• h	er.	:	:	:	•	:	:	:	: 5	7 0	10	3.28	7.93	
	dotgnibbA t8.qmu4)		.23	.30	.57	80.	.01	80.	.21	.01	27.		ŢĢ.	02.	.01	÷0.	.01	.25	60.	• 0	.T3	10.	.0.5		:			10.	30.	0 5	TO.	3.60	8.55	
(rotgaibbA mT ArsY)	IN.	çŢ.	.27	.35	60.	.01	80.	.55	.03	.72	67.5	ĮŌ.	82.	.05	.03	.05	.56	.10	• ;	41.	10.	70.	:	:	:	• 0	70.		# 0	₹0.	3.70	8.81	
	notgaibbA slliH	IN.	.50	.56	.22	-08	.05	.07	.23	.03	.61	98.	• 1	.81	0.5	+0-	.01	.22	20.	. (.12	. (70.	:	:	:	• 6	TO.	00.	00.	70.	3.47	7.81	
(Croydon (Avond.rd	IN.	.17	.27	.19	.05	.03	20.	.27	.05	09.	.43		.81	.01	.05	.03	÷ 7.	20.	:	: :	70.	0.5	:	•	:	. 0	50.	.00	00.	50.	3.55	8.09	
(Oroydon (Ashbn.rd	IN.	•19	.20	.26	.03	.03	90.	.26	60.	.58	.35	:	¥2.	:	.04	:	.23	.30	:	.13	:	.01	:	:	:	:	:	• •	cn.	c0.	3.51	7.46	
(Groydon (Park Hill	IN.	.17	.21	.22	.04	.01	.05	.25	.01	.56	Ŧ£.	:	.70	:	Ŧ0.	:	.22	-07	• •	.10	.01	:	;	:	:	• 0	TO:	: 3	en.	70.	3.06	89.9	
(Oroydon (Wdml.td.					.02	•03	.05	727	.01	.53	.32	:	.63	.01	÷0,	:	-17	20.	:	.10	.01	:	:	:	:	:	.01	. (.03	.01	2.84	6.27	
	Oroydon (H. qud)	IN.	.15	.20	.18	•04	.03	80.	.28	:	.58	.37	:	99.	:	.05	.01	.21	90.	:	.12	.01	:	:	:	:	. 1	.05	• (÷0.	.01	3.05	89.9	
(nobgort) (Mn.M.rd.	IN.	.12	.21	.16	.03	.05	90.	.28	.01	.56	.33	0.	÷9.	:	٠	:	.25	80.	:	.11	0.	•	:	:	:	:	•01	• (₹0.	.01	2.94	6.58	
(Oroydon (Brim. Bn.	ľ; ——	_			.03					.53	.32		.57		·0·	:	.18	90.	:	.10	•	:	:	:	:		.05	• (÷0.	.01	2.68	00.9	
	-gaibbə& not					÷0.						.31		29.	,	$\tilde{c}0$.	.01	.19	90.	:	.12	.01	.01	:	:	:	:	-05		÷0.	.01	3.03	6.87	
ı	totgaillsW	IN.	•13	.24	.21	.04	.03	20.	.24	.01	.57	.33	.01	•63		.05	.0.5	.20	-07	:	.11	.01	.01	:	:	:	:	.01	•	.04	:	3.03	6.78	
	Carshaltor	I.	•17	.20	.30	.05	•04	90.	.30	:	.87	.35	:	.55	.03	.05		.17	90.	:	.12	.02	.02	:	:	:	•	•		.03	.03	3.42	7.00	
	Benhilton	i.	•16	.27	.23	.03	.01	.05	.25	•04	.61	.333	:	-44	.01	.03		.17	90.	:	.10	.01	:	:	:	:	:	.03	:	.05	.01	2.85	5.91	
	Sutton (Sew.Wks.					_				*00				.46		.04		.18	90.	:	.12	.03	•	:	:	:	:	.03	•	.03	.03	3.05	6.27	
(Sutton (Waterwk.	2														0.	60.	61.	.05	:	.11	.0.	:	:	:	:	:	.03	:	.07	.01	3.19	6.84	
	Banstead	ļ												.79		.07		.0.	01.	:	.13	90.	:		:	:			:	:	.11	3.83	8.80	
	tiodaxC		_											.50	.00	.05	50	06.	90.	:	.10	.05	.02	:	:	:	0	.02	:	:	.03	2.92	6.34	
	O'Abernon Chase	L												.52	.0.	.0.0		.9.5	.07	.03	.10	20.	:		:	:			:	:	.03	3.27	6.85	
	ายลปายห- เมา เมา เมา เมา เมา เมา เมา เมา เมา เมา	.,				90.								99.		Ċ		6.	80.	:	.12	÷0.	:	:	:	:	:	.04	•	:	80.	3.36	7.81	
	4edley	1 2	16	98.	o c	3 5	.00	60.		90.	3,10	.36	.03	.93		900	2	. 86	8 9) .	.12	.05	:	:	:	:		:	:	•	111	4.04	8.64	
	Surgh Heath	I Z																	HLI			7600			-							3.79	8.99	
	oM to yac	I	-	4 6	60	9 4	110	9	-	00	6	10	11	12	200	1 4	1 10	16	17	18	19	20	21	22	23	24	25	56	22	28	29	*	-1-	-

+ The totals from January 1st.

5.05

tsoW																														24	1.0	
Streatham	IN.	•14	:31	.14	.05	:	.05	.16	80.	.39	.32	• 0	.55	.05	.05		.16	•04	101	.01	:	:	:	:	•	:	:	:	:	2.30	1.17	#
Wandswth.	IN.	.15	.27	.50	.03	:	.05	.19	•04	.42	.58	• 1	27.	.05	80.		·14	.07	• -	1.0	.03	:	:	:	:	:	: 5	10.	.02	2.47	4.00	# 90 #
Putney	IN.	.13	.17	.20	•03	.01	.05	.50	.01	.45	.25	. 0	98.	.03	20.	•	.12	90.	: :	.02	.02	:	;	:	:		• 6	70.	:	2.30	00.1	4.00
BromdaiA	IN.	.15	.14	.19	•03	.01	.03	.20	.01	.42	.58	• 0	2000	:	80.	:	60.	•04	.00	ŝ	.01	:	:	:	:	:	:	• !	70.	2.18	1.71	T / .#.
Kingston (.Hytano)	IN.	.13	-11	.21	Ŧ0.	:	.05	.35	•	.53	.33	• 0	2000	90.	90.	:	.13	90.	::	0.0	.02	:	:	:	:	:	:	. (.03	2.60	66.50	70.0
Kingston (Sew.Wks.)	IN.	.17	.15	.19	.03	.01	90.	.23	.01	99.	.38	• •	.40	90.	.05	:	-	90.	:00	.02	.01	:	:	:	. (70.	• 0	70.	.01	79.7	hi hi	00.0
notidans	IN.	.13	91.	.17	.04	.01	•04	.21	.01	.48	.31	•	.36	.08	.05	:	.13	90.	:00		:	:	:	:		.01	: ;	10.	:	2.36	00.0	00.6
West	IN.	:13	.19	·2+	•03	:	.05	.18	:	.41	.30	:	.52	.03	.05	:	60.	.05	:00	000	0.	:	:	:	•	.05	;	•	.01	2.41	1	er.e
Esper	-	:16	.20	.19	.03	80.	•04	.23	:	.47	.35		68.	.10	.05	:	.12	.05	:00	.00	3:	•	:	:	:	:	:	:	.05	2.63	7	Re.e
Worcester Park	IN.	.13	.21	.18	90.	.01	.05	.17	.03	69.	.34	:	.35	-05	.03	:	.18	.05	.00	900	3 :	:	:	:	•	.01	:	:	.03	2.65	7	Zc.c
Malden Malden	IN.	.12	.12	·11	.03	:	:	.19	:	.37	.56		.17	.04	.03	:	.11	÷0.	.00	3	: :	•	:	:		0.	:	:	:	1.65	0.0	27.5
Raynes Park	IN.	·15	.18	.50	.05	.03	.04	.50	.03	.48	.31	:	.30	90.	•04	.03	•14	•04		60.	0.0	:	:	:	:	:		:	:	2.44		17.0
aobeldmiW (llimbaiW)	IN.	.13	.50	.17	.05	.01	90.	.18	.01	.42	.31	.01	.30	.05	90.	:	.12	.03	• 7	# G	50	:		:	:		• 1	.01	.03	2.27	1	80.e
nobəldmiW (sawo(ləd'I)	IN.	.15	91.	.20	•04	.01	90.	.18	.03	747	.31	•	•34	•0₹	90.	:	.13	90.	• •	25.	0.0	:	:	:	:	.02	:	:	-05	2.41		08.0
Mimbledon (Sew.Wks.)	E.	.14	.22	.15	.02	:	÷0.	.16	.03	.41	.30	•	.56	.05	90.	:	.13	90.	• •	01	: :	.:	:	:	:	:	:	.01	.01	2.14	3	4.35
Morden	IN.	.25	.36	.33	.07	20.	60.	.27	.47	18.	.33	.01	.28	-0.	.05	.58	60.	.03	:10	0.00		:	:	:	:	. •	:	:	20.	3.61	00.0	08.9
Beddington Corner	IN.	•14	.38	.18	•04	:	90.	.25	60.	.55	.32		.50	•03	÷0.	:	.16	80.	::	20		:	:	:	:	:	• (70.	.05	2.97	1	cs.c
South	ż	•16	.50	.20	·04	.02	.30	:	.48	.33	ော့	:	Iç.		.07	:	.17	60.	: :	11	.03	:	:	:	•	:	:	:	20.	3.10	000	62.9
Anerley	IN.	.01	.23	.23	:	.02	90.	<u>ç</u> 0.	.15	·45	.30	:	.42	90.	.03	:	20.	•14	.00	3	: :	:	:	:	:	:	:	:	.03	2.30	1	4.(9
Вескепрат	IN.	.22	•34	.23	•04	.05	.05	•24	.01	.52	.33	:	•64	:	.05		-	90.			.01		:	:	:	:		.03		3.16	000	6.38
Bromley Common	IN.	.13	.23	.31	90.	.02	90.	.20	.02	.62	.32	:	.65	.01	.05	.01	.25	.05	.10	70		:	:	•	:	:	• 6	co.	.03	3.21		0.84
Bromley	IX.	.15	.18	.23	.05	.02	.05	.21	.02	.51	.35	.01	.63	:	90.	:	.23	60.	.10	1	.05		:	:	:	:	:!	.07	÷0.	3.00	000	20.0
Bickley	IN.	.10	.24	.30	•04	.01	•04	.21	.02	.59	.34		89.	:	80.	:	.25	20.	.10	70.	0.0	:	:	:	:	:	• (90.	-05	3.18	.,	0.41
daislehurst)																		::0								. 1			3.00	00	20.9
Southfleet	IN.	.22	.15	.21	.03	.01	.02	.23	.01	12.	.31	:	.53	:	.02	:	.20	.05	.00	35	.01	.:	:	:	:	.01	.01	80.	.03	2.79	7	16.6
					_	_	_	_		_			_			_				-		-	-		_	-		_			-	

Day of Mo.

 $\overline{\mathbb{N}}_{N}$ $\overline{\mathbb{N}}_{N}$

11011 1000 morning at Continuing for Hot is 1.60 in Tolant 1001 FOT 119

31 T02 T	1 -	7	4	4		-	00	_	6	0	6				50	• 01	3 6	_	• 67										22	6	9
Southwark Рагк																								•	•	•	•	•	•	1.99	3.86
Deptford	IN.	.15	•16	•16	.08	.02	.05	.19	.08	.36	.22	:	.25	.05	.05	::	010	70.	: ::	.02	.02	:	:	:	:	:	• 6	.0.5	.01	2.28	4.47
дгеепwich	IN.	-14	.28	.21	20.	.01	90.	•16	.05	.42	.22	.01	.35	90.	.05	10.	100	90.	: <u>.</u>	.03	:	•	:	:	:	:		70.	.01	2.54	5.07
Telegraph Hill	IN.	.16	.18	.17	90.	.03	20.	.22	.12	•44	•23	:	.56	.03	.07	• 0	0 0	200	:14		90.	:	:	:	:	•	:	:	:	2.49	4.63
Battersea (S&VWC)	IN.	•14	.25	91.		90.	:	-14	:	•44	.18	:	.50	:	80.	.06	2 0	co.	.08	.04	-05	:	:	:	:	:	:	:	•	1.90	3.33
Battersea Park	IN.	.16	.31	.20	.02	•	80.	.23	80.	.44	-24	:	.32	.01	.11	.1.	10	70.	.12	.03	:	:	:	:	:	:	:	:	:	2.55	4.85
Clapham Park	IN.	.17	.37	.18	.05	:	20.	.21	÷0.	.43	.31	:	•30	90.	80.		0 10	70.	.12	.03	.01	:	:	:	:	:	• •	10.	.01	2.70	5.16
Brixton	IN.	.15	.37	.17	•04	:	90.	.18	.03	.45	•56	:	.29	•03	.10	.16	10	7.0.	.12	0.0	.03	:		:	:	:	•		.03	2.55	3.96
Brockwell Park	1																		. m						:		:	:	:	2.65	5.12
Nunhead	IN.	.12	.12	.14	•04	.01	.04	.13	80.	.27	91.	:	.13	.03	•04		O Z	ဂ္ဂ.	60.	.01	:	:	:	:	:	:	:	:	:	1.59	3.14
Eltham	IN.	•16	.58	.22	•03	.03	90.	.21	.01	.47	.28	:	.45	.02	.05	: 6	1 6	70.	:19	•04	÷0.	:	:	• (.01	:	• (.03	.03	2.86	5.79
Greenhithe	IN.	·14	-07	•04	.02	:	:	•05	-01	•14	.23		90.	:	.02		00	.0 .	.0.) •	:	:	:	• 1	.01		. (70.	:	96.	1.88
Dartford	IN.	.22	.18	.20	.05	.05	.03	.13	:	.53	.30	:	-44	:	.04		#77	•	: 🚾		.03	:	:	:	•	:	. 0	.05	.02	2.66	5.06
-gaimliW aot	-																		: =	0.	.01	:	:	:	:	:	. 0	90.	.05	2.72	5.28
quobis	N.	.15	.44	91.	.03	.01	.03	.19	.01	•48	.32	:	.61	:	90.		#77	20.	. 10	0.0	.02	:	:	. !	.01	•		÷0.	.03	3.06	5.76
Forest Hill (S&VWC)	Z	.12	000	4.	-07	.05	20.	•19	•04	.37	.28	.02	•30	•04	.10	• •	OT.	-07	* 10	.02	.02	:	:	:	:	:	:	:	.03	2.33	4.96
IliH tsevo? Dartm.rd.)) 2	10	21.	- 70	90.	.02	90.	.19	•04	.39	.31	.02	.33	•03	01.	• (22.	80·	:17	H H	: :	:	:	:	•	:		:	•04	2.51	5.12
O. Norwood Fox H.Gs.)		TN:											•1	LH	EBO	ш.	ΓZ	НТ	NOI	T										2.76	5.79
J. Morwood Dul. W.Pk.))	. 12	2 5	00:	3 5	9 6	4	66.	033	.49	35.) .	34		90.		202	80.	: [0.0	020	:	:	:	:	:	:	.03	.03	.59	5.47

NOTES.

d wet, and the last week was e district on the night of the th-13th. There was some dust the gauge at Sanderstead on the uild in a desultory way on the old ests on the 15th. Solar halos were ne rainfall is over one inch above e average. The mean temperature The first three weeks were mild ld. with frequent snow showers, the wet, the cultivation of the nd was practically at a standstill. nt in some parts. There was a understorm with hail throughout th. A kingfisher was seen on binger Mill Fond on the 7th, and the 2nd, and rooks began to served at Greenwich on nine th, and at Upper Gatton on the ove the February average of hich yielded little water. Owing ne month has been fairly healthy, ough influenza has been preva-Nutfield the first crocus opened ys, at Nutfield on the 2nd and th; whilst lunar ones were obrved at Greenwich on the 1st and d, and at Nutfield on the 8th. the month is about one degree ove the average, and was at apham Park 40°.8, at Croydon uppas House) 390.8, at Wallingn, and Worcester Park 39°.4, at nipstead 37°.7, and at Warlingum 37°.6. There were recorded at allington 75.7 hours of sunlight, nich is 13.6 hours or five per cent. (February, 1904.

e fifteen years 1886-1900.

Sander- stead	IN.	#T.	40.	77.	.03	.13	.03	.17	:	:	:	:	:	:	.01	•	:	:	.05	.04	:	. 0	.04	•03	c	177	TT.	97.	.03	1.79	09.6
Kenley (Place Fell)	IN.	010	#0. 01.	77.	.04	.15	:	.50	:	:	:	:	:	:	.05	:	:	:	90.	.05	:	. 0.	90.	:		H -	#T.	000	70.	1.98	10.23
(Hazelea)	IN.	2 6	000	60.	.03	.13	.03	.17	.01	:	:	:		.01	:	*	:	:	.05	0. 40.	:	: Ģ	·00.	.01	• 6	0 0	220	17.	.03	1.93	10.55
-gailtsW msd	N.	# 0	67.	01.	•04	.12	.02	•14	:	•14	. 1	10.	:	•	:	:	:	:	.00	.05	:	0.0	90.	.01	:00:	0.00	77.	Σ.	.04	1.97	12.05
Chelsham	IN.												•	π£	ΩV	œ.	Х'n	HJ	LNON	ī										1.94	11.31
Sevenoaks	IN.	01.	07.	cn.	:	.10	.01	.18	•	:	•	:	:	:	:	:	:	:	.08	.03	•	.04	0.5	:	• •	07.	FT.	eI.	•03	1.33	8.92
Chevening Park	IN.	000	4.0) i	.01	ij	.05	.50	:	:	:	:		:	:	•	:	:	60.	:03	*		60.	:	: =	110	77	22.	:	1.89	21.11
Knockholt (tower ga.)	NI.	001	010	200	:	·II	:	.10	:	:	:	•	:	•	•		:	:	.05	.05	:	: ē	÷0.	:	: -	7 7	# C	91.	.05	1.10	7.01
Knockholt (field gau.)	NI.	OT.	77.0	20.	:	.12	:	.12	•	:	:	:	:	:	:	•	:	:	90.	.03	:	:0	0.00	:	• 6	07.	20 0	.20	•04	1.45	10.35
Westerbam (Town)	IN.	• 7	00.	90.	:	.15	:	.13	:	:	:	:	•	•	:	:	:	•	.05	.03	:	:	.07	:	* E)] ,	er.	.20	•0₹	1.57	10.68
Westerbam (Hill Est.)	IN.		000	200.	:	-14	.03	.12	•	:	:	:	:			:	:	:	.04	.03	:	0.	.02	:	• 0	O I	7.1.	.21	·04	1.63	0.46 1
Caterham	IN.	- G	200	en.	80.	90.	.07	.16	:	60.	.01	:	:	:	.01	:	:	• 7	70.	.04	:		90.	• 1	0.0	67	97.	.23	•05	1.97	11.04 10.46
nobladO	IN.	# G.	07 -	er.	90.	11	.03	.18	:	·04	:	:	:	-	:	:	:	:	60.	.03	:	.06	•05	:	• 0	00.	χο : -	98,	.04	2.10	10.83 1
besteadd —	IN.	21.	0.70	60.	•03	80.	.02	•16	:	:	•,	:	:	:	.01	:	:	:	90.	0.0	<i>:</i>	:00	.10	.03		67.	20 0	.29		1.75	10.31
Harp's Oak Cottage	IN.	5 G	0 1	70.	•03	60.	.01	•16	:	0.	:	:	:	:		:	:	:	90.	.03	:	0.7	.10	.01	. 6	ne.	χ. Τ.	00	.0₹	1.65	10.05 1
Merstham	NI.	77.	00.	70.	.05	.10	.02	.16	:	.03	:	:	:	:	:	:	:	:	.0.	.03	:	.03	.10	.03	• 9	H 1	eT.	.31	•04	1.84	9.76
Upper Gatton	IN.	5.0	# 0	60.	.03	80.	.02	·15	:	.01	:	•	:	*	•01	:	:	:	90.	.04		0.00	ij	.03	• 6	70.	Σ.	.14		1.75	10.31
HeigateHill					•03		.03		•	:	:	:	:	:	:	:	•	:	60.	.03	:		90.	80.		07	07.	.16	.05		8.47 11
Buckland					.02	.07	.03	.18	:	.01	:	:		:	:	:	:	:	.05	.03	:	:5	14	.56	.01	# 0				1.89	10.05
(newgauge)	NI.						·04	_	:	.03	:	:	•	:	:	:	:	:	:0:	.03	:	.03	î.	.03	• • •	7 7	91.	25.		.68	10.51
(old gauge) blantuM	IN.	61.	# 1	en.	.03	80.	.03	.50	:	.03	:	:	•	:	:	:	<i>b</i>	:	20.	.03	:	.03	ij	.02	1 .	7 7	91.	.50	.02	1.59	8.55 10
(.sl.blzfni.l) blattuV	IN.	• • •	44		•04		.03	_	:	:	:	:	:	:	`/:	:		:	60.	0.03	:		.12	20.	• 6	071	91.	.22	!	1.85	8.44 8
(Denbies)	IN.	• 6	000	80.	.03	80.	.02	.20	:	:	:	:	:	:	:	:	:	:	.05	90.	:	.04	125	.10	* 5	10.	.50	10	.05	.71	
(The Hall)	IN.	07.	ST.	.0.	-07	80.	.02	.22	:	:	:	:	:	:	:	:	:	:	.05	.05	:	÷	:1:	•04	• 0	00.	20.	.03	.05	1.60 1	.72 10
Abinger (13.6ctory) The state of the state o	IN.	oT.	eT.	80.		01.		.25	:	:	:	:	:	:	:	:	:	:	::	.10	*	:	.12	90.	• 0	07.	.16	:	20.	1.56 1	10.91 10.87 10.72 10.96
St. Mary	!	80.	8T.	00.			.03		:	:	:	:	:	:	:	:	:	:	.0.	90.	:	60.	60.	.03	. 0	07.	.55	.04	•03	1.50 1	.91 10
OM to yad TrudmloH	Н,	-	21 0						00	6	10	11	12	13	14	15	16	17	19	20	22	23	25	26	27	28	53	30	31	*	+ 10

Fainrs I	IN.	60.	.35	.10	•	:13	.01	·13	:	•	•	:	•	• 6	60°	:	:	:	.08	:	.03	:	.0.5	.02	:	:	•14	.15	•25	.01	1.54	8.45	
notgaiq10	IN.	60.	98.	•10		.1 3	.01	Ţ.	:	:	:	•	•	• 6	10.	•	:	:	.05	:	•03	:	.03	.01	:	:	.16	.13	-24	01	1.47	8.73	
Наувея	IN.	. 1	64.	Ŧ.	0.	-14	• 1	91.	:	:	:	:	:	:	:		•	:	: =	:	.05	:	:	.08	•	•	.19	.17	.23	.03	1.71	9.53	
West Wickham	IN.	.03	.55	.10	:		.03	.12	•	•	:	:	:		10.	:	:		: ċ	:	.05	:	:0:	0.03	:	:	.19	·14	.18	:	1.59	9.53	
haddington (.12.4mu'l)	IN.	60.	.31	.10	.03	•14	.02	·15	:	:	:	:	:	• 3	10.	:	:	:	. Ĉ) •	.05	:	.0.	.03	:		•23	·15	.25	.03	1.67	10.22	
Addington (Park Tm.)	IN.	Ξ.	88.	.14	.02	.16	.03	.17	:	:	:	:	:	:	:	:	:	:	: 5		90.	:	:5	90.	:	: :	.22	.18	.19	.02	1.79	10.60	
notgaibbA alliH	IN.	60.	.56	.12	.02	.12	.03	.14	:	:	:	:	:	•	.05	:	:	:	: 6	60	.05	:		3 00	.01		: 18	.12	.15	.02	1.46	9.27	
Oroydon (.br.bnovA)	IN.	.12	.33	ij	.03	.11	.03	·18	:	:	:	:	:	:	.05	:	•	•	.06		90.	:	• 0	9 0	0.0		.23	.16	.27	.03	1.83	9.92	
Croydon (Ashbn.rd.)		0	.40	.12	.02	.10	ŤQ.	•16	:	:	:	:	:	:	.01	:	:	:	: 3	# 0	.07	:	• 6	0.00		70	.16	61.	14	.01	1.59	9.05	
Oroydon (HiH Mark Hill)		.07	.22	.07	.02	.10	.02	•16	:	•	:	:	:	:	•01	:	:	:		3 :	.05	:	: 3	9 0	3			.20	.12	.01	1.31	7.99	
Oroydon (Maml.rd.)	IN.	.10	.33	.10	:	-11	.03	.16	:	:	:	:	:	:	.01	:	:	:	: 3	#0	.07	:	• 6	# O:	0	:	• 00	000	7 :-	.01	1.43	7.70	
Croydon (Dup. H.)	IN.	.10	.30	.12	.02	.11	.03	.17	:	:	:	:	:	:	.02	:	:	:	• 0	20	90.	:	• 6	5 0	5	:	: 1	1.0	91.	0.0	1.52	8.20	
nobgor() (.br.M.nW)	IN.	.11	.26	.20	.05	-13		.18	:	:	:	:	:	:	.03	:	:	:	• ¢	co.	•0.	:	• 6	9 3	¥0.	:	: 1	1 00	.16	9.0	1.61	8.19	
Oroydon (Brim. Bn.)	IN.	.10	•25	.12	.02	01.	.02	•15	:	:	:	:	:	:	:	:	:	:	• 6	en.	.05	:	• 6	.04 .0	60	:	.19	06.	4-	,0,	1.44	7.44	
-gaibbəB not	IN.	60.	.31	-1	.02	01.	.02	•15	:	:	:	:	:	:	.02	19	:	:		* 0.	90.		• 6		9.5	TO		-17	06.	900	1.53	8.40	
aotgaillsW	IN.	80.	.30	-	.03	- 1	.03	-14	•	:	:	:	:	:	.03	:	:	:	* (co.	90.	:		0.0	#O.	20.	• 1.	110	77.00	60.	1.53	8.31	
Carshalton							.02		•04	:	:	:	:	:	:	:	:		0	cn.	90.	:	:	• 6	20.	.03	.00	60.	07.	CT.	1.46	8.46	
Renhilton	i	80.	•23	.10	60.	100	.01	.14	:	:	:	:	:	:	:	:	:	:		.0 ₄	90.	•	:	.03	.03	70.	.10	21.	02.	17.	1.40	7.31	
Sutton Sew.Wks.)	K	60.	.27	61.	16.	20.	0.02	15	:	:	:	:	:		.01	:	:			çn.	.07		:	0.5	.0. 4	.0±	.10	7 17	et.	0.40	1.51	7.78	
Sutton Waterwk.)	N Z	60.	.25	91:	900	200	.00	:15	.01	.01	•	•		:	.02	:	:		: :	•04	.0.		:	.03	.03	10.	.10	77	.T3	62.	1.43	8.27	
bastead	Z	60.	96.	10	7	91.	77	.50			:	:	•		: :	:			: :	60.	:09		:	:	- (:T:	• 6	07	÷Τ.		1.43	10.32	1
)xshott) 2		.30	200	2 0	20.	60.	11.		.01		:	:		: :			:	: :	•05			:	.03	80.	.05	• k	CT.	01.	77.	1.31	7.65	
у, урегиоп	I -							12	:			:	:		: :	:			: :	<u>c</u> 0.	.00	}	:	. (01.	:	• • •	777	77	91.	1.40	8.25	
beather-	I	.12	.30		1 0	+ 00		17	:	.02	:	:	:		.01	:			: :	.03	70.	:	:	90.	1.		• 6	777	20 0	GT.	1.84	9.65	
fedley							. 1.0	.17	: :				:					•	: :	90.	.0.	5	: :	90.	.12	.03	• 0	223	20 5	91.	1.75	10.39	
death Jeath	I	89.	06.	3 .	7 5	700	eo.	87.	.03	:								:	: :	.07	.07	5	: :	20.	.05	01.	• 6	627	91.	II.	9.40	11.39 10.39	
oM to vac		-	10	9 0	٠ -	4, 7	o 9) L-	00	6	10	11	12	23	14	15	16	17	18	19	20	22	23	24	250	56	22	0 0	67.	000	Te	+	-

Southheet Sout	West Norwood	IN.	co.	90		60	.05	•13	:	.01	:	•		. 0	70.	:	:	:	.05	:08	:	• 0	200	3		.08	.12	.16	.01	1.29	₹6.9
Common	Streatham	N.	11.	9 0	3 :	60.	.02	÷	:	:	:	•	:	:	:	:	:	:	90.	:08	:	• 6	9 0	1 .		.10	-07	.17	:	1.15	5.62
Control Cont		N.	5 6	80.0	.01	.11	.01	.13	:	.03	:	:	:	: 5	70.	:	:	:	.04	60.	:	. ?	† ;		:	.12	.13	.21	.02	1.41	
Contribution Cont	Heath	IN.	00.6	3 0	.01	20.	.03	60.	:	:	:	:	:	• 0	70	:	:	•	.03	:09	:	. 6	200	.03	:	.19	.13	15	.03		
Country Coun		1 -	66.	10	.02	20.	.03	.12	:	:	:	:	:	• 6	60	:	•	:	.05	.08	:	• ?	3 &	.01	:	.19	.17	60.	•03	1	
South Heat Sou		NI.		.10	.03	80.	•03	.16	:	:	:	:	•	:	•	•	•	:	.07	.0.	:	:	.07	·04		.18	.18	.18	.03		
Southheteer Common Commo	(Sew.Wks.)	خ بزر	± 6.	101.	.05	60.	.01	.12	:	:	:	:	•	. 0	70.	•	•	:	90.	.07	:	: 6		.05	:	.19	.12	.20	.02	1.39	
Southfleet Sou			. 6.	01.	.02	•08	.02	01.	:	:	:	:	:	. 5	TO.	:	:	• 1	90.	.05	:	90	÷ 0.	.02	:	.17	.17	.50		1	
Scholing	Most	IN.	000	21.	• 0.	90.	.02	.13	:	:	:	:	:	: 5	7	:		:	.07	.0.	:	• 60	60.	.03		_					
Southfleet Sou		Ä.	.03	01.	•04	•04	.02	.11	:	:	:	:	:	•	:	•	:	• • •	.05	.03	:	• 6	ė ė	.03	:	.12	.21	.58	.01	<u> </u>	
Southheleter Sout	V OTCESTEY	IN.	3 ç.	01.	.05	80.	.02	.11	:	:	:	:	:		T0.	•	:	:	90.	.05	:	. 0	200	0.05	:	.11	.50	.19	:	<u> </u>	
SouthAffeet		IN.	21.	90.) 0	20.	.01	60.	:	:	•	:	:	: 5	TO.	•	:	:	.03	.03	:	: 6	9 0	.02	:	-11	•14	.15	:	66.	
South Alect						.10	.03	.11	:	.01	:	:	:	. 0	20.	•	:	•	.05	.0.	:	• 6	5	.03	•	.12	.16	.10	.03	1.36	
Southheet Sout	(IlimbaiW)		-12	60.) •	•10	.02	60.	.01	-01	:	:	:		200	5	•	:	.05	:08	.01	: 3	÷ ;	÷0.	.01	.16	.13	.12	.03	1.30	33
South Heet Sou	(znwoGedT)	IN.	. 6.	80.	.02	•10	.02	•10		.01	:	:	:	• 6	en.	•	:	•	.04	.0.	:	• 6	# E	0.0		•14	•14	80.	.03	1.24	6.54
Southheet Sout	(Sew.Wks.)	E. S.	F 76	90.		60.	-05	.10	• !	.01	• 1	TO.	:	• 6	70	•	:	:	.04	90.	:	: 5	0.00			11.	60.	.11	.01	-94	5.29
Southheet Sout		.N.	229	.13	.01	60.	:	.12	:	:	:	•	•		0	•		:	.04	.0.	:	• • •	2 00	.01	.01	-11	.17	.14	.01	1.32	
Southheet Sout	Corner	IN.	.32	80.	.01	.10	:	.12	:	•	:	•	:		70	•	•	1	•04	.03	:	1.	9 0	.01	:	.10	.50	.16	.01	1.29	
Southfleet Sou	Norwood	IN.	9 00	11.	.01	111	-05	.17	•	:	:	:	:	00	0 1	•	:	:	.0.	60.	:	60.	3 0		:	•11	•14	.17	.01	1.49	
Southfleet Sou		IN.	. 30	60.	.01	:	60.	.13	.01	:	:	:	:	0	0	:	:	:	÷0.	.10	:	:	60.	0 *	:	:	.15	.15	-05	1.25	
Southfleet Sou	Бескепрат	N.	- c:	.11	.01	11.	.03	.12	:	:	•	:	•	• 0	70	•	:		.05	.05	:	. 1	9 0) •	:	.12	.16	.20	.02	1•53	
Southfleet Sou		-						_	:	:	:	:	:	.03	3	:	:	:	.0.	.04	:	90.	.03	:	:	.15	.14	.23	.03	1.64	
Southfleet Sou	1								:	:	:	:	:	:																	
Southfleet 1						.12	.02	.12	• 7	10.	:	:	:	:	•	:	:	:	60.	.04	:	60.	50.		:	•13	.16	.29			
Southfleet South						.12	.03	.11	:	:	•	:	:	::	TO	:	:	:	.07	.04	*	. 7	000		:	.12	:	•34	:		
	Southfleet	IN.	.39	60.	.01	.12	.01	.10	:	:	:	:	:	.00	3	:	:	:	.08	.03	:	0.00	.04	:	:	·04	.22	•25	-02	!	
oM to vad 1222222222222222222222222222222222222	OM to yed	-	10	က က	4	,0	9	-	00 0	ာ <u>ငှ</u>	110	11	77	1 m	H 7C	16	27	10	19	20	22	523	25.4	96	22	28	53	30	31	*	

000

CAMPBELL-BAYARD, F R Mot Soc Hon

5.03

7.L.C

.51

NOTES

March, 1904.

O S S Park

Hill E Telegraph

Signal Clapham

Second Park

10000000 S Deptford

Southwark

Battersea (S&VWC)

Brockwell

F Dartford

uoq -gaimliW

(S&VWC) Forest Hill

Forest Hill boowroM.U (Fox H.Gs.)

Day of Mo.

inn seron H Sociococi

± 5 5 5 5 5 1 (Dul. W.Pk.)

The month may be divided into three parts: from the 1st to 9th wet, with frequent snow showers; from the 19th to 19th fine; and from the 19th to 19th fine; and from the 19th to 31st wet, with frequent snow showers. The rainfall is about one-fifth below the average. The month has been several cases of dipttheria in places. There was a thunderstorm with hail on the 29th, and a house was struck by lightning at Wallington. The hail accompanying this thunderstorm was at Croydon half an inch in diameter, and at Sanderstead of the size of hazel-nuts. Owing to the cold weather, vegetation is rather backward. At Sidcup the sallow bloomed on the 20th, and the almond on the 28th. Solar halos were seen at Greenwich on the 13th and 30th, and at Upper Gatton on the 24th. There was dust in the rain gauge at Sanderstead on the 24th, 29th, and 31st, and at Upper Gatton on the 24th. There was dust in the rain gauge at Sanderstead on the 21st. The mean temperature of the month is about a degree and a half below the average, and was at Clapham Park 43°-2, at Croydon (Duppas House) 40°-4, at Chipstead and Worcester Park 40°-3, and at Wallington 92°-3 hours of smilght, and and an and a below the average.	below the March average of the fifteen years 1886-1900.
---	---

:0

02

0.5

0.2

02

: 0

0.2

00

0.7

0.5

03

0.0

0.7

MONTHLY REPORT.

020

0 1 2.00 | 2.10 | 0.10 | 0.21 | 1

April, 1904.

Sander- stead	IN.	90.	90.	.O.	.n.	.04	:	:	•	.37	:	:08	:	: :	: :	:			•	: 0	5		.01	:	1.22	10.82
Kenley (Place Fell)	IN.	.08	60.	70.	20.	.05	:	•	:		10.	.10	:	: :	:	:	. 20	.01	:	:		: :	.05	: 1	1.48	11.71
(Нахејеа) Кепјеу		:08	20.	ž0.	cT.	.05	• 6	10.	:	.40		98	:	: :	:	:	. 30	.01	:		: :		:	:	1.45	12.00
-gailtsW msd	IN.	.15	90.	200	fo.	90.	.01	:	:	.35.	.02	98.0	:	: :	:	:	.46	:	:	:			÷0.	:	1.41	13.43
Chelsham	IN.									E.	ÐΩ	X GV	тн	LN	MC			-							1.10	12.41
Sevenoaks	IN.	60.	.03	11.	20.	.03	:	:	:	.34	.02	.12	:	: :		:	.06	1 :	:	:			Ŧ0.	:	1.12	10.04
Shevening AraT	IN.	.13	.07	cI.	.03	0 0 1	.03	:	•		.03	20.	•	: :	:	:	• 60	0	. :				·0+	.03	1.23	12.38
Knockholt (tower ga.)		90.	÷0.	. I	co.	.04	:	•		.53	.05	.10		: :	:	:	• 6 9 9	1 .	:	:		: :	.03	:	1.01	8.03
Knockholt (field gau.)		.17	•04	,13	60.	.04	:	:	•	.39	.04	.12	•	: :	:	:			:	:	•	: :	•04	:	1.40	11.75
madreteeW (awoT)	E.	::	.05	.13	60.	-0.	:	:	:		•04	:::	:	: :	: :	:		H •	:	:	:	: :	90.	.01	1.36	12.04
Westerham (Hill Est.)	IN.	.15	.05	.10	70.	.08	•		:	.33	.03	.10	:	:	: :	:	. e.	. C		:	:		.05	.01	1.30	11.76
Caterham	N.	:14	90.	80.	200	.07		:	:	.39	.01	.08	:		: :	:	• 50		.05	:			90.	:	1.59	12.63
nobladO	IN.	.13	90.	90.	0	: :	:	:	•	68.	•03	.08	:		: :	•	. 5	÷ :	:	:	:		90.	•01	1.53	12.36
Chipstead	N.	:13	80.	÷0.	:	.04	:		:	.42	. (.10	:	:	: :	:	.7.	.01	:	.00	5		.03	:	1.64	11.95
Harp's Oak Cottage	IN.									• (RE	CEVS	BD	[00]	н											
Merstham		.10	.05	80.	90.	.05	•	:	:	.36	.01	.0.	:	:	: :	:		: 01	:	:	:	:	90.	.01	97.1	11.22
Upper Gatton	IN.	:13	•08	.07	90.	.05	.01	:	:	.43	.01	.10	•	*	: :	:	3 •	.03			20		.07	.01	1.83	12.14
HeigateHill	1.	.00	80.	·08	:	0.5	:	:	:																.55	10.03
Buckland	1									.4		0.07	:	:	: :	:		.05	:	: [TO	:	90.	•	113	0
Parolitona	E.	.07	.01	90.	80.	.05	.01	:	:			.01 .10 .01	:	:	: :	:		20. 80.	:	.0.	TO. TO.		.03		1.41 1.6	1.46 10
(newgange)	×	00.	.11 .01		80- 80-	.05 .05	01	:	:	.36			:	:	: :	:	• 1		:		TO. TO	•		.01	Н	11.46
(old gauge) bleftur (sgusgwen)	N. IN.	70. 60. 90.	.11.	60.	80.		01	•	:	.36	10. 10. 1	.01	:	:		:	• 6	e0.	:		TO. TO	:	.03	01	1.41 1	11.85 11.46
hlədtu V. bin bin V. bin bin bin V. bin	N. IN. IN.	.00	.08 .11	. 60. 90.	80. 80.	.05	01	•	•	.37 .41 .36	.01 .01 .01	01. 60.	•	* * *		:	• 6	60. 20.	* * * * * * * * * * * * * * * * * * * *		TO. TO	:	.04	01	1.64 1.41 1	10.06 11.85 11.46
(seidnə(l) Ilidbə/I (sl.bl/inid) bləflyn/I (əgusg blo) bləflyn/I (əgusgwən)	in. In. In.	. 60. 90.	. 11. 80. 60.	. 60. 90.	80. 80. 80.	.05 .05	01	•	•	.40 .37 .41 .36	.03 .01 .01 .01	.08 .09 .10					• 6	10. 20. 20. 20. 01. 01. 02. 03. 03. 03. 03. 03. 03. 03. 03. 03. 03	•		TO. TO	•	.04	.01 .01	1.51 1.64 1.41 1	10.17 10.06 11.85 11.46
(The Hall) Torking (Denkies) Itabala (Linkfd.la.) Wutfield (old gauge) Linkfleld (old gauge)	N. IN. IN. IN.	60. 90. 60.	. 11. 80. 60. 61.	. 60. 90. 01. 90.	80. 80. 80.	.06 .05		:	:	.32 .40 .37 .41 .36	.02 .03 .01 .01 .01	03 08 09 10						10. 20. 20. 20. 01. 01. 02. 03. 03. 03. 03. 03. 03. 03. 03. 03. 03			TO	•	.05 .04 .03	.01 .01	1.73 1.51 1.64 1.41 1	10.17 10.06 11.85 11.46
Abinger (The Hall) Torking (The Hall)	N. IN. IN. IN. IN.	60. 90. 60.	. 11. 80. 60. 61.	.04 .06 .10 .06 .09	80. 80. 80. 01. 80.	.08 .06 .05	:	:	•	.32 .40 .37 .41 .36	0.03 0.02 0.03 0.01 0.01	.13 .03 .08 .09 .10	:					03 05 05 05 05 05 05 05 05 05 05 05 05 05			TO. TO.	•	.05 .04 .03	.01 .01	1.58 1.73 1.51 1.64 1.41 1	10.17 10.06 11.85 11.46
Minger (The Hall) Onking (Denbies) (Sidhoel) Italian (Linkid.la.) Nutfield Nutfield (Linkid.la.) Nutfield (Linkid.la.)	N. IN. IN. IN. IN. IN.	60. 90. 60.	. 11. 80. 60. 61.	. 04 .04 .06 .10 .06 .09	80. 80. 80. 01. 80.	. 0. 0. 0. 0. 0. 0. 0. 0. 0.	:	:	:	.33 .32 .40 .37 .41 .36	03 .02 .03 .01 .01 .01		•	:			• 6	16. 20. 20. 01. ec. 64. 16. 02. 03. 03. 03. 03. 03. 03. 03. 03. 03. 03			TO. TO	•	.05 .04 .03	01 .01	1.36 1.58 1.73 1.51 1.64 1.41 1	10.06 11.85 11.46

April, 1904.

Hedley 19 19 19 19 19 19 19 1	Farning-																														7	_	೦ಾ	_ i
1	notgaiqrO	IN.	90.	Ŧ0.	.10	.04	:	:		:	•	:	.23	.01	:	.17		:	:	:	:	:6:	17			: 5	10		.0.	1		88.	9.61	
Banghang	Haryes	IN.	60.	20.		.15	• •	.04	•				.28	:		.18			•	:	:	96.	04		:	:			:			1.07	10.60	
Banklewk Bank	West Wickham	IN.	90.	.05	20.	.05	• 6	e0.	:	:	:	•	.357		:	.13	:	:		•	:	• 0	00.	:		:			:		. 1	1.07		
19 19 19 19 19 19 19 19	Addington (-t8.qmuT)	IN:	:00	20.	20.	90.	• 0	en.	:	:	:		:31	.01		.10	:	:		:	:		Q.F.	:	:	:	•	:	60.	700		1.18		
Bank	Addington (Park Tar.)		:00	20.	90.	·05	• 1	<i>)</i> .0.	:	:	*	:	.35	•	-05	.15	:	•	:	:	:	• 5	0	TO.	:	. [5			200		1.22		
Handley 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	notgaibbA slliH	IN.	90.	90.	20.	90.		.03	TO.	*	•	:	.56	.0·	.01	.15	•	•	*	:	:	• 6	60	:	:	. [7	*	*0.	20		1.13	40	
1988 1988	Oroydon (Avond rd.)	IN.	.10	80.	20-	20.	• 1	cO.	:	J •	•		20.		·0.	80.	:		:	:	:	• 10	e H		:	60.	0	•	.0.	20		1.43		
Health Health	Croydon (Ashba.rd.)	IN:	.0.	20.	20.	90.	• 0	£0.		•		:	.30	.01	.01	.12	:	:	:	:	:		T#.	₹0.	:		TO	:	.00	en.	:	1.23		
1931 1940	(Park Hill)		.05	90.	.05	90.	: 6		•	:	:	:	.30	.01	-01	60.		9		:	:	• 3	07	:	:	. [70		:0:	0 0		1.12		
13. 14. 15.	Croydon Wdml.rd.)	IN.	÷0.	20.	20.	.05	• 6	.03		:	:		.58	.01	.01	·II	:	:		•	:	: 3	20.	*		. [10	*	.00	en.		1.23	8.93	
13. 11. 10. 10. 10. 10. 10. 10. 10. 10. 10	Croydon (Dup. H.)	IN:	:05	90.	90.	.05		₹0.			:	:	.35		.01	60.	:	:			:	• T	£('.	*	:		TO	•	.0.0	en	0	1.26	9.46	
Haalfl Haaley 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	(.br.X.aV)		.05	90.	90.	.05	• :	- 60.		:	:		.34		.01	.10		:	:	:	:	• [) C.	*			•	:	:00	50	:	1.29	9.48	
13 14 15 15 15 15 15 15 15	(Brim. Bn.)	N.	:03	90.	.00	.05	:	:	•	:			£ 6.			:	:	:	:	:		• 9	0¥.	,	:	:		*	60.	en.	:	96.	8.40	
Bantenach Bant	поз	IN.	90.	20.	90.	90.	• 0	₹0.	:	:			.34	.01	.01	.10			:		:	. 9	ac.	*		.0.	TO		.00	60	:	1.38	9.78	
Barstead Barston Bar		123.	90.	20.	90.	90.	. 3	cO.	:	:	•		18.	.01	-01	.10	•	:	:		:	. 6.1	10.	TO.	0	00.	0		.00.	en		1.46	9.77	
Heather 13.3 Heather 14. 05. 05. 05. 05. 05. 05. 05. 05. 05. 05	Carshalton	IN.	.03	90.	.05	•04			.*	:			.10	.35		.11	:		:	:	•	e 7	₹C.		:	:	• 0	50.	60.	co.	:	1.33	9.79	
Heather 13.3. Heather 14. O.	Benhilton	IN.	03	90-	·04	.05	e à	90.	:	:	:		.31	.03		eT.	:	:	:	:	:	• [7+.	TO.	:	:		0 0		¥0.	:	1.22	8.53	
Bangher- 13.31 11.50 10.50 1	Sutton (Sew.Wks.)	IN.	.03	90.	.05	90.	• 0	÷0.	:		:		.31		.03	†I.	:	:	:	*	•	• 0	ro H				ī	:	90.	00.	:	1.26	10.6	
Heather 13. 11. 11. 12. 12. 12. 13. 11. 11. 13. 11. 11. 13. 11. 11. 13. 11. 11	(Waterwk.)	IN.	:0:	90.	90.	90.	• (.03	:	•		*	.35	.01	.01	.11	:	:			:	* h	cc.	:	:		10.	:		∓n.	0	1.33	09-6	-
Heath Park		IN.	* ;	80.	90.	60.	• 1	.05	:		•	:	.22	.19	:	•16		:	*	:	:		∓Q.	:	:			:	• 0	en.	•	1.54	1.86	
Heath 13.31 14. 1.23 15. 1.34 16. 1.35 17. Medley 18. 1.11 18. 1.11 19. 1.11	tłodazO	IN.	.03	60.	.05	20.		-04	:	:	:	•	.25		.0.5	.18	:	:	:	•	:	. 1	eg.	:	:	:	•	:	• 0	80.	•	1.16	.81	
Heath (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4			:0	.10	90.	20.		+0.	:		:	•	.20	.03	:	.18	:	:	:	:	:	• 0	2000	:	:		:	•	• 0	SO.		1.16		
			90.	.10	90.	.04	. (.04	•	:	•		•24	·04	.01	.15	:	:	•	:	:		.40	:	*	:	:	:	• 6	₹0.	:	1.23		
		1	:00	90.	90.	90.		.04	:	:	:	:	-37	.03	:	.14	:	:		•	:		Zc.		:		:	:	• 4	en.		1.41	1.80	
	Heath	IN.	.05 .09	80.	•04	90.	•04	.05	:	:	:	:	-54	60.		.18	:	:		:	:	• 6	09.	÷0.	:	. 0	70.	:		₹0.		1.92	3.31	
	Oay of Mo.								00 0	5	10	I	12	13	14	15	16	17	00	19	50	17.	7 0	27	# 10	200	000	143	000	67	00	*	+	

The ngures in this row give the totals for the month.

Daily Rainfall.

Norwood

April, 1904.

TaeW				ب ر	•		•						ب د	•									•			-		H	2.2
Streatham	IN.											D.	FE	CE	D	OB	EC	Я											
Wandswth. Common		.;	0.00	80.	80.	• b	90.	:	:	:	: [-	7	.05	•08	:	•		•	:	: 4.	:	•	:5		•	20.	:	1.10	7.49
Риtпеу Неаth		.03	.05	.07	20.	• (.03	.01	:	:	• 57	7	.05	.15	:	:	:		•	.39		:	:0	1 10	:	80.	:	1.04	7.18
Richmond	IN.		Č	90.	.05	• (.05	•	:	:	. 10	7	.03	.11	:	:	:	•	:	.24	:	:	:		:	.10	.01	.85	06.9
Kingston (CountyH.)	IN.	: 7	-0.7	.05	.05	• 6	.03	•	:	:	.16	7	.03	.13	:	•	•	:	•	.58	:	•	•	:	:	20.		.91	7.78
Kingston (Sew.Wks.)	IN.	.0.	50.	.03	.05	• (.0	:		:	. [1	.03	.15	:	:	:	:	•	.30	†	•	:	: :	:	20.	:	.95	68.2
notidans	IN.	.0.	80.0	.05	90.	. 0	.03	•	:	:	: 10	3	.01	.13	:	:			:	.23	:	•	:0		:	.05	:	.85	7.29
West Molesey	IN.	.,0	.07	.04	.05	• 0	.03	:	:	:		040	03	.17		•	:	:	•	:28	.03	:	:	: :	:	20.	.01	1.03	7.57
Esher	IN.		80.	•04	.05	• (.03	:	:	:	06.	9 5	.03	.12	•	:	:			.21	;	:	:5		:	.04	:	.85	81.1
Worcester	Н		.07	Ŧ0.	.05	. (.03	:	:	:		4	.05	.12	:	:	:			.37	•	*	:	: :	:	90.	:	1.03	7.95
Mew Malden	IN.	: .	÷0.	.03	.03	:	:	:	:	:	: [17	: :	.13	:	:	:		:	.32	:	:	: '	: :	:	÷0.	:	02.	5.41
Raynes	IN.		80.	.05	90.		•04	•	•	:	. 0	.01	.01	.13	:	:	:	, • ,		.38	.01	:	:0		:	90.	:	1.05	7.62
nobəldmiW (llimbaiW)	IN.	0.03	90.	80.	20.	• (.04	Ţņ.	:	•	::	10.	0.0	.16	.01	:	:			.37	:	:	:0		:	.08	.01	1.15	7.48
nobəldmiW (anwo(ləd'l')			8000	90.	.05	• !	:03	:	:	:	• k(CT.	.0.	.14	:	:	:	;	•				:00	1 .	:	90.	:	1.04	7.58
Wimbledon (Sew.Wks.)			90.	20.	.07	• 0	.03	•	:			9.5	.01	60.	:	:	;			.42		:	:	: :	•	90.	:	1.05	6.34
Morden	IN.	0.00	0.07	.03	90.	• 6	.03	.01	•	:		# C	.01	.11	.:	•	:			.49		•		:	:	90.	•	1.15	9.27
Beddington Corner		:00	90.	•04	90.	• 6	.03	:	:	:		30	:	80.	:	:	:	,*	,•	.51	- · · · · · · · · · · · · · · · · · · ·	•	: 5	1 .	:	.04	:	1.18	8.42
South		:0.	50.	60.	90.	: 3	·04	:		:	.0.	Ģ Ģ		.11	:	:	.*	:	.*	·45		:	: :	: :	:	.05	:	1.19	8.91
Anerley	IN.	60.	90.	.04	.03	• (.05	:	:	:	.6.	17	: :	.10	:	:	:		:	: [;	29	:	::0		:	.01	.03	.92	96.9
Вескепрат			80.0	.10	.05	• 6	.03	.01	:	:		77	: :	·15	:	:	:	:		.30	01	:	: =	:	:	.04	:	1.04	96.8
Rromley	IN.	: 5	90.	80.	.04	• (.03	:	:	:		24.5	1 :	.16	:	:	:	:	:	.24	:	:	:0		:	.03	:	-92	9.40
Bromley	IN.	: ,	90.	.12	.05	. (.05	:	:	:	06.	2	.01	.17	:	:	:	. :	:	.28	**	:	: 0	:	:	.03	:	1.00	29.8
Bickley	IN.		0.0	.10	.05	• 7	-01	:	:	:	::0	CT	: :	.20	:	:	:	:	:	.31	:	:	:	: :	:	.03	:	66.	9.04
Chislehurst	IN.		è è	01.	.05	:	:	:	:	:	• •	RT.	: :	117	:	:	:	:	:	.56	:	:	:	: :	:	.02		.87	8.37
Southfleet	IN.	:0		.10	.05	:	:	:	:	:			; ;	80.	:	:	:	:	:	.15	. :	:	:6	:			:	<u>e</u> 2.	2.80
Day of Mo.		-	9 00	2 4	ŭ	9	-	00	6	10	11	77	14	15	16	17	18	19	50	22	23	24	25	27	28	56	30	*	+

Day of Mo.

4 The totals from January 1st.

Southwark Park		.0.	.10	60.	*08	:	.01	:	:	:	:	14	70.	.12	:	:	:	:	:	.39	:	:	:	:	:		60	1.04	90.9
Deptiord	IN.	.05	.07	80.	20.	:	.01	:	:	•	. !	:15	:	:15	:	:	:	:	:	.29	:	:	. (10.	:	.03	3	.91	6.65
dэiwпээт Э	IN.	90.	60.	.12	80.	•	.01	.01	:		. 1	.16	10.	.15	:	:	:	:	•	.24			:	:	:	.0.		66.	7.43
Telegraph Hill	IN.	:08	90.	60.	.10		.03	:	:		. 1	30.0	70.	.16	:		:	:	:	.34	:		:		:	.00		1.08	6.84
Battersea (S&VWC)	IN.	.0.5	.05	20.	.05	•	:	:		•	• (.13		.0.	:	:	:	:	:	.36	:	:	:	:	:	.00	1 .	22.	5.08
Battersea Park	IN.	.03	90.	-11	.08		.03	:	:	:	. 1	LT.		.10	:	:	:	:	:	.36	:	:	• •	10.	:	.0.	5 :	1.02	7.44
Clapham Park	IN:	.04	90.	.10	.08	:	.02	:	:	:		42.	.03	.10	:	:	:	•	:	.55			:	:	:	:00		1.32	66.2
Brixton	IN.	.05	20.	.13	80.	:	.05	:	:	:	. (77.	₹O.	60.	:	:	:	:	:	. 20	:		:	:	:	.0.	5	1.38	92.9
Brockwell Park	IN.	.03	.05	$\cdot 15$	20.	:	.03	:	•	:	. 0	200	.03	.15 .15	:	:	:		:	99.	:	:	. 7	10.	:	.0.		1.49	8.17
Nunhead	IN:	.03		60.	•04	:	:	:	*	:	. ,	-14	:	.10	:	:	:		:	.32	:		*	:	:	. 0	3	.75°	4.98
Eltham	IN.	90.	90.	.13	80.	:	:	:	:	:	• 1	.14	•	:18	:	:	:	:	:	.50	:	:	. 9	10.	:	.04	H .	06.	8.21
Greenhith	IN.	.05	.02	60.	÷0.	:		:	•	:	. (97.	TO.	20.	:	:	:	:	:	.90	•	:	:	:	:	:	0 4	1.41	4.25
Dartford	IN.	.03		.20	20.		·04	:	:	:	. (7.7.7		:15	:	:	:	:	:	.19		:		:	:	:		.87	7.43
-gaimliW aot	IN.	.03	.03	.13	•05	:	:	:	:	:	. (.56	TO.	.12	*	:	:		:	.17	:	:	* (70.		: 5	70	.84	7.67
gusbis	IN.	•0•	•04	11	-07		.03	:	:	:	. 1	1.00	10.	.50			:	:	:	.24	•03	:	:	:	:	.03	3	26.	8.16
Forest Hill (S&VWC)	IN.	.05	.02	-14	.07	:	.02	•	:	:		91.	. (.12	:	:	*			.47	.01	:	. 0	.01	:	90.	3	1.15	7.49
Forest Hill (Dartm.rd.	IN.	: 0		7	.07	:	•03	:	:	:	:	.17	:	: ::	:	:	:		:	.46	:	:	:	:	:	90.	3	1.10	7.50
V. Norwood Fox H.Gs.	N.												BT	rebo	IX	тн	LI.	IOI	Z.									1.20	300

NOTES.

(April, 1904.)

rather more than the average int of sunshine. The month has fruit-blossom, especially on the ortions of the district there was n. on the 15th. A parhelion was at Greenwich and Croydon on the at Crovdon on the 16th. The ne month has been warm and dry, , and measles have occurred in e-trees, is very abundant. A thunorm occurred throughout the disise darkness between noon and . The following are the earliest s on which the following occurred: too heard at Chislehurst on the ield on the 12th; and chiffchaff temperature of the month is 2.5 above the average, and was lapham Park 51°·1, at Croydon ·4 hours or three per cent. above April average of the fifteen years on the whole a healthy one, ch cases of diphtheria, scarlet es. Vegetation has progressed well, on the night of the 12th-13th. : martins seen at Chislehurst on 3th; swallow seen at Bromley on Oth; wryneck heard at Nutfield he 11th; nightingale heard at pas House) 50°·1, at Wallington Vorcester Park 49°.4, at Chipstead , and at Warlingham 47.8. The all is about half an inch below the on 172.3 hours of sunlight, which ge. There were recorded at Wal-

F.R. Met. Soc., Hon. Sec. F. CAMPBELL-BAYARD.

May, 1904.

Sander- stead	IN.	.18	:	0.0	90.	÷0.	.01	.03	80.	:	:	:	•	:	:	:	:	.36	:	:	.08	.11	• (200	98.	. (30.	.07	.34	2.05	12.87
(Flace Fell)	IN.	.19	:	90	90.	.04	.01	.03	60.		:	:	:	:	:	:	:	.43	.03	:	.10	.12	• 1	62.	7.7.	• 6	.03	.10	.36	2.51	13 92
(Hazelea) Kenley	-	22.	*	• 30	90.	.03	:	.03	90.	:	:	:	:	•	:	:	:	.40	.01	:	80.	.01	• 0	92.	χ) ·	.01	70.	60.	.37	2.06	14.06
-gailraW mad	IN.	.26	:	:0	.07	.04	.02	60.	-02	.01	:	:	:	:	:	:	:	.43	.01	:	.13	.17	• 5	97.	22.28	• (300	.13	· †8	2.59	16.02
Chelsham	IN.										•	еЕ	UA	Ð	ХJ	н	LNO)II												2.53	14.63
Sevenoaks	Z.	•25	:	: 3	÷ ÷	.08	.05	·04	60.	•	:	:	:	:	:	:	:	.27	.03	:	.10	.11	:	:	:	• (Į.	.27	•61	2.24	12.28
Chevening Park	.NI	.32	:	: 3	.10	20.	.05	:	.12	:	:	:	:	:	:	:	:	:34	:		-11	.12	:	:		÷0.	:	.23	.55	82.28	14.66
Knockholt (tower ga.)		.20	:	:00	60.	.05	.05	.03	60.	:	:	:	:	:	:	•	:	:31	.05		80.	.10	:	. (.02	•	.02	.12	09.	1.96	86.6
Knockholt (field gau.)	.NI .95	3 60	:	.00	30	90.	.05	.03	60.	:	:	:	:	:	:	:	:	. 30	.05	:	:13	•14	:		.03		.03	.12	.64	2.41	14.16
Westerbam (Town)	. c.	.27	:	: ?	÷ + +	90.	.03	.03	.07	:	•	:	:	:	:	:	:	.42	.01	•	•13	.11	• 1	01.	.05	:	•	.03	98.	2.51	14.55
Westerbam (Hill Est.)		.26	:	: 3	# œ	. I	.03	80.	.03	:	:	:	:	:	:	:	•	.43	.01	:	.11	.13	• (in in	.08 •		.01	·18	09.	2.50	14.26
Caterham	10	.27	:		è è	•0.	.02	80.	20.	:	.01	:	:	:	:	:	:	:4:	.01	:	:13	.18	• (67.	53.7	• !	.03	.12	.45	2.74	15.37
Chaldon	IN.	.23	•	: 5	1 5	.04	.01	20.	•04	:	:	:	:	:	:	:	:	:44	.01	.01	.12	.17	• (282	5.	:	•	.10	.45	2.46	14.82
Chipstead	IN.	.21	:	• ¢	00	80.	:	.02	80.	.01	:	:	:	:	:	:	:	.46	.01	:	Ţ.	.13	• (.28	.29		.01	.10	.37	2.31	14.26
Harp's Oak Cottage	IN.											·u:	ISF	e c) (ы	ODE	я													
Merstham	. α	.21	:	00	9 00	.03		90.	-14	:	:	:	:	:	:	*	:	• 44	:	:	.12	.16		.55	56	:	:	.11	.42	2.41	13.63
Upper Gatton	IN.	22.	:	.00	90.	.02	.01	20.	.05	.03	.01	:	:	:	:	:	:	.50	.01	.02	•14	.13	• !	•23	-29	.01	.01	60.	.42	2.53	14.67
HeigateHill		.22	:	• 6	0.00	.03	• 03	:	.10	-05	:	:	:	:	:	:	:	.49	.03	:	.10	·15	:	Ę.	•34	:	:	80.	.38	2.36	12.38
Buckland			:	• 5	90.	600	.05	•03	·04	•05	.01	:	:	:	.01	:	:	. 00	0.		-07	.14	:	.32	•20	.01	.01	-07	.41	2.47	13.93 1
Nutheld (egusgwen)	α . α	.23	:	• • •	ė ċ	.02	•	.03	÷0.	.01	.01	:	:	:	:	:	:	.46	.02	:	60.	.21	• 6	23	.34	:	:	·11	.47	2.59	14.44 1
(old gauge)	N. F.	.22	:	• 6	3 0	.03		.03	•04	.01	.01	:	:	:	:	:	:	.47	.03		60.	.19		.55	.34	:	:	·11	.47	2.54	2.60
Redhill (Linkfælla.)	. G	.24	:	• 0	0 0	0.00	} :	.03	.05	.01	.01	:	:	:	:	:	:		.01	:	.10	.21	:	.24	.37	:	:	.10	.41	2.64	
Dorking (Denbies)	1.0	22.	:	• 0	80.	70	: :		80.	:	:	:	:	:	:	•	:	: 9	.02		.12	.13	:	.40	.15	:	:	.12	.27	2.56	[2.10]
Abinger (The Hall)	1 2.6	12.	:	. 0	90.	3		20.	.05	:	:	:	:		:	:	:	.69.	.02	:	•13	.12	:	89.	•19	:	:	60.	.28	2.76	4.84
Rectory)	1 : 0	.23	:	• (200	5		.11	:	:	:	:	:	:	:	:	:	.60	.03	.02	.10	.20	08.	-44	.43	•	:	.12	•29	3.32	16.24 15.65 14.84 15.10 12.81
Holmbury St. Mary	2.5	. 24 42.	:	• 0	ο α	07	.05	90.	•04	.03	:	:	:	:	:	:	:	.76	.04		.16	.13	:	1.35	.03	•04	:	•14	.28	3.78	16.24
Oay of Mo.	-	- 01	ന	411	<u>ه</u> د	2 0	- 00	6	10	11	12	13	14	15	16	17	18	19	21	22	23	24	25	56	27	28	53	30	31	*	+-
							_																								

* The figures in this row give the totals for the month.

								_																									—
	Farning- lliH mad	IN.	90.	.16	70.	.05	.03	90.	0.0	70.	60.	5	•	•	•	•		•	•	.22	.01	:	20.	.12	:	900	70.	.03	.0.	14.	1.76		72.11
1904.	notgaiqrO	N.	80.	ĥΤ.	•	.01	.03	80.	.03	60.	‡ C	10	•	•	•	•		•	•	.29	•	:	90.	.13		TO.	70.	.03	.04	.43	200	1 1	74.11
May, 1	Науез	IN.	.13	.10	•	90.	:	60.	000	10.	20.	3	•		•	•	•	•	:	.37			.07	.13	•			. 10	5 10	64.	1.99		60.21
M	West Wickham	IN.	010	77.7	•	.05	0.	0.	• 6	200	60		•	•	•	:	•	:	:	.46	.01	:	20.	.11	:	• 6	60.	60	64.	.22	1.95) h	12.54
	Addington (tag.gmn-St.)	IN.	.10	.55	:	90.	.03	.05		en.	:	:	•	:	•	•	:	:	:	.42			60	.13	. 7	41.	71.	60.	50.	. T	9.00	1 6	13.40
	Addington (Park Fm.)	IN.	.11	52.5	:	:08	.03	80.	.01	#0.	01.	:	:	•	:		:	:	:	: 4:	80.	60.		80.	:	• 6	07.	. 60	90.	5 10	9.10		14.01
8.	notgaibbA slliH	IN.	.11	œ	:	90.	.03	90.	0.	40.	60.	10.	:	:	•	•	•	:	:	.4.	3 5	1	60.	.11	• 5	cI.	010	10.	60.	. to	9.10	01 7	12.50
1.90 ins.	Creydon (Avond rd.)	IN:	.13	.21	:	: 8	.05	20.	.01	40.	ño.	:	:	:	•		•		:	:4:	1		: ;	.12	• I	7.1.	+	• • •	en.	50.	9.46	O# 1	13.81
is I	Croydon (Ashbn.rd.)	IN.	.23	.50	:	.0.	:	.22	90.	TO:	77.	10.	:	:	:	:	:	:	:		÷ 0.	4	.0.	.10	:	• 1	.25	.01	20.	οO. 4	0.41		
_	Croydon (Park Hill)	IN.	.20	•16	:	.0.	.50	.07	:	. [17.	:	;	:	:	:	:	:	:	: 67:	1		90.	80.	. 1	er.	çĮ.	• 6	70.	.47	0.30	66.7	11.50 12.69
for	Croydon (Wdml.rd.)	IN.	.33	.19	:	: Ö	0.0	*08	.01	÷0.	90.	10.	:	:	:	:	:	:	:	• 70	7	•	.0.	01.	:	77	.50	. (.01	2000	0.00		11.21
Greenwich	Croydon (Dup. H.)	ż	.16	·Is	:	99	.25	90.	.01	+ 0.	60.	10.	:	:	:	:	:	:	:		P.F.	:	: 0	01.		.50	.23	. 1	0.0	0.7	H H G	1 4.7	11.90
Green	Croydon (Vn.N.rd.)	_	.18	.50	:	96	.21	90.	.01	.03	80.	10.	•	:	:	:	:	:	:	34.	9	:	.0.	.10	:	.50	.55	• 1	.01	20.	D A	c+.Z	11.93
ie at	Croydon (Brim. Bn.)	1	.26	:	:	.06	.16	90.	:	.03	80.	:	:	:	:	:	:		:	: 9	0.0	70	.06	.13	:	.19	.50		.01	90.	7.0	7.1.7	10.52
average	-gaibbəd rot	ż	.18	.18	:	.0.	.19	90.	:	•03	.07	:	:	:	:	:	:	:	:		04	:	: ċ	•10	:	.19	.40		.01	0.00	60.	24.2	12.20
	notgaillsW		.18	.50	:	: 0	.18	-07	.01	÷0.	20.	:	:	:	:	:	:	:	:	: =	1.0	10	: Č	37.	:	.55	.27	.01	.03	60.	00	7.40	12.17
0061-1	Carshalton	K.	.28	•20	:		90.	90.	:	.03	so.	:	:	:	:	•	•	:	:	•)	0#.	:	: ¢	.12		•	.56	•	.03	0.00	10.	2.43	12.22
(1841.	Benhilton	E.	.26	.18			0.0	.05	:	•04	.07	:	:	:	:	:	:	:	:	• 6	70.		: ċ	07.	:	.35	.23	:	.01	90.	00.	09.7	11.13
years	Sutton (Sew.Wks.)	ż	.56	.16	:	.00	31.	.05	:	60.	.03	.05	:	:	:	:	:	:	:	• 5	66.	:	.00	.10	:	.34	.29	:	.03	80.	₹C.	5.79	11.83
sixty	Sutton (Waterwk.)	12	.21	.17	:	• 5	0.0	.03	:	90.	.05	:	:	•	•		:	:	:	* C	00.	70.	:0	.10	:	.20	.30	:	.01	90:	Te.	2.41	12.01
The	Banstead		.13	.19	:	• 0	5 .) •		:	-14	:	:	:	:	:	:	:	:	: 1	Te.	:	: 7	.12	•	.50	.44	•	.05	.15	67.	2.45	.31
	tronsxO	K	.18	.19		• 5	. 0.	.03		$\cdot 0\tilde{z}$	20.	:	:		:	:	:	:	:	• (2000	10.	20.	0.0		.28	•44	:	:	80.	08.	5.60	1.41 14
1.	D'Abernon				:	• •	0.00	.03		÷0.	80.	:	:	:	:	:	:	:	:	: 3	29.	• 3	.00 .10	01		.29	£9.	:	:	80.		2.71	15.78 14.55 13.21 12.12 11.41
Daily Rainfall.	Leather- head			.19	:	1 .	5	·04	:	.02	.10	:	:		:	:	:		:	• 6	200	70.	:00	.15	:	.51	.12	:	:	60.		5.33	3.21 1
y Ra	Hedley	-			:	• 0	0 0	3		80.	.07	:		:	:	:	:	:	:	• 5	90.		: :	1 ::	:	.42	.46	:	:	60.		2.75	4.55 1
Dail	Вигвр Неяф	_		.20		÷0.		• 04		:	60.		.03	:	:	:	:	:	:	::	₽c.	:		0.0	90.	.17	.34	:	:	.18		2.47	5.78 1
	·oM to vad	-	-	8	က	41,	o e	-	00	6	10	1	12	13	4.	15	16	17	18	19	202	17	77.0	40.01	25	26	27	28	53	30		*	+

May, 1904.

Vest	N	IN.	.19	:	:	20.	.03	90.	.03	•04	0T.	3						:	: 14	.02		.08	ij	.0.	÷ 5		.02	.11	.48	2.01	9.54
msdisən	S	IX.											•0	EE	EVE	C.	ая	001	ня												
.diwabasV	C	1N.	188	:	:	20.	.05	.05	.01	<u>c</u>	. E.		:	:	:	:	:	:	: 46:	.10	:	01.	ño.	:0:	.21	:	.03	.10	.43	2.11	09.6
leath	I	. YI	.16	:	:	90.	60.	•04	•	000	. T.	Q.		:	:	:	:	:	• 45	.02	.01	80.	200	-12	.29	:	:	.12	.28	2.55	9.40
puomuai	H	.20	.15	:	:	.04	.07	0.	• 1		. T .	3 :			:	:	:	:	: 50	.04	60.	01.	60.	. č.	.37	:	.01	01.	.33	2.80	9.70
notsgail (.Hytano) (e	.0.	.21	:	:	80.	60.	.03	• 6	99:	03) '0	:	•		:	•	:	.52	.05	:	.10	<i>'</i>	÷	.62	:	:	.05	.56	2.39	10.17
Sew. Wks.)	()	60	202.	:	:	90.	-02	:	• [0.	# C	:	•		:	:	:	:	.55	:	.01	60.) O	: 4	.24	:	:	60.	.30	2.41	10.30
notidan	s	. O.	.17	.01	:	80.	.05	.03	. 1	<u>c</u> 0.	20.	1 .		:	:	:	:	:	.55	:	•03	90.		.43	.53	:		80.	.24	2.26	9.55 1
Vest	I A	.0.	.19	:	:	.03	.05	.03		÷0.	e 0.			:	:	:	:	:	.52	.01	:	60.	ှ	. ú:	.31	:	:	.0s	.21	2.16	9.73
грек				;	:	90.	-0.	.03	• 0	90.	9 0		:	:	:	:	:	:	.50	.01	.03	.10	en.	.36	.34	.01	:	20.	.23	2.16	9.94
Vorcester	I L	F	.17	:	:	20.	90.	.03	• 0	9	95			:	:	:	:	:	.57	.01	:	60.	200	. 25	.32	:		.03	.34	2.45	10.40
Vew Islden				;	•	90.	.03	:	• 1	00.	0.0		:	:	:	:	:	:	.55	.03		90.	co.	.27	.50		:	90.	.57	1.93	7.34 1
saynes ark				:	:	90.	.03	.03	• •	40.	9 0	1 .	:	:		:	:	:	.45	.01	:	0.07	<u>`</u>	.24	•44	.01	:	60.	.58	2.18	08.6
dobelomiV (llimbaiV)) ;	.13	_	7:	•	0.0	80.	÷0.	• 1	00.	0.00		:	:	:	:	:	:	.47	.01	.01	.05	60.	.27	.44		0.	.13	.30	2.53	10.01
TheDowns)) ;	101.	-17	:	:	90.	.05	0.3	0.7	40.	0.0		•		:	:	:	:	:48	.01	.01	80.		.58	.43	:	:	!!	-53	2.35	9.93 1
Vimbledon Sew.Wks.)) ,	.07	•16		• 0	90.	70.	.0°	:	: -	1 50	:	:	:	•	:	•	:	:41	.01	. (900	, ,	-1-	.28	:	:	01.	_	1.87	8.21
Morden		.20	•10	:	• 1	20.		e0.	• 0	0 0	90	•	:	:	:	:	:	:	.46	.01		-0.	:	.0.	29.	·01	O.	.52	~	2.59	11.86
Seddington Jorner) 2	•23	_	:	• (60.	S C	,0	• • •	20.	0.10	:	:	:	:	:	•	:	·45	:	. (20 c	OT.	.53	19.	• 1	.01	.11	.40	2.67	11.09 1
South South	[]	.21	.50	:	• (ۍ د د	, ,	90.	TO.	000	0.0	:	:	•	:	:	:	•	.ř.	:	• 1	0.5	01.	.03	•14	• (-0.5	18	.49	2.35	11.26 1
y nerley	7 2	-01	.21	:							1 :				:	:	:	:	÷0.	.35	:	• • •	500	:	80.	:	•	.02		1.45	8.41 11
зескепрат	T Z	.22	.17	:	• 0	90.	.13	00.	000	60.	0.00	:	:	:	:	:	:	:	.40	:	. 0	90.	60.	.03	60.	• (-05	.50	.49	9.16	-12
Sromley Stommon) 2	.13	.18	:	• 1	60.	.03	70.	60.	00:	0.0	•	:	:	:	:	:	:	:31	.03	• 1	00.	12	: :	20.	. (60.	91.	.49	1.90	9.45 10.42 11.19 10.89 11.30 11
Bromley				:	• 4	20.	en.	co.	60.0	- T	.03	:	:	:	:	:	:	:	.35	:	• 0	90:	01.	.04	-08	. (70.	201	!	2.55	0.89
Bickley	,				: 3	.0. 4	40.	000	# O	00:	0.00	:	:	:	:	:	:	:	.35	:	• 1	. no	11.	: :	90.	. 0	70.	22.	1		1.19 10
tsrudəlsidC ————————————————————————————————————				:													-		.22	-01	• 1	.O.	71.	: :	-04	• (2.05	0.42 [1]
Southfleet				:	• • •	70.	• •	60. 60.	000	5000	0.0	:	:	:	:	:	:	:	.18	.04	• 0	.03 	OT.	: :	:				.35		.45 10
.oM to \gammaga	1													14	15	16	17	20 0	20	21	22	223	9.54	26	27		_	_		*	+
						_	_							-													_	_			

* The figures in this row give the totals for the month.

Day of Mo.

NOTES,

(May, 1904.

sunlight, which is 42.8 hours or nine per cent, below the May average of the fifteen years 1886-1900, he first ten days, then fine and warm 31 in. fell in the same time; then hour. The month on the whole has Solar halos have on many occasions. Fruit prospects mean temperature is about one degree above the average, and was at Clapham 54°.5, at Chipstead 54°.4, at Worcester Warlingham 52°.4. There were recorded at Wallington 157.8 hours of The month was cold and stormy for for nine days, and then rainy and unable. There was a thunderstorm between 8 a.m. and 9 a.m. in which, at Sutton, 26 in. of rain fell; and then at 9.45 a.m. there was another thunderstorm, in which '26 in. of rain fell in fifteen minutes, and at Sanderstead followed intense darkness for about an been observed throughout the district of pears, which in places are thin. The horse-chestnut flowered on the the red may on the 18th at Wallington. The rainfall of the month is about one-Park 56°.5, at Croydon (Duppas House) Park 53°.9, at Wallington 53.°8, and at weather on the 27th was very remark. are fairly good, with the exception of 11th, the white may on the 16th, settled for the remaining days. half an inch above the average. been a healthy one.

F.R. Met. Soc., Hon. Sec. CAMPBELL-BAYARD.

> The totals from January 1st. * The figures in this row give the totals for the month

Abinger SEST St. Mary Holmbury

Day of Mo.

basta Sander-

(Place Fell)

1904. Kenley June, (Hazelea) 26 Kenley 9 psm Warling-15.34 71 E Chelsham MONTHLY GAUGE, . Вечеповка .37 29 23 05 05 47 83 29 Park Chevening E (tower ga.) 30 .01 1.94 Knockholt E (field gau.) : 66 2000 Knockholt 20 (nwoT) Westerham Hill Est.) Westerham 02 IN. Chaldon Chipstead Cottage RECORD CEASED. Harp's Oak i i Merstham 02 233 .50 Gatton 01 24 05 02 5.81 Upper HiHətagiəA R 22 2 5.24 E Buckland 113 (newgauge) R & : 22 i Nutfield The 122 is in (old gauge) Mutfield (Linkfd.la.) Redhill (Denbies) Dorking (IlaH edT) ? 2 200 Abinger (Rectory)

242

The figures in this row give the totals for the month

June, 1904.

-gaiars lliH msd	·08	•	•	:	:	:	:	.26	:	:	• 0	70.	62.0	en.	.03	:	:	:	9	:	.00	0.05	90.	•		:	:	68.	12.16
notgaigro	.12	:	:	:	:	:	:	:21	*		* 7	10.	25.00	70.	: :		:	:	:	:	:00	.12	.15	:				1.00	12.42
Наудея	·13		:	*	:	:	:	:14	*	:			35.	20.	.03		:	:	:	:	.0.	1.	.17	:	:		:	.95	13.54
West Wickham	.21	:	:	:	:	:	:	.13		:	•	• 1	.52	:	.05	•	:	:		:	: 0	.10	.04	:	:		:	35	13.39 1
	.17	:	:		:	:	:	.17	:	:	• (10.	-24	70.	.03	:	:	:	:	:	: [.04		.01	:	:	:	•79	14.19 1
	.28	:		:	:		:	.18	:	:	. (.05	.25	.03	.03		:	:	:	:	. 1-	.04	90.	:	:	:	:	66.	15.00 1
	.18.	:	:	:	:	:	•	:15	• 1	.01	. 1	-01	.22	10.	:0:		:		:	:		.03	.03		:	:	:	22.	13.27 1
	.36	:	:	,			•	.14	:	:	• 1	.01	25.	.03	: :				:		:10	0.05	.04		:			1.00	14.81
L D	.26	:	:	:	:	:	:	.12		:	:		.22	10.					•		: =	7 .	.05	•	:	:	:	06.	13.59 1
	.12		:	•	:	0 3	0 0	.10	:	•	:	:	22	10.			:	:	:	:		.07	.03		:	:	:	.64	12.14 1
Oroydon (.br.rd.)	.21	:		:	:	:	:	.10	•	:	:		.21	.01	::	1 :			:	:	• 5	110	.03		:	:	:	08.	12.01
	.23	:	•		:	:	:	.12	•	:	. !	.05	.23	10.	:0	1 .		:	:	:		.03	.03	:	:	:	:	08.	12.70 1
Croydon (Wn.N.rd.)	.24	•	:	:	:	:	:	: =	:	:	:	:	.24	.01	:0	1 .		•		:	• 5	.04	.03	:		:	:	08.	12.73
Groydon (Brim. Bn.)	·30	:	:		:	•	:	.10	:	:	•	*	.55	•	60.	0 0		•	:	•	• 6	210	0.0		:		:	.83	11.35 1
Bedding- ton	.31	:	:	•		:	:	:::			:	•	·24	.01	: 5	1 .		:	:	:	• 0	777	÷0.		:	:	•	.87	13.07
notgnillsW	IN.		:		:	:	:	.12	:	:	:	:	•24	.01	:00	1 .		:	:	•	• 0	2 1 0	÷0.		•	:	:	1.07	13.24 1
notisharaD	IN.	*	:	•	:		:	: :	•	•	:	·03	.23	:	:					:	- 0	77.	÷0.		•	:	:	68.	13.11
Benhilton	.28	•	:	:	:	e *	:	60.	0	.01		•	.21	:	.01	10			:	:	• 1	ŢŢ.	9 6) •			:	.80	
Sutton (Sew.Wks.)	.27		:	:			:	60.	:	:	:	:	.2.5	:	: 5	1 :			:	:	• r	11.	0.00		:	:	:	.81	12.64 1.
Sutton (Waterwk.)			•	:	:	:	:	.10		:	:	.01	.22	.01	:	: :		: :		:	. 1	TT.	50.	1 .	:		:	.92	12.93 15
Banstead	1		*	:	:	:	:	.10	:	.:	:	:	.56	.03	:	:	: :			:	:	*	: 6	1 .	:			.62	14.93 15
) todexO	. 00		:	:	;	:	•	.16	:	.01	:	.01	.03	:	:	:			: :	:	• 6	01.	::	1 :		:	:	1.14	12.55 14
П'Аретпоп Сhase	%. 80	:	:	•	:	:	:	.15	.02	:			•25	.01	:	:			:	:	- (71.	20.	1 .	:	•	:	1.49	3.61 1
Leather- head	1		1.0	•	:		:	.19	:	:	:	:	•24	.04	·:	:			:	:	- 1	77.	.19	1 .	:	•		1.19	4.40 13
Hedley	1 . 4		•	:	:	:	•	:18	:	:	:		.26	:	. h	en.	•	:	: :	:	. !	7 :	61.	٠ ١	: :	:	:	1.83	6.38
Burgh Heath	1.5	.04	:		:	:	:	:13	:	-04		.01	.23	•04	.00	20.				:	- 1	17.	-104	1	:	:	:	.97	16.75 16.38 14.40 13.61
Day of Mo.	1	63	ന	41	0	9	<u></u>	တ တ	10	11	12	13	14	15	16	- 00	19	20	21	22	23	4 10	9.6	27	28	56	30	*	+ 1(

* The figures in this row give the totals for the month.

To. To
1.94
0
-00
1
20
is:
22
ã
2
in the
, ~
Jun
-
for
0
4
2
0
. 2
É
~
Green
67
01
-
-
773
0
4.3
at
0
average
~
53
8
01
~~
~
2
-
-
0
00
000
006
1900
(0061-
-1900
1-1900
0061-1
41-1900
41-
841-1900
41-
41-
41-
(1841-
(1841-
(1841-
(1841-
(1841-
(1841-
(1841-
years (1841-
years (1841-
years (1841-
years (1841-
years (1841-
years (1841-
years (1841-
years (1841-
sixty years (1841-
sixty years (1841-
sixty years (1841-
years (1841-

June, 1904.

ins.

West Norwood	KI.	i	:	:	:	:	:	:	.10	:	.01	• 0	70.	67		:			:		:		000	-07	:		:		\$	10.36
Streatham	IN.											• 0	EE	EV) (юв	EC	1												_
Wandswth. Common	IN.	1	:	:	:	:	:	:	60.	•	.01	:	. c.	77 ·	: :	:	:	:	:	:	:	.16	.12	.03	:	*	:	:	82.	10.38
Putney Heath	.ΝΙ α	7	:	:	:	•	:	:	90.	:			TO.	0.0		:	:	:	:	:	:	.15	.10	.03	•	:	:	:	.78	10.18
Bichmond	IN.	5	:	:	:	:	•	:	.0.		:		40°	64	: :	:	:	•	:	:	:	.14	90.	.01	:	:	:	:	.91	10.01
Kingston (CountyH.)	N.	4	:	•	:	:	:	:	.10	:	:	. • 0	700	0.02		:	:	:			:	.20	60.	•04	:	:	:	:	06.	11.07
Kingston (Sew.Wks.)	.91	1 77	:	:	:	• (70.	:	.0.	:	:		TO.	2 5		:	:	:	:		:	.23	.12	.03	:	:	:	:	26.	11.27
notidans	.NI	7	:	:	:	:	:	:	.10	:	:	• 6	70.5	7 .		:	:	:	:	:	:	:19	01.	80.		:	:	:	08.	10.35
West Molesey	IN.	2	:	:	:	:	:	:	.13	•,	:		40.	77.		:	:	:	•	:	:	: 00	90.	20.	:	:	:	:	08.	
Еѕһет	.o.	17	:	:	:		:	:	90.			• 1	70.	21.	• •	:	:	:	•	:	:	.05	.03	.05	:	•	•	•	.53	10.47 10.53
Worcester Park	.NI	S	:	:	:	:	:	:	60.		.01	:-		17.	•	.01	:	:	:	:	:	: 27	.05	.04	:		:		69.	11.03
New	IN.	7	:	:	:	:	:	:	.00	*	:	• (10.	ST.	•	:	:	:		:	:	: 10	60.	20.	:	:	:	:	.75	8.09
Raynes	.NI	4 5	TO.	:	:	:	:	:	90.		:	:	: 3	42.	10	:	•	:	:	:	:	: 10	:12	•03	:	:	:	:	.84	10.64
wimbledon (NimbaiW)	.o.	# 5	10.	:	:	:	:	:	90.		:		70.	97.	7	.01	:	•	:	:	:	: 🖰	-12	.02	- e - 6	:	:	•	.93	10.94
nobəldmiW (sawoUəd'I')	IN.	07	:	:	:	:	.03	•	90.		.01	:	. 9	62.5	10	: :			:	•	:	:10		.03		;	:	:	86.	10.91 10.94
Wimbledon (Sew.Wks.)	IN.	09.	00	:	•	:	:	:	.0.		:	:	• • •	77	• •		:	:	:	:	:	.17	1.	.03	:	:			1.49	02.6
Morden	IN.	2	:	:	:	:	:	:	:08		:	:	• 5	12.	•	:01	:	:	:	•	:	: 00	.12	90.	•	:	:		.64	12.50
Beddington Corner	IN.	3	:	:	:	:	:	:	.10	•	:	,	• 6	22.	•	:	:	:	:	:	:	:61:	90.	.03	:	:	:	:	.92	12.01
South	IN.	2	:		:	:	:	:	: =		:	• 1	70.	ez.	•	.03	:	:	:	:	:	: 9	.17	.08	;	:	:	:	.94	12.20
Anerley	IN.	Ħ.	:	:	:	:		.01	: :	•10	•	:	• 0	ßT.		: :	:	:	:	:	:	:	· œ	90.	•	•	:	:	.95	9.36
Вескепрат	IN.	0.40	:	:	:	:	.01	•	: =		.01	. 1	70.	22	•	.05		•	:	•	•	: 6	1	i I	:	:	:	:	66.	12.11
Bromley Common			•	:	:	:	:	:	:1-		:	• (70.	523	5	.02	•	:	:	:	:	::	21.	.20	:	:	:	:	1.05	12.32
Bromley		_	:	:	:	:	:	:	.10	:	:	* 1	7.0	25.		.03	:		:		:	:10	60.	.16	:	:	:		.91	11.80 12.32
Bickley	.NI	04	:	:	:	:	:	:	.12	:	:		0.	52.		.03	:	:	:	:	:	::	21.	10		:	:	:	06.	10.32 11.18 12.09 1
tsrudəlaidƏ	IN.	-	:	:	:		:	:	: 4	:	:	:	• 6	77.	•	::	:	:	•	:	:	.0.	5	60.	:	:	:	:	92.	1.18
Southfleet	IX.	TO	:	:	:	:	:	:	.57	:	:	:	.01	97.	70	.01	:	:	:	:	:	.0.	300	0.0	:	•	:	:	.87	0.32 1

† The totals from January 1st.

* The figures in this row give the totals for the month.

The totals from January 1st.

The figures in this row give the totals for the month.

(June, 1904.)

the 29th, at Greenwich, there was crops are not turning out well. The The month as a whole has been a The rainfall is the smallest June fall since 1895. The mean temperature of the month is about 13° below the average, and was also cool, though the sunlight is rather night temperatures have been below the 1st was general throughout the district, and was especial heavy about hay crop has been a good one, and has been got in in splendid order. On observed "a solar halo with parhelia portion of another halo of 45° radius between 5 and 5.30 p.m." The fruit the 11th, and the lime at Sidcup on the 30th. Diphtheria and scarlet fever at Chipstead 59°1, at Croydon (Duppas House) 59°.0, at Worcester Park 58°.2, ham 56°.2. There were recorded at Wallington 218.4 hours of sunlight, above the average. Both the day and the average. The thunderstorm on and brightly-coloured contact arch and dog-rose flowered at Beckenham on were rather less prevalent than usual. at Wallington 57.06, and at Warlingwhich is 12.4 hours or two per cent. above the June average of the fifteen The month has been very dry, and D'Abernon Chase and Oxshott. years 1886-1900. healthy one.

F.R. Met. Soc., Hon. Sec. F. CAMPBELL-BAYARD,

		_				_										_						_		_							
Southwark Рагк	IN.	.12	:	:	:	:	:	:	.08	:		:	:	.24	:	:	:	:	:		:	:	: =	60.	.02	:	:	:	:	69.	8.59
Deptiord	IN.	.1 8 1.	:	:	:	:	:	:	: <u> </u>	:	:	:	.01	.23	:	:	·01	:	:	:	:	:	: :	90.	.04			:		-74	9.25
dэiwnээт Э	IN.	i.	:	:	:		*	:	: =	:	:	:	.01	.24	:		.03	:	:	:	*	:	: :	.06	.04		:			.70	10.22
Telegraph Hill	IN.	.30	:	:	:		*	:	.10	:	:	:		.56	:	:	:	:	:	:	:	:	: 7	+ +	.20				:	1.00	9.94
Battersea (S&VWC)	IN.	•14	:	:	:		:	:	90.	:	:	:		.20	:		:	:	:	:	:	:	.0.	900	.13		:	•	:	99.	2.08
Battersea	IN.	.10	:	:	:	: ?	÷0.	:	60.	:	:	:	•	.25	:	:	:	:	:	:	:		: -	.04	41.		:	:	:	22.	10.57
Clapham Park	IN.	.19		•		•		:	.10	:		:		.56	:		.01	:	:	:	:	•		-	.02			:	:	98.	11.05
Brixton	IN.	.15	*		:			:	60.	:	:			.25	*	:	:	:	:	:	:	:		÷	.03		•	:	•	99.	9.49
Brockwell Park	IN.	.18	:	:	:	:	:		:13	:	:	:	•	.29	:	:	:	:	:	:	:	:		-	.04			:	:	08.	11.44
Nunhead	IN.	.25	:		:	•	*	:	.0.	:	:	:		.20	:	:	:	:	:	:	:	:	::	0.	.10		•	:	:	.73	7.31
Eltham			:	:	:	:	:	:	.15	:	:	:	.01	.23		:	.01	:	:	:	:	:	::	ά	.15	:		:		.87	11.22
Greenhithe	IN.	.24	.01	:	:	:	:	:	.31		:	:	.03	.17	.01	:	.01	:	•	:	:	:	• 4	30	5 6			:	:	.84	6.28
Dartford	IN.	.25	:	:	:	:	:	:	:23	:	:		.01	.23	•	:	:	:	•	:	:	:		- 10 - 10	0.			:	:	86.	10.51
-gaimliW not	IN.	·14	:	:	:	:	:	:	.21	:	:		.02	.22	:	:	:	:	:	:	:	:		2 -	5.0) 4	:			.81	10.31 10.21
quobis	IN.	.13	:	:	:	:	:	:	.17	:	:	:	.05	.23	:	:	.03	:	:	:	:	:	• •	200	5.00) (22.	11.17
Forest Hill (S&VWC)	IN.	.28	•	•	:	:	:		:0		:	4		.24	:	:	.03	:	:	:	:	:	. 0	eT.	0.00	> :				8.	10.38
Forest Hill (Dartm.rd.)	IN.	.28	:	:	:	:		:	:10		:			.23	:	:	.02		:	:	:	:	• 0	13	.10 10	7		:		06:	_
Norwood Fox H.Gs.)								-						TH	o d z	н	X	H	LN	NC										06.	
J. Norwood Dul.W.Pk.)) 2	.23		:					: -	11			:	.0.			.05	:	:	:	:	:	:	.12	.14	:		:	:	: \a	
on to dec	r	-	2	3	4	30	9	2	00 0	10		10	7 5	15	121	9	17	18	19	20	21	22	23	24	25	07	700	000	000	2 4	+

-
· co
-
~
\sim
.=
23
2
-
1
13
00
0
ы.

f The totals from January 1st.

	npaig	Τ.	- co	1 4						•						•	_		• 00) ,	_		-	-	3	4	ന		_	-6	_	2	23
	Sander- basta	<u> </u>	.03			•	•	•	•	•	•	•	•	•	•	•	•	•	: ;			•	•	•	9.	.04	ċ2	•	.07	o.	٠	1.4	15.26
July, 1904	(Flace Fell)	IN.	.04	01.	:	:	:	:	:	:	:	:	:	:	:	:		:	.03	:	:	:	:	:	.59	80.	.25	• 1	01.	60.	:	1.53	16.35
lly,]	(Hazelea)	IN.	:6:	133	:	:	:	:	:		:	:	:	:	•			:	.03		:	:	:		.58	•04	.25	. 0	90.	.10	:	1.40	16.36
Ju	-gailtsW msd	IN.	- 00	• 53		•	:	:	:	:	:	•		:	:	•	:	:	.05	:	:	:	:	:	99.	•04	.50	1 •	0	.11	•	1.39	8.39
	Chelsham	IN.												Э£	ים	G.A	X,	IΗ	INO	NI.												1.41	6.75
	Sevenoaks	IX.	: 0	. i	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.10	•	:	:	:	:	.85	.01	90.	:	• (57		1.45	4.82 1
s.	Chevening Park	IN.	0.0.0.	120	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.04	:	•	:	:	:	.91	:	.11	•	. (:	1.60	17.43 14.82 16.75 18:39 16:36
2.41 ins.	Knockholt (tower ga.)		:0:	42.	:	:	:	•	:	:		:	:	:	:	:	:	:	.05	:	:	:	:	:	.83	:	77.	:	. ,	·14	:	1.39	
	Knockholt (field gau.)	ż	.03	.27	:	:	:	:	:	:		:	:	:	:	:	:	:	.03	:	:	:	:	•	.85	:	.15	:	. h	ēΤ.		1.48	6.78
Greenwich for July is	Westerbam (Town)	·;	.03	.26	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	:	.52	:	•24	:	• I	21.	. 1	1.25	$16 \cdot 26 \ 16 \cdot 99 \ 17 \cdot 70 \ 16 \cdot 43 \ 16 \cdot 89 \ 16 \cdot 78 \ 12 \cdot 38$
for	Westerham (Hill Est.)		.0.	147	:	:	:	:	:	:	:	:	:	:	:	:	:	:	::	:	:	:		:	.52	.03	.17	:	• (01.		1.41	3.43 1
wich	Caterham	IN.	11.	.32	:	:	:	:	:	:	:	:	:	:	:	:	•	:	: :	:	:	.01	:	:	.38	-05	•53	• 0	00.	.T		1.30	7.70
Green	Chaldon	IN.	.12	.59	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.09	:	٠.	:	:	:	.37	20.	.55	• 1	GO.	01.		1.28	3.99 17
average at	Chipstead	IN.	.16	.12	:	:	:	:	:	:	:	:	:	:	:	;	:	:	:04		:	.01	:	•	.38	.10	·15	00	00,	eT.		1.17	3.26 10
verag	SettoO	IN.												.as	ISV	ZE.) (BI	весс	_									_		-		Ä
	AgO a'qısH	-	.08	97	•		•	•	•	•	•		•	•	•	•	•	•	.03	•	•	•		. :	5	80.	0	.)	ء ر	-	• [9	9
1900	Merstham	NI.	· •	2.	•	_	•	•	•		_			•						•	•	•	•				Ţ				-	1.06	15.2
841-	Upper Gatton	IN.	: ;	·4.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:			0	65.	<u> </u>	.15	. 5	5 -	Ξ.	:	1.29	17.10
years (1841-1900)	HeigateHill	IN.		.35	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:0	•	:	-01	•:	: :	.25	.07	.12		200	85		1.01	78 16.57 16.07 14.50 17.10 15.56
	Buckland	ï.	:0.	.10	10	:	:	:	:	:	:	• (Ō.	:	:	:	:	:	.0.	:	:	-01	5	ĪŌ.	.19	<u>c</u> 0.	97.	. 60	9 6	60.	-	ж ж	16.07
sixty	Nutfield (newgauge)	IN.	.0·	.23	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.04	:	:	:	:	• 3	250	200	01.	: 5	, t	CI.		.94	16.57
The	Nutfield (old gauge)	IN.	.05	.58	:	:	:	:	:	:	:	:	:	:	:	•	:	:	÷0.	*	:	:	:	. 1	2. 2.	98	60.	:3	# G	er.	•	96.	14.78
	Redhill (Linkfd.la.)	IN.											٠,	Е	LL:	IK	0 (BI	зесо	[.													
.i.	Dorking (Denbies)	IN.	.10	.37	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.04	:		.05	:	• 1	c7.	01.	17.	::	11.	27	: ;	1.54	82.21
ainfa	()	IN.	:::	.33	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.05	•	:	-05	:	. (20.0	.04 20	90.	• • • •	000	66.	:	1.40	88.91
Daily Rainfall.	10	IN.	.10	.12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	::	:	:	.05	:	. (77.		<u>c</u> 0.	• •	20.	67.	•	68.	17.24
Dail	C	N.	:11	.23	:	:	:	:	:	:	:	:	:	:	:	:	:	:	÷0.	:	:	.01	:		91.	÷0.	90.	::	77	77.	:	86.	18.04 17.24 16.88 17.58
	Day of Mo.		- C3	ಣ	4,	000	0 1	- 0	00 0	20 0	0;	7;	77	13	4 ,	CT CT	91	70	19	20	21	77	7.3	77	67.	97	7.7	200	00	21	10	*	+

* The figures in this row give the totals for the month.

					_								_																_		
Farning- ham Hill	IN.	.22	$\cdot 05$:		•		:	· •	:		.05	:	:	:	:	:		:	:	:	•	1.17		.10	:	* 6	.32		1.93	14.09
notgaiqrO	IN.	:31	.03	:	:	•	:	:	:	:	:	:	:	:	•	:	:	.03	:	:	:	:	.85	:	.03	. 0	10.	.02	:	1.27	13.69
Наувея	N.	.34	.03	:	:	:	•	:	:	:	:	:	:	:	:	:	:	÷0.	:	:	:	:	.65		.04		17.	.13		1.37	14.91
West Wickham	IN.	.52	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	7. č.	:	.10	. 7	1.	.12	•	1.44	14.83
Addington ('tag.qmu')	IN.	.35	.03	:	:	:	:	:	:	:		.01	:	:	:	:	:	.03	:	:	:	:	5.70	.01	.18	• 0	01.	715	:	1.41	15.60
Addington (Park Fm.)	IN.	3.4.	.13	:	:	:	:	:	:	:	:	•	:	:	:	:	:	.05	:	:	:	:	• • •	.01	.12	• 1	-	.11	:	1.44	16.44
notgnibbA alliH	IN.	9. 9.	•04	:	:	:	:	:	:	:	:	.01	:	:	:	:	:	.03	*	:	:	:	: 10	.05	.23	• 0	60.	01.	:	1.41	14.68
Oroydon (Avond rd.)	IN.	.32	•04	:	:	:	:	:	:	:	. (.05	*	:	:	:	:	90.	:	: 5	TO.	:	: 5	.03	.27	. :	60.	80.	•	1.57	16.38
nobyovO (Ashor.nd.s.)	IN.	.95	0.5	:	:	:	:	:	:		:	:	:	:	:	:	:	.0.	:	:	:	:	. n.	.01	.13	:	.10	20.	:	1.19	14.78 1
Oroydon (Park Hill)		.25	.01	:	:	:	:	;	:	:	:	:	:	:	:	:	:	.04	:	:	:	:	. 55.	0.0	.20	:	.10	.07		1.20	13.34 1
Oroydon (Vdml.rd.)		96.	0.0	:	:	:	•	:	•	:	:	:	:	:	:	:	:	.04	:	•	:	:		20.	80.	:	$\cdot 12$.12		1.23	13.24 1
Oroydon (Dup. H.)		.0. 1		:	:	:	:	:	:	:	:	.01	:	:	:	:	:	· 0·	:	• 6	TO.	:	: 01.	.03	.15	:	.12	.11		1.26	3.96 1
Oroydon (.br.N.nW)				:	:	:	:	:	:	:	:	:	:	:		:	:	.04	:	:	:	:	0.00	0.5	.16	:	.12	.13		1.26	13.99 1
Croydon (Brim. Bn.)	ا نر			:	:	:	:	:	:	:	:	.01	:	:	:	:	:	Ť0.	:	:	:	:	. 10	80.	.12	:	•10	.15	•	1.22	12.57 1
Bedding- ton		40 ÷	.03	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	• 10	.03	.5.	:	.12	.18	:	1.48	14.55 1
notgnillsW	IN.		.05	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.04	:	• 6	.0.	:	• 20	.05	.21	:	II.	.15	:	1.60	14.84 1
Carshalton				:	:	:	•	:	:	:		:	:	:	:	:	:	:0.5	:	:	:	:	* 30		.24	:	.11	:	:	1.28	14.39 1
Benhilton				:	:	:	:	:	:	:	:	:	:	:	:	:	:	:0.	:	• •	.0.I	:	: 37	50.	.56	:	.13	.16	:	1.51	13.44 14
(Sew.Wks.)	· i			:	:	:	:	:	•	:	:	:	•	:	:	:	:	.03	•	• 0	.03	:	• 10	80.	.26	:	•14	91.	:	1.56	14.20 18
(Waterwk.)	· Z			:	:	:		:	:	:	:	:	:		:	:	:	.0.	:	•	.05	:	• 50	.00	68.	:	.10	·15	:	.66	14.59 14
Banstead Gutton				:	:	:	:	:	:	:	:	:	:		:	:	:	.03	:	:	.01	:		70.	-13		.50	.16	:	.79 1	72
thodexO				:	:	:	:	:	:	:	:	:	:	:	:	:	:	.05	:	•	.01	:	• 13	3 70	90.	:	.15	+54	:	1.61	16 16
D'Abernon Chase					:	•	:	:	:	:	:	:	:	:	:	7:	:	.03	:	:	:	:			10		.13	.20	:	1.58	19 14
Leather- head monredA'G					:	:	:	:	:	:	:		:	:	:	:	:	.03			.04	:	• • •	H 0.	60.		80.	.15	:	.97	17.55 15.37 15.19 14.16
Hedley					:	:	:	:	:	:	:	:	:	:	:	:	:	: :	:	:	:	:	. 30	00.	.11	:	.11	.19	:	1.17	.55 15
Burgh Heath	-				:	:	:	:	:	:	:	:	•	:		:	:	.0.	:		.03	:	• à(000	.15		80.	15	:	1.38	18.13 17
Day of Mo.		_			5	9	_	00	6	0	_	2	ന	4	0	9	_	18 61				· co									18
11 12 V.O.										_	-		-	_	-	_	_		2	07	27 0	2/1 (21 0	3 3.	3	63	2	33	ಣ	7	

. The figures in this row give the totals for the month.

July, 1904.

+ The totais irom January 1st.

West	IN.	08.	.03	:	:	:	:	:	:	:	• 5	10.	:	:	:	:	:	.05	:		T 0.	:	.52	.03	80.	• 1	.15	22.	:	1.46	11.82
Streatham	IN.												Œ	ISV	CIE?) ((H)	вес													
Wandswth.	IN:	25	:	:	:	:	:	:	:	:	• 0	70.	:	:	:	:	:	.0.5	:	:	:	*-	.63	.04	.11	• (. To	.16	:	1.5	11.95
Putney Heath	IN.	.37	.01	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	69.	.05	.13	.01	07.	.16	:	1.64	11.83
Bichmond	IN.	.45	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.0.	:		ĪŅ.	:		.12	.19	• 0	.19	.30	:	2.02	
Kingston (CountyH.)	IN.	61.	60.	:	•	:	:	:	:	:	:	:	:	:	:	:	:	.04	:	:	:	:	.41	.13	.31	• ;	61.	.21	•	1.75	12.00 13.07 12.82 12.63
Kingston (Sew.Wes.)	IN.	.31	:	:	:	:	:	:	:	•.	:	:	:	:	:	:	:	::	:	:	:	:	: 4	.14	.25		.50	.83	:	1.80	13.07
notidans	N.	-14	.02	:	:	:	:	:	:	:	:	:	:	:	:	:	•	.03	:	• 6	70.	:	.30	.16	.19		.18	.56	:	1.65	12.00
West	IN.	24.3	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.0.	:	:	:	:		.32	.25	:	.16	.43	:	2.15	12.68
Esper	IN.	.34	.03	:	:	•	:	:	:	:	:	:	:	:	:	:	:	.05	:	•	:	:	- 50	.53	.22	:	.15	.30	:	1.72	12.19
Worcester Park	IN.	.34	•03	:	:	:	:	:	:	:	:	:	*	:	:	:	:	.04	:	:	:	:	.48	.14	.50	:	.13	.17	:	1.63	12.66
Malden	IN.	.20	<i>,</i> :	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	• 00	.11	.18	:	.12	.14	:	1.28	9.37
Каупеs Рагк				:	:	:	:	:	:	:	:	:	:	:	:	:	:	.05	:	:	:	:	.47	.05	98.	:	.15	.17	1:	1.57	12.21
aobeldmiW (IlimbaiW)	IN.			:	:	:	:	:	:	:	•	:	:	:	:	:	:	.03	:	• 1	.01	:	57	90.	.25	:	.50	.17	:	1.71	12.65 12.21
Wimbledon (sawo(Jəd'l')	IN.	.23	0	:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	. !	10.	:	. 70	• 0.	.22	:	.17	•18	:	1.48	
Wimbledon (Sew.Wks.)	N.	25.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:0:	:	:	:	:	.60	.03	.22	:	91.	.17	:	1.48	11.18 12.39
Могаеп	IN.	21.	:	:	:	:	:	:	:	:	•	. •	:	:	:	:	:	.03	:	• 7	10.	:	.47	.04	.56	:	.15	.15	:	1.56	14.06
Beddington Corner	`	000		:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	* 0	.01	:	, M	0.02	.25	•	.12	$\cdot 15$:	1.36	
South	IN.	0 57	.05	:	:	:	:	:	:	:	:	:	:	:	:	•	:	.05	:	:	:	:	.57	0.	.18	:	.14	.12	:	1.39	13.59 13.37
Anerley		777	90.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	÷0.	:	:	:	:	. 75	.01	.03	.03	20.	60.	_	-	
Вескепрат				:	:	•	:	:	-:	:	• (.01	:	:	:	:	:	:04	:	:	:	:	.64	1 :	•04	:	.11	60.	:	1.25	3.36 10.39
Bromley	_		_	:	•	:	:	:	:	:	:	:	:	:	:	:	:	03	:	• 7	70.	:	.73	· ·	.05	:	.10	.13	:	1.45	
Bromley				:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	.70	.01	.14	:	.15	.13	:	1.44	11.73 12.76 13.64 13.24 13.77
Bickley			-	:	:	:	:	:	:	:	:	:	• 1	:	:	:	:	.03	:	:	:	:	:		.27	:	•14	.13	:	1.55	3.64 1
terndəlsidə	IN.	: 50		:	:	:	:	:	:	:	:	:	:	:	:	:	:	.03	:	:	:	:	: 0	.01	.22	:	60.	.13		1.58	2.76 1
Southfleet	IN.	.58	.02	:	:	:	•	:	•	:	• !	.05	:	:	:	:	:	.03	:	:	:	:	: &	3 :	.12	:	.01	.11	:	1.41	1.73 1
OM to QBU		7 6	ന	4	00	9	2	00	5	10	11	12	13	14	15	16	17	138	20	21	22	22	42.6	26	27	28	53	30	31	*	+

U. Morwood .U (4s.)

U. Norwood (Dul. W.Pk.) Day of Mo.

(J An exceed month. Wi	1899 and 19	is the high	many years	drought bet	in many pl	of the 25th	trict, and w	London ares	healthy one	has brough	and the c	Abinger on	and the cel	parts of the	Ashburton]	somewhat ra	tical lunar b	halo with pa	wich on the	paraselenæ	(Asnburton	raintall va	mean to ago	mean tembe	average, and	House) 66°	Wallington	65°-0, and a	were recor	hours of sur	or 14 per c	of the fiftee	only been ex	F
Southwark Park	IN.	90.	.25	:	:	:	:	:	:		:	:	.01	:	:	:	:	:	. (70.	:	:	:	• à	co.	1.38	.05	:		•14	.50	:	2.13	10.72
Deptford	IN.	.03	.56	:	.01	:	:	:	•	:	:	:	.01		:	•	:	:		÷0.	:	: 5	10.	:	. 1	1:31	-0.5	.03	:	.15	.10	:	1.97	11.22
Отеепүіср	IN.	.03	.30	:	.01	:	:	•	:	:	:	:	:	•	:	:	:	:	. 0	.03	:	: [10.	10.	• 1	1.55	.05	÷0.	:	.15	80.	:	2.23	12.45
Telegraph Hill			.32	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	• 6	•04	:		70.	:	:	1.30	.04	.05	:	.20	-11	:	2.08	12.02
Battersea (S&VWC)	IN.	80.	•29	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	• 7	TO:	:	:	:	:	• 1	.73	.03	.01	:	.14	.05	:	1.34	8.43
Battersea Park	IN.	90.	.40	:	:	:	:	:	:	:	:	:	.05	:	:	:	:	:	• 6	.03	:	:	:	:	- 1	82.	80.	.02	:	.18	.20	:	1.79	12.36
Clapham Park	IN.	.07	.25	:	:	:	:	:	:	:	:	:	.01	:	:	:	:	:	• 6	co.	:	:	:	:		.61	.04	-07	:	.17	•19	:	1.46	12.51
позхітЯ	IN.	90.	.15	·14	:	:	. •	:	:	:	:	:	.03	:	:	:	:	:	• 6	<u>.</u>	:	:	:	:	• 1	.73	0.	.08	:	.15	.16	:	1.60	11.09
Brockwell Park	IN.	.07	.25	.04	:	:	:	:	:	:	:	:	.03	:	:	:	:	:	• 6	.03	:	: 5	70.	:	• 1	.87	.03	90.	•	.19	.20	:	1.77	13.21
Nunhead	IN.	•04	.29	:	:	:	:	:	:	:	:	:	.01	:	:	:	:	:	• (.03	:		10.	:		1.09	.05	•04	:	.15	.10	:	1.78	60.6
Eltham	IN.	.03	.14	90.	:	:	•	:	:	:	:	:	:	:	:	:	:	:	. (:	:	:	:		1.20			:	•14	.15	:	1.87	13.09
odtidasstD	IN.	:	.12	·II	.01	:	:	:	:	:	:	:	:	:	:	:	:		. (:	:	•	:	:	:	:	1.00	:	:	:	:	1.26	7.54
Dartford	IN.	.01	.56	.15	:	:	:	:	:	•	:	:	.01	:	:	:	:	:	:	:	:	:	:	:	:	.78	:	:	:	-05	.15	:	1.38	11.59
-gnimliW not	IN.		.22		:	:	:	:	:	:	:	:	.03	:	:	:	:	:		÷0.	:	:	:	:		89.	:	.24		.01	.25	:	1.48	11.79 11.59
quobi8	IN.	.02	.18	80.	:	:	:	:	:	:	:			:	:	:	:	:		÷0.	:	:	:	:	:	1.27	.01	.13	:	60.	.11	:	1.93	11.93 13.10
Forest Hill (S&VWC)			.24			:	:	:	:	:	:	:	.01	:	:	:	:	:	•	.05	:	. 7	10.	:	:	es S	.05	80.	:	.15	60.	:	1.55	
Forest Hill Dartm.rd.)	IN.	90.	.26	.03	:	:	:	:	:	:	:	:		:	:	:	:	:	:	90.	:	:	:	:	:	-74	.02	90.	:	•14	.10	:	1.46	11.95

NOTES.

July, 1904.)

The month has been a The dry hot weather orn harvest began about Road, Crovdon, reports the bar" on the 22nd. A solar out one-half the mean. The erature is about 3° above the t Warlingham 63°.6. There nlight, which is 68.6 hours ent, above the July average n years 1886-1900, and has as especially severe in the the 29th. Potato disease Road) on the 24th. The ries in amount from the d was at Croydon (Duppas ded at Wallington 278.7 900, the mean temperature . There was an absolute ween the 3rd and the 19th laces. The thunderstorm was felt all over the dist forward the corn crops, ery-fly are rather bad in e district. The observer at are phenomenon of a "verarhelia was seen at Green-31st, and a lunar one with at Greenwich and Croydon 65.1, at Worcester Park lingly warm and also a dry ith the exceptions of July, est for July for a great 1, at Chipstead 65°.5, at seeded in 1887 and 1900.

F.R.Met.Soc., Hon. Sec. CAMPBELL-BAYARD,

The figures in this row give the totals for the month.

desired to the country

12.80 12.46 11.9

1.13

1.39

The totals from January 1st.

Charles of Landson

	stead		•	•	07		• 7),	•	•	80	:	.03	19	11	:	:	:	15	• 1	0.0	:	:	:	. 20	50	533		79
	Sander-	IN	•	•	ب. —	•		ب 	_	_	. <u>.</u>	_		•		_											-		16.79
1904	Kenley (Place F'ell)	IN.	:	:	:60	:	:	:	:	:	.10	:	:00	::	.30	:	:	:	.12	:	.03	:	:	:	60.	20.	1.56) i	17.91
	(Hazelea)	IN.	:	:	.08	:	• 6	10.	:	:	.12	:	.03	.26	90.	:	:	:	.13	.02	.01	:	:	:	:	.10	1.50	00 1	17-86
August,	-gailasW mad	IN.	:	:	.10	:	: 7	10.	•	:	.12	:	.00	: :	•33	:	•	:	.10	.81	90.	.05	:	:	:	. 0	0.48		20.87
	Chelsham	Ä											ner	Z G	тнј	LNO	M										1.64		18.39
	Зеуепояка	ï.	•	:	.0·	:	:	:	:	:	.23	*.	.0.	17	.14	:	:-	: [.43	60.	.04	:	:	;	• 0	0 1	08.1	20 7	16.71
ins.	Shevening AraT	IN.	:	:	: :	:	:	:	:	:	.16	• !	.21	.03	.56	:	:	:	.27	.04	: :	90.	:	•	:		07.		19.29
2.31	Knockholt (tower ga.)	N.	:	:	.16	:	• 6	70.	:	:	:::	*.	.07	60.	.50	:	:	:	.31	:	.04	:	:	:	3	.60	00.		14.04
is	Knockholt (field gau.)	ï.	:	:	.18	:	• 0	÷0:	:	:	.12	;	:0:	.10	.22	:	:	:	:29	:	:::	:	:	:	:	• 1	C).	16.7	18.69
August	Westerham (Town)	E.		:	:13	:	• 6	50.	:	:	:18	:	:::	.17	ij	:	:	:	:19	:	90.	:	:	:	:	• • •	1.67		18.56
for 1	Westerham (Hill Est.)	N.	:	:	.i.	:	.01	• (:	.13	:	:08	:12	: :	:	:	: 5	17	:	:0		:	.:	• 1	, ,	47.		17.55
	Caterbam	IN.	:	:	:::	.01	* 0	.03	:	:	:13	:	.10	.30	.10	:	:	: 5	13.	·0 4	90.	.01	:	:	• 0	90.	60.		19.48
Greenwich	Chaldon	IN.	•	:	.10	:	.03	:	:	:	:::	:	:08	.30	90.	:	:	:	.10	•04	.05		:	:	• 6	#O.	.63	66.1	18.52 1
	Chipstead		:	:	:13	÷0.5	. (0.5	:	:	:::	:	.03	.24	.13	•	• .s	:	:14	•04	.0.	:	:	:	:	40.	_!		17.86 1
erage	SettoO	ا بررا											SED.	CEV	ан	cco	ы							-	_		- -		-
average at		ا بررا		_	.00		_				• 00					200	·	-	• 67	4	• 4			-	• (no 1			
	Merstham Harp's Oak Cottage	IN. IN.	:	:	:0:	:	:	:	:	:	.18	:	:00	.51	115	:	:	:	: 67	ŧ0.	:0		:	:	• (.03	Lg.	Te.T	17.07
	AsO s'qrsH Octtage	IN. IN.	:	:	60. 61.	.01	.03	.05	:	:	.15	:	80.	.6.	60.	:	:	•		•04	:0		:	:	• 3	.05	.64 .57	Te.I 09.I	18.90 17.07
(1841–1900)	Merstham Harp's Oak Cottage	IN. IN. IN.	:	:	.15 .19 .09	01	03	.01 .02	•	:	.15 .18	:	80. 80. 80.	.51	60.	:	:	• • • • • • • • • • • • • • • • • • • •	.18 .15	•04	:0		•	•	. 3	.05	75. 49. 95.	1e.1 08.1 /e.1	16.07 18.90 17.07
years (1841–1900)	Upper Gatton Merstham Harp's Oak Cottage	IN. IN. IN.	•	:			:	-01	:	:	92. 14 .15 .18	:	80.	.13 .28	60.	:	:	:	eo.	.03 .03 .04	:0		•	:	. 3	.05	75. 49. 95.	Te.I 09.I	17.67 16.07 18.90 17.07
years (1841–1900)	HeigateHill Upper Gatton Merstham Harp's Oak	N. IN. IN. IN. IN.	•	:	.12 .10 .15 .19 .09	.01		.01	:	:	51. 41. 92. 13.	:	80. 80. 80.	.13 .28	.10 .23 .09 .15	:	:	:	eo.	•03 •04	.03		:		. 3	.05	76. 64. 55.	1e.1 08.1 /e.1	16.07 18.90 17.07
(1841–1900)	Nutfield (newgauge) Buckland ReigateHill Upper Gatton Merstham Harp's Oak	IN. IN. IN. IN. IN.	:	:	60. 61. 61. 61. 61.		.01	.01 .01	:	: : : : : : : : : : : : : : : : : : : :		:	80. 80. 80.	.99 .94 .13 .28 .21	.10 .23 .09 .15	:	:	• • • • • • • • • • • • • • • • • • • •	eo.	.02 .03 .03	.01 .05		:	:	. 3	g0. Z0. g0.	65 40 56 64 57	re.r 08.r 76.r 09.r 29.r 19.	17.67 16.07 18.90 17.07
he sixty years (1841–1900)	Nutfield (newgauge) Buckland Buckland ReigateHill Upper Gatton Merstham Harp's Oak	N. IN. IN. IN. IN. IN. IN.		: : : : : : : : : : : : : : : : : : : :	60. 61. 61. 01. 61. 61.		.0. 01	.01 .01	:	: : : : : : : : : : : : : : : : : : : :	.21		.10 80 80 08 08	.50 .60 .60 .60 .60 .60 .60 .60 .60 .60 .6	17 17 10 23 09 15	:	:	• • • • • • • • • • • • • • • • • • • •	60. 10.	.02 .03 .03	.09 .01				. 3	60. 60. 60.	65 40 56 64 57	re.r 08.r 76.r 09.r 29.r 19.	$\cdot 39 \mid 18.19 \mid 17.67 \mid 16.07 \mid 18.90 \mid 17.07 \mid$
The sixty years (1841–1900)	Medhill (Linkfd.la.) Wutfield (old gauge) Wutfield (newgauge) Buckland Buckland ReigateHill Upper Gatton Merstham	IN. IN. IN. IN. IN. IN. IN.		: : : : : :	93 51. 01. 51. 61.	010.	.0. 01	.01 .01	: : : : : : : : : : : : : : : : : : : :	: : : :	.21		.i. 01. 01. 01. 01. 01.		17 17 10 23 09 15	:	:	• • • • • • • • • • • • • • • • • • • •	60. 10.	02 03 03 04	.09 .01		:	:	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	0. 20. 0. 0. 40.	75. 40. 55. 40. 56. 45.	re.r 08.r /e.r 09.r 29.r 19.r	16.39 18.19 17.67 16.07 18.90 17.07
The sixty years (1841–1900)	Morking (The Hall) (Orking (Denbies) (Inhled (Inhled (Old gauge) (Intheld (Newgauge) (Newgauge) (Newgauge) (Ogeland (Oge	N. IN. IN. IN. IN. IN. IN. IN. IN. IN.	:	: : : : : : : : : : : : : : : : : : : :	.0.	010.	.03 .01 .02 .01	.01 .01	:	: : : : : : : : : : : : : : : : : : : :	.21 .21	:	100808	.39 .99 .99 .91 .98 .91 .98	17 10 23 09 15	:	:	• • • • • • • • • • • • • • • • • • • •	60. 10. 10. 41.	07 02 02 03 04	0.9		: : : : : : : : : : : : : : : : : : : :	:	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	09.	re.r 08.r /e.r 09.r 29.r 19.r	16.39 18.19 17.67 16.07 18.90 17.07
The sixty years (1841–1900)	Abinger (The Hall) (The Hall) (The Hall) (Dorking (Denbies) (Linkleld.la.) (Nutfield (newgauge) (newgauge) (newgauge) (newgauge) (newgauge) (newgauge) (newgauge) (newgauge)	4, IN.	:	: : : : : : : : : : : : : : : : : : : :	.0.	.0.	03 .01 .02 .01	01 .01 .01	:	: : : : : : : : : : : : : : : : : : : :	.19 .21	:	.0. 4000000000.	.39 .99 .99 .91 .98 .91 .98	08 09 80 71 71 71 80 80	:	:	• • • • • • • • • • • • • • • • • • • •	0. 10. 10 06.	.0 07 00 00 00 004	.09 .09 .01		: : : : : : : : : : : : : : : : : : : :	:		0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	71 .60 .64 .63 .40 .56 .64 .57	re.r 08.r /e.r 09.r 29.r 19.r	16.39 18.19 17.67 16.07 18.90 17.07
he sixty years (1841–1900)	Minger (The Hall) Oorking (Donkies) Redhill (Linkféld (Old gauge) Nutfield (newgauge) Buckland (newgauge) ReigateHill Marp's Oak	N. IN. IN. IN. IN. IN. IN. IN. IN. IN. I		: : : : : : : : : : : : : : : : : : : :	66. 66. 96.	.0.	03 .01 .02 .01	01 .01 .01	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :	12. 12. 19. 19.	•	.0. 4000000000.	.03 .25 .35	08 09 80 71 71 71 80 80	:	:	• • • • • • • • • • • • • • • • • • • •	60. 10. 10	07 .02 .03 .03 .04	.07 .07 .09 .09 .00		: : : : : : : : : : : : : : : : : : : :			60. 20. 60. 60. 40. 40. 40.	75. 40. 54. 55. 40. 56. 57.	re.r 08.r /e.r 09.r 29.r 19.r	$\cdot 39 \mid 18.19 \mid 17.67 \mid 16.07 \mid 18.90 \mid 17.07 \mid$

+ The totals from January 1st.

steames in this row give the totals for the month.

Day of Mo.

* The figures in this row give the totals for the month.

August, 1904.

							_									_	_									_						
-gainre4 IliH mad	IN.	•	•	•	.10	:	:	• 6	10.	:	::	:	:0	3	:-	.16	1			•	.22	.13	:				:	:	.04	.56	1.55	15.64
notgniqrO	IN.	:		:	.16	:	:	:	:	:	90.	:	.07	5	.17	÷	1			:	. cc						:	:	Š	.67	1.63	15.32
Науев	IN.	:	:	:	01.	:	:	:	:	:	.12	:		8	.00	2	07				.55	.03	.01						•	88	1.65	16.56
West Wickham	IN.	:	:	:	80.	:	:	:	:	:	:08	:	.00	0	.1.	61.	1			:	80.) .					:	:	•	1.05	1.57	
notgaibbA .tS.qmuT)	IN.	:	:	:	.10	. 1	.01	.01	:	:	60.	:	:0:	H 0	0.6.	0 :	7			•	: 0	0.	.01	.01) (•	:	80	66.	$1.7\overline{0}$	17.30
Addington (Park Fm.	IN.	:	:	:	60.	. 1	.01	.05	:	:	:00	:	: 5	# 0	.14	17	0.4	:	:	:	6	1		Ģ			:	:	:	1.00	1.72	18.16
notgaibbA slliH	IN.	:	:	:	90.	:	.01	.01	:	:	.00	:	: 0	30.	10.	2 -	OT.	:	:	:	. Ċ	5	60.	50	.01			:	.06	-94	1.64	16.32
Croydon (Avond rd.	IN.	•	:	:	60.	:	.01	.05	:	•	60.	:	. 0	30.	10.	100	60	:	•	:	• 00	50.	.0.	.00	1	:	•	:	90.	2 4	1.82	18.20
Croydon (Ashbn.rd.	IN.	:	:		20.	:	.01	.01	:	:	20.	:	:00	200	200	000	07.	:	:	:		5	10.	70	•	:	:	•	: [1.00	1.59	16.37
Croydon (Park Hill	IN.	:	:	:	90.	:	:	.01	•	0	90.	:	: 6	0 0	TO G	100	00.	:	:	:	.0.	5	1	: 5	10	•	:	:	90.	9 0	1.55	14.89
Croydon Wdml.rd.		:	:	:	60.	:			:	:	.07	:		TO.	.03	777	GO.	:	:	:	.00	00	:	:	:	:	:	:	:	1.00	1.58	14.82
Croydon (Dup. H.)	ż	:	:	:	80.	.01	:	.01	:	:	.0.	:	: 6	20.	10.	770	60.	:	:	:		9 5	10	: 5	7	:	:	:	• 0	000	1.66	15.62
Oroydon (Vm.N.rd.		:	:	:	80.	•	•	.01	:	:	90.	:	: 6	50.	: 6	# 17	70.	:	•		. c	04	:	:	:	:	:	•	:	1.00	1.68	15.67
Oroydon (Brim. Bn.	IN.	:	:	:	.10	:	:	.01	:	:	90.	:	• 6	70.	10.	07.	01.	:	:	:	. 0	# 9	.0.	TO	:	:	:	:		#0.	1.59	
-gaibbə8- ton	ż	:	:	:	.11	•	:	.03		:	.07	:	• 0	70.		200		:	:	:	• E	1.0	TO	:	:		:	:	• 0	60.	09.1	16.15
rotguillsW		:	:	:	.13	:	:	•05		:	.08	:	: 6	en.	. 6	#77 -	01.	:	:	:	. 0	00	:	:	:		•	:	• 5	60.	1.54	
Carshalton ————————————————————————————————————	IN.	:	:	.03	.15	:	:	.0.	:	:	.08	:	• 6	70.	.05	-	91.	:	:	:	• 6	020	70	:	:	:	:	:	• (en.	1.71	
Benhilton	N.	:	:	:	.11	:	.01	.0.	:	:	:00	:	• 7	.01	.05		62.	:	:	:	• 0	000	TO.	:	•	:	:	:	• 1		67.	
Sutton (Sew.Wks.)	'X		:		.12	:	:	.01	:	:	.10	:	• 6	70.	.05	22.0	<u>0</u> 0.	:	:	:	• •	₹T.	:	•	:	:	:	:	• 1	0.0	1.50	
Sutton (Waterwk.)	'Z	:	:	:	.11	:		.01	:	:	.0.	:	• 6	-05	• (.55	60.	•	:	:		30	TO.	:	:	:	:	:		co.	1.77	16.26 1
bastead	1 .	:	:	:	.12	:		: :	:	:	.1.	:	. (.03	• (.56	.07	:	:	:	. (77.	TO.	. 0	en.	:	:	:		#O.	1.6.1	£0.
ttodexC	1.	:	:		42.	:		: :	:	:	: 4	:	• •	.03	. (.58	.10	:	:	:		91.	10.	:	:	:		:	• !	.03	6).	15.00 18
О.Арегиоп	IN.	:	:		.23	:		: :	:	:	.17		• •	÷0.	• 6	.30	80.	:	:	:	• 1	cT.	:	:	:	:	:	:	. !	.03		6.07
heather-	ż	:	:		.19	:	.05	:	:	:	: 4	:	. !	.03	• 1	.31	20.	:	:	:	.05	91.	en.	. 0	70.	:	:	:	• (90.		
Hedley	-			:	: ::			: :	:	:	.0.4	1 :	:	.03		.59	60.	:	:	:	• !	17.	.T3	:	:	:	:	:		90.		0.41
Surgh Heath	I.Y.	:			.11:	60.	.03) .	:	:	:10	:		.03		.04	.31	:	:	:	• (Σ.Τ.	#0.	*04 0.0	90.	:	:	:	• !	200		0.00
Journe	L										10																					0

Ine sexty years (1841-1900) average at Greeneich for August is 3.31 ms.

August, 1904.

; -	West Norwood		:	:	.13	:	:	.01	:	:	.08	:	• 0	9 5	1 20	.10	:	:	:	: =	.03	.01	10.	:	:	:	:	:	-93	1.78	13.60
u	Streatha	IN.											ED,	SY	CE	ая	CO3	вЕ													- ' - '
	Wandsw Common		:	:	.15	:		:	•	•	.10	:	.03	5	.14	.21	:	:	• 5	1000	.03	• 5	TO.	:	:	:	:	• (88	1.75	13.70
	Putney	IN.	:	:	.15	:	:	:	:	:	.12	:	:0	1	67	.13	:	:	• 6	84.	.02	• 5	10.	:	:	:	• •	₹O.	06.	5.09	13.91
pt	Кісһтог	IN.	:	:	:21	,•	:	:	:	:	.12	:	:0	1	.50	.10	:	:	• 6	60.	:	• 6	TO.	:	:	:	:	. 0	96.	1.88	14.51
(.H	Kingstor (County)	IN.	:	:	.19	:	:	:	:	:	:18	:	:0	1	.TO	.28	:	:	• 0	000	:	:	•	:	:	:	:	• 1	-87	1.94	14.76
	Kingstor (Sew.Wb	IN.	:	:	.20	:	:	:	:	:	:14	:	:	:	:30	20.	:	:	* 6	.03	.01	• 0	10.	:	:	:	• (.03	.93	1.96	15.03
1	notiding	IN.	:	:	:18	:	:	:	:	:	.12	:	:5	H	.27	11.	:	:	• 0	.17	:	• 7	70.	:	:	:	• (70.	.81	1.82	13.82
:	Mest	IN.	:	:	.24	:	:	:	:	:	.12	:	:	:	.21	.12	:		• ?	. i	.01	:	:	:	:	:	:	:	.74	1.59	14.27
-	Esher	IN.	:	:	.16	•	:	:	:	:	.10	:	.0.	3	.27	60.	:	:	:	. 70	0.10	:	:	:	:	:	• 1	10.	.61	1.43	13.62
19	Worcest Park		:	:	.17	:	• 1	.01	:	:	.13	:	:5	1	.32	60-	:	:	• 6	. 10	.01	:	:		:	:	• 1	.07	.78	1.77	14.43
-	New Malden	IN.	:	:	:18	:	:	:	:	:	:: :::	:	: ë		.30	.10	:	:	: 3	70		:	:	:	:	:	(60.	883	1.74	11.11
-	Raynes	IN.	:	:	.13	:	:	:	:	:	:::	:	.03	0	:32	60.	:	:	• 6	.17	.02	• (70.	:	:	:	• 1	20.	.92	1.88	14.09 1
	osldmiVV (mbniVV)	IN.	:	:	.16	:	:	•	:	:	.14	:	:	•	.36	.12	:	:	:	.40	.02	• 6	TO.	:	:	:	• 1	.05	96.	2.53	14.87 1
(su	oəldmiW 700 (The	IN.	:	:	.14	:	:	•	:	:	.13	:	:0	10.	.27	.10	:	:	• 6	.93	0.0	• 0	70.	:	:	:	• 0	90.	-98	2.00	14.39 1
(.SZ	$W^{\mathrm{imble}}(W,W^{\mathrm{s}})$	IN.	:	•	.12	:	•	:	:	:	.10	:	:0.	,	.25	-11	:	:	:	: 00	.03	• 5	10.	:	:	:	• 0	08.	.84	1.97	13.15 1
-	Morden	IN.	:	:	.12	:	• 6	10.	:	:	.00	:	:6	1	.08	.33	:	:	:	.50	i Ō.	:	:	:	:	:	* X	30.	.81	1.72	15.78 1
-	Bedding Corner	K.	:	:	.12	:	: 5	10.	:	:	.07	:	:0	.02	42.	•10	:	:	:	60		:	:	:	:	:	:	• 0	96.	1.62	14.99
-	South	IN.	. 0	:	.0.	:	:	:	:	:	:08	:	.03		.24	60.	:	:	:	. yC	.03	• 6	e0.	:	:	:	:	• • •	10.7	1.72	15.31
-	Anerley	_	:	:	·0·	:	:	:	:	:	.04	:	:5		: :	.31	:	:	:	.04	·01	.03	10.	:	:	:	:		- 1	.84	.23
me	Вескепр	IN.	:	:	.07	:	0.0	70.	:	:	.05	:	:03	0.	202.	01.	.01	:	:	: 6:0:	·01	. 0	70.	:	:	:	• 0	000	7.7.	1.42	1.78
_	Bromley	_	:	:	60-	:		70.	:	:	.0.	:	.03	.02	•19	.10	:	;	.03	.20	.03	:	:	:	:	:	• 60	00	e).	1.55	5.32 14
	Bromley		:	:	-0.2	:		70.	:	:	:08	:	:0:		.20	11.	:	:	.00	.10	:	:	:	:	:	:	:	1 .		1.38	1.62
	Bickley		:	:	.08	:	:	:	:	:	60.	:	.0.		.18	.11	:	:	60.	.19	:	:	:	:	:	:		#0.		1.55 1	13.33 14.23 15.19 14.62 15.32
	·	IN.	:	:	.0.	:	:	:	:	:	::	:	:0:		15.	.11	:	:	:	.16	:	:	:	:	:	:	• • •	000		1.47	.23 15
	Southfie		:	:	90.	:	• 5	10.	:	:	.17	:	.0.	.01	.14	.14	:	:	:	.29	.10	:	:	:	:	:	• 1	00.		1.60 1	.33 14
	Day of		-10	7 0	0 41	0	0 0	- 0	00	201	11	12	51 1	15	16	17	2 2	13	91	22	23	24	96	0 0	900	070	000	91		*	+ 13

* The figures in this row give the totals for the month.

(August, 1904.)

ely warm, though the nights have e 11th, 20th, and 24th. There was e district, and a slight one in places the 22nd. Many solar and lunar los were seen at Greenwich, and a ar one was observed at Upper Gatad on the 14th. The month, as a eria and scarlet fever, and some all-pox cases in Croydon and the ghbourhood. Apples and plums ean temperature of the month has o.3, at Wallington 61°.6, at Worcester 2.6 hours of sunlight, which is 44.3 2. 14.2 hours, is the highest daily The month has been dry, in fact it the driest August since 1899, and sn somewhat cold; the observer at inger Hall even reporting frosts on hunderstorm on the 4th throughout n and Sutton on the 1st, and at per Gatton on the 3rd. The swaluble rainbow was seen at Sanderough there have been cases of diphen slightly above the average, and us at Croydon 62°.7, at Chipstead here were recorded at Wallington urs or 10 per cent. above the August d has only been exceeded in 1887 e, has been a fairly healthy one, rk 61°.5, and at Warlingham 60°.5. d 1899. The sunlight on the 3rd erage of the fifteen years 1886-1900 vs left Nutfield on the 27th. ve been a fairly good crop. lue for August in my record.

F.R. Met. Soc., Hon. Sec. F. CAMPBELL-BAYARD,

the reference of

is t	fair	beei	Abı	the	11 m	tne	on .	nalo	SOIS	ton		NOT Jour	dou	stea	דווידי	cua 1	tue	sma	neıg	hav	mea	pee	was	65°	Par	The	242	nou	ave	อนช	and	viz	Val	
Southwark Рагк	IN.	:	:	• • •	0.	•	:	:	:	:	• 10	en.	:	60.	1		17	90.	:	:	• E	<i>)</i> 0.	70.		.01	:	:	:	:	:	• 1	£2.	1.28	12.00
Deptford	IN.	:	:	• 0	cn.	:	:	:	:	:		₹0.	:	60.	90	• •	GT.	ēI.	:	:	• (07.	.00	.01	:	:	•	:	:	:	. 1	.79	1.38	
Стеепутісh	IN.	:	:	• •	90.	•	•	:	:	:	• • •	90.	:	.0.	20		¥2.	·II	•	:	• (60.	12	.01	:	:	:	:	:	: 3	•04	02.	1.46	13.46 13.91 12.60
Telegraph Hill	IN.	:	:	• 6	.04	:	:	:	:	:	• • •	90.	:	. ?	H O	• 6	77.7	-18	:	:	. 0	90.	.05	:	:	:	:	:	:	•	: 1	64.	1.44	13.46
Battersea (S&VWC)	IN.	:	:	• •	07.	•	:	:	:	:	• 0	en.	:		TO	• 0	07	.10	:	:	• 1	cn.	.16	0.		:	:	:	:	:	• 1	.74	1.41	9.83
Battersea Park	IN.		:	• ì	CT.	:	•	:	:	:	• 0	20.	:	:00	70	• • •	20	80.	:	:	• 6	±0.	.29	·04		.01	:	:	:	. 0	90.	.83	1.87	14.23
Clapham Park	IN.	:	:	• 1	cT.	:	:	:	:	:	. 7	TT.	:	: 0	10	TO.	0¢.	20.	:	:	:	:	.23	.01	.03	-01	:	:	:	• (.05	.03	1.81	14.32
Brixton	IN.	:	:).T.	:	:		:	:	• 0	20.	:	.00	90	• 0	GO.	.24	•	:	. (.01	.25	.05	:	.01	:	:	:	:	:	.81	1.71	12.80
Батк ВтоскwеП	IN.	:	:	• 0	7.17	:,	:	:	:	:	• 0	80.	:	:	:	• 0	200	.12	. 1	·01	:	:	80.	:	.01	:	:	:	:	:		1.03	1.83	15.04
Nunhead	IN.	:	:	• 6	•03	:	:	:	:	:	• ?	.0 ₄	:		70.	• 6	.73	.10	:	:			.03	:	.03	:	:	•	:	:	:	.56	1.05	10.14
Eltham	IN.	:	:	• (cn.		:	:	•	. 1	.01	.0.	:		70	• 0	20	.14	:	:	:	:	•16	:	:	:	•	•	•	. !	.03	.81	1.47	14.56
Greenhithe	IN.	:	•	• (.05	.04	:	:	:	:	• 0	90.	:	:	:	:	:	.17	:	•	•	:	.17	.03	:	:	:	:	:	:	:	64.	26.	8.51
Dartford	IN.	:	:	• 1	20.	:	. 1	.02	•	:	• (200	:	:	:	• (07.	.10	:	:	:	:	.50	.03	:	:	:	:	•	•		.63	1.32	12.91
-gnimliV/ not	IN.	:	:	• (0	80.	:		:	:	:	• 1	.07	:	• 6	60.	*, 1	•14	.15	:	:	:	:	.22	.01	:	:	:		:		.01	.62	1.33	13.12
quopis	IN.	:	:	. (60.	:	:	:	:	:	• (60.	:		TO.	• 7	-14	15	:	:	:	:	.16	:	:	:		:	:	• !	90.	.78	1.48	
Horest Hill (S&VWC)	EN.	:	:	:	90.	:	:	:	:	:	. (90.	:	• 6	.ns	• (.55	.15	:	.01	:	.05	•04	:	.05	.01	:	:	:	:	.02	68.	1.62	13.55 14.58
HiH tseves Dartm.rd.)	N N	:	:	:	90.	:	:	:	:	:	:	.05	:	- 0	.03	:	ij	.28	:	:	:	-01	90.		•04	.01	:	:	:	:	:	.88	1.53	13.48
J. Norwood Fox H.Gs.)														тя	ьо	ян		LLY.	IL	(0)	IV												1.58	14.04
J. Norwood			:	:	.07	:	:	:			:	60.	•	:	.03	:	.23	.18		:	:	:	.10	.03	.03	•05			:	:	.05	98.	1.68	14.48
.oM to ysc	E.	-	2	60	4	5	9	<u>_</u>	တ	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	; *	+-

stead Sander-

Kenley

(Hazelea) Kenley

Warling-

E Chelsham

Park Chevening

Knockholt

Knockholt (mwoT)

(: ui t U

p ê BK u

[[i]]

E ge)

i og i sange)

(The Hall)

Signal Abinger (Rectory)

Mutfield (.sl.blifnid) . 2 2 2

HidbaA

(Denbies)

Dorking |

Abinger

St. Mary

Holmbury

Day of Mo.

E I I I Sevenoaks

in in it is in the sea.)

ing blad) in the sau.)

SSS (Place Fell)

September, 1904.

ins.

81.8

is

Westerha																											3	20	The	
Westerda (Hill Est												.36							: 🖰	.02	•16		÷0.	:	:	:18	1.92	19.47	† T	
madreta	1											.56		:	:	:	:	:	: 1	.07	•04	:	:	:	:	.27	1.46	20.94		
Chaldon	1											.25							: ::			:	:	:		.56	1.56	20.08	aonth.	
Chipstead	IN.	80.	3 C		.50	.15	.13	:	:	1:	5	.25	.01	:	:	:	:	:	:0	20.	:	.01	:	:	:	.32	1.58	19.44	the n	
sO s'qrsH egsttoO	IN.										٠.	yse	CE	ΙD	100	E	ī												als for	
Mersthan	}											01.		:	:		:		: 6			:	:	:		.24	1.49	18.56	 the tot	
Upper Gatton	IN.	.03	0.7		.19	.15	.11	:	:	: 0	en.	.22.	.01	:	:	:	:	:	:0	90.	.01	:	:	:	•	.29	1.45	20.35	 figures in this row give the totals for the month.	
HətrgiəA	1													:	:	:	:	:	: =	90.	•04	•	•	:	:	.21	1.37	17:44	is row	
Buckland	1													:					: [-				:	:		.50	1.53	19.20	s in th	
Nutfield (newgaug	IN.	000	.15	:	•23	.13	60.	:	:	. 5	0	:4.	:	.01	:	:	:	:	6.	0.0	90.	:	:	• (TO.	.25	1.76	19.95	figure	

930

:21

31

30 20 15

22,11

1.95

23

. 60

30

32

MONTHLY GAUGE.

13

02

18.31 1.43

.31

21

98

. 35 82 e totals from January 1st.

18.04

19.34

19.08

22. 19.75 1.36

88.02

98

98.1 57 18

1.59

1.80 15.84

27

lst.
7
LL.
ua
an
-
OID
fr
S
128
t
he
Th
-4
th.
ont
B
16
4
for
00
63
5
pe
43
ive
pn
OW
ED.
p.
n t
- 12
res
gur
f
The 1
H
ğe.

Charten																																	
10 10 10 10 10 10 10 10	-gainre lliH aas	I Z	60.	.12	.03	:	.01	•23	.25	20.	:	:	:0:		.15	.01	:	:	:	:	:	: ;	.03	.15	.01 .02	.05	.01	:		77	1.44	17.08	
10 10 10 10 10 10 10 10	notgnig10	Z	•14	•10	20.	:	:	.55	.11	70.	:	:	.00		•25	:	:	:	:	:	:	.10	÷0.	20.	:	.01	•	:	61.	eT.	1.33		
Particle	rayes	I	.18	:	.12	:	:	.55	15	20.	:	:			.18	:	:	:	:	:	:	:0	20.	.05	:	:	:	:	: ;	T.T.	1.33		
Particle	Vest Vickham	7 3	.15	.10	.18	:	:	•24	.20	<u>-</u> 00	:	:	.09		.20	:	:	:	:	:	:	: :	15	.03	:	:	:	:	• 0	ÇT.	1.49	17.89	
Dead Discovery	notzaibb. (.tg.qmu9) 2	.12	.10	.10	:	:	:3]	.16	.11	:	:	.0.		:21	:	:	:	:	:	:	: 0	.07	.03	:	:	:	:	• 0	ΩT.	1.45		
Part						:	:	.55	.05	-55	:	•	.04	10	.21	:	:	:	:	:	:	: 0	80.	Ŧ0.	:	:	:	:	• €	01.	1.51	19.67	
Parker P	allil	ł ,				:	:	.18	61.	.10	:	:	. 6		80.	.01	.01	:	:	:	:	:00	60.	-05	.01	.01	-01	:	• 0	QT.	1.30	17.62	
Parket P	roydon) :	.13	.11	:18	:	:	.17	.15	.11	:	:	: ;	H 0	.19	:	:	:	•	:	:		60.	.03	:	:	:	. (TO.	07.	1.47	19.67	
Banghan		() (C	133	60.	.07	:	:	.17	60.	·II	:	:	:	:	.15	:	.01	:	:	:	:	.0.	80.	.02	:	:	.01	:	- 0	ET.	1.11	17.48	
Banghar Bang	roydon Park Hill))				:	:	.14	.10	80.	:	,	: ;	0	.I.	:	:	:	:	:	:	:0:	.07	.01	:	:	:	:	• (71.	66.	15.88	
Particle		S	-13	01.	:	•	•	.22	$\cdot 15$	60.	:	:		70	.14	:	:	:	:	:	:	:0	80.	.01	:	:	:	:	• (.13	1.11	15.93	
1. 1. 1. 1. 1. 1. 1. 1.	roydon H.)	() (C)	Ŧ	60.	.11	:	.01	.15	.13	.10	:	:		60	.16	:	:	:	:	:	:		60.	.03		:	:	:	• 1	91.	1.21	16.83	
Particle	noydon (.br.N.nVi) z	.10	.08	.11	:	:	•16	.12	.10	:	:		200	.16	:	:	:	:	:	:	: Ç	60.	.03	:	:	•	:	• 1	91.	1.23	16.90	
Particol	roydon	J				:	:	.15	.15	.38	:	:	. 60.	60.	: #7.	:	:	:	:	:	:	. ē	60.	.01	:	:	:			.10	1.38		
Panghar Pang	-gaibbə aot	T	.10	60.	.11	:	:	•16	.18	.10	•	:	:0	H 0	.15	:	:	:	:	:	:	:0.	60.	.01	:	:	•	:		91.	1.23		
Panphiton Panp						:	:	•14	.16	Ξ.	:	:	: 3	Ŧ,O	.17	:	:	:	:	:	:		.12	.02	:	.05	.01	:	.01	.15	1.38		
Purph Purp	notishsus	S C	.08	60.	.12	:	:	.13	20.	.15	:	:		000	.13	:	:	:	:	:	:	.0.		.12	:	.01	:	:	:	.11	1.25		
Purph Purphh Purph		-				:	:	.14	.22	.05	:	:		60.	.15	:	:	:	:	:	:	:	:10	.31	•	:		:	:	.10	1.48	16.75	
Parteadh	utton Sew.Wks.)	s) =	.00	80.	.12	:	:	.13	.12	-11	:	:	2:	70.	.10	:	:	:	:	:	:		1 -1	60.		:	:	:	:	÷	1.17	16.96	
Theather is a second of the se	notin (.AwreteVk.)	S 2	.05	7	.17	:	:	.12	.11	.10	:	:	. ?	Ŧ0.	.12	:	:	:	:	:	:	.00	3 5	.07	:	:	.02	•	:	·14	1.23	17.59	
Purph Purp	basteaa	B	· ·	.14	.12	:	:	.16	.15	$\cdot 15$	•	:	• 0	20.	:18	:	:	:	:		:		5 -	1 .		:	:	•	:	.26	1.42	19.78	
	troniez	0	.41	.10	80.		:	.30	.16	60.	:	:	• 0	80.	:53	:	:	:	:	:	:		.19	.03			:	:	:	.18	1.44	17.34	
	hase	Œ.					:	.30	.15	·14	:	:	• 6	SO.	.25	:	:	•	:	:	:	: 3	20.	90.			:	:	:	.18	1.57	18.54	
	евтрег- рева	T	.03	.03	60.		:	.19	.16	.13	:	:	• • • • • • • • • • • • • • • • • • • •	OT.	.19	:	:	:	:	:	:	.06	3 =	20.	:	:	:	:	:	+2·	1.41	18.52	
	egjež	н	.N.	60.	20.		:			.16	:	:	• 6	ęŢ.	.26	:	:	:	:	:	:	.00	000	.01		:	:	:	:	.27	1.53	20.94	
	urgh eath	B	-00	.11	.12	:	:	.17	:	.29	:	:	• •	OT.	.17	.02	:	:	:	:	:	.00	00.	.01	:	:	:		:	.25	1.51	21.51	
	.oM to ya	I	-	୍ ଦୀ	(0)	41	5	9	L-	00	6	10		77	6 T	15	16	17	180	13	07.	5 5	1 00	7	25	36	27	000	29	30	*		

Daily Rainfall.

	September, 1904.
	и.
-	S
	in
	~
	18
	0
	CA
	SS
	e
	20
	6
	nt
	36
	02
	2
	50
	Greenwich

	3
	average
	-
	20
	190
	-7
	. 4
	00
	2
	200
	years (18
	sixty
	45
	The

West Norwood	IN.	.10	90.	:	.16	.10	60.	:	•	.03	.19		:	:	:	:	:	.01	.17	.15	•	:	.01	:	.10	0 0	1.33	14.93
Streatham	IN.										ZED	OE?	D (OE	EC	I										1		
Wandswth.	IN.	.10	.02	:		11	.13	:	:	.05	.1.	:	:	:	:	:	:	•	.12	.03	.01	:	:	:	:1:	1). 1 F	c1.1	14.85
Putney	IN.	60.	.02	:	. <u> </u>	.15	60.	:	:	60.	.54		•	:	:	:	:	•		.03	:	:	:	:	: ===	1.01	12.1	15.12
Richmond	N.	# 60·	10.	:	.0.	.16	.11	•	:	.15			:	:	:	:	:	•	.17	20.		:	:	:	: 10	000	1.3n	15.87
Kingston (CountyH.)		.07	.12	:		113	•11	:	:	.0.	: 10		:	:	•	:	:	:	- 17	.04	:	:	:	:	::	2 2	65.1	16.05
Kingston (Sew.Wks.)	IN.	80.	.17	:	.0.	4	.11	:	:	:0.	66.	:		•	:	:	:	:	: 30	.03		:		:	: [-	1 1	1.41	16.44
notiding	IN.	.07	60.	:	.6.	:	ij	:	:	90.	:00) •	:	:	:	:	:	:	: =	.03	:	:	:	:	• 10	2 6	1.08	14.90
Mest	N.	80.	.26	• 1	0.00	.16	:13	:	:	.i.	1.6	:	:	:	:	•	:	:	. 00	÷0.	•	:	:	:	: :	7,1	1.20	15.77
Esher	.Ki	0.07	.05	• 1	10.	4.	.12	:	:	20.	. 10	.02	:	:	:	:	:	:	:0	.03	:	:	:	:	: [:	7	1.13	14.74
Worcester Park		90.	.T.	:	: -	ij	.13	:	:	.05	: 6	:	:	:	:	:	:	:	: 00	.04	:	:	:	:	• -	# 100	60.T	15.52
New	IN.	.10	.12	:	.17	01.	:	:	:	.04	:0) •	:	:	•	:	:	• E	.03		:	:	:		: -	100	26.	12.03
Raynes Park		.07	.05	:	• 01	.12	.12	:	:	90.	:10	9 •	:	:	:	:	:	:	: 6	.03	:	:	:	:	: :	# 0	1.09	15.18 1
nobeldmiV/ (IlimbuiV/)	IN.	80.	.07	:		.16	60.	.01	:	80.	.01	0.0	:	:	:	:	:	• 6	. O.		:	:	.01	:	. k	er.	1.38	16.25
Wimbledon (snwo(lədT)	IN.	.0.	•04	:	: -	121.	ij	:	:	.0.	.1.	: :	:	:	•	:	:	;	.1.	.03	:	:	:	:	• 10	01.	1.12	15.51
Wimbledon (Sew.Wks.)	IN.	80,	90.	:	: ;	60.	.10	:	:	90.	.17		:	:	:	•	:	:	60.	.05	:	:	:		.10	01	66.	14.14
Morden	IN.	0.0	:	:	::		.10	:	:	.05	: 6		.01	•	:	:	:	• 6	0.0	•13	.01	.01	.01	.01	• -	77	96.	16.74
Beddington Corner	E :	90.	60.	:	10	.13	.08	:	:	.03	:10) .	:	:	:	:	:	• 5	3 5	.11	:	:	:	•	: -	110	1.18	16.17
South	N.	.14 1.	:	•	.1.	12	60.	0	:	.03	• 10		:	:	:	:	:	• 0	01.		.02	:	.01	:	: 5	7 7	01.1	16.46
Anerley		3:	•10	:	: 4	: :	91.	:	:	.03	. 6	:	.01	:	:	:	:	:	: Ö	.04	:	:	.01	.01	:00	70	7.37	12.55
Вескепрат	E.	60.	.04	:	: œ	12	20.	•	:	.04	: 00	0	:	:	:	:	:	90.	80.0	.01	:	:	:	•	::		T.12	5.90
Bromley	IN.	60.	.03	:	.53	·14	20.	:	:	.04	.17	:	:	:	:	:	:	:0	0.07	•04	:	:	:	:	::	0 0	1.73	16.55 1
Bromley										.04				:	:	:	:		0.08	.03	:	:	:	:	:00	7 00	7.7	15.80
Bickley				:	.94	.13	.05	:	:	.04	: 00		:	:	:	:	:	• 00	90.	.03	:	:	:	:	:00	o it	1.1.1	16.36
tsrudəlsidə	IN.	3 :	.01	:	.66.	.13	·15	:	:	.03	: 70	:	:	:	:	:	:	. 0	00.	•04	•	*	:		: č	000	96.	15.19
Southfleet			80.	• 5	.03	.14	•04	:	:	.03	.10	:	:	:	:	:	:	90.	0.00	.15	:	:	.01	:	.0.	7	T.17	14.47 15.19 16.36 15.80 16.55
Oay of Mo.	-	103	ಣ	4,	0 9	-1	00	o ;	07	11	13	15	16	17	200	67	200	17	2 6	24	25	26	22	28	22.0	2	*	+

· The figures in this row give the totals for the month.

Southwark Park	IN.	.07	80.	:	:	0.	.12	·11	.02	:	:		.0 ₄	.12	:	:	:	:	:	:	:	. 1	eT.	1 1 4	:	:	:	:	:	60.	.95	12.95	
Deptford	IN.	.13	*08	.03	:	:	.12	.12	•04	:	:	. 0	.03	.16	.02	:	:	:	:	:	:	• 1	4.	:T:	:	:	:	:	:	.07	1.07	13.67	
дэімпээлЫ	IN.	.14	01.	.03	:	:	·15	.16	.05	:	:	• •	±0.	:18	.03	:	:	:	:	:	• 6	TO.	60.	01.	:		:	:	:	.11	1.18	15.09	
Telegraph Hill	IN.	.11	.10	.05	:	:	.16	.14	60.	:	:	. 0	90.	.19	:	:	:	:	:	:	:	. 1	II.	01.	:	:	:	:	:	.11	1.23	14.68	
Battersea (S&VWC)	IN.	.10	90.	•	:	:	80.	.11	90.	:	:	• ù	co.	.08	:	:	:	:	:	:	:	. 1	71.		.01	:	:	:	:	80.	92.	10.58	
Battersea Park	IN:	.11	60.	.03		:	.12	.19	90.	:	:	• 0	200	.16	:	:	:	:	:	:	:	• 1	91.		.03	:	:	:	:	.13	1.15	15.38	
Clapham Park	IN.	.14	60.	.04	:		.15	7	.02	:	:	• t	70.	:16	:	:	:	:	:	:	• 7	70.	91.	90.	.01	:	:	:	:	.14	1.19	15.51	- Andrewson
Brixton	IN.	•16	20.	•04		:	.13	•14	.10	:	:	• 0	90.	.14	:	:	:	:	:	:	:	- 1	17.	<u>c</u> 0.	:	:		:	:	60.	1.00	13.89	
Brockwell Park	IN.	•16		.03	:		.18	.11	•10	:	:		.0 4	.23	:	:	:	:	:	•	:	. 1	ĥΤ.	÷0.	:	:		:	:	.13	1.31	16.35	
Nunhead	IN.	.11	20.	:	:	:	.13	.15	•04	:	:	• 6	en.	.15	:	:	:	:	:	:	:	• 1	01.	60.	:	:	:	:	:	.05	-92	11.06	
Eltham	IN.	.18	80.	.04	:	:	.21	.12	90.	:	:	• 6	cn.	:18	.04	:	:	:	:	:	(cn.	60.	÷0.	:	:	.01	:	:	.10	1.25	15.81	
Greenhithe	IN.	80.	80.	.01	:	:	.15	:	80.	:	:	:	:	.04	:	:	:	:	:	:	• (co.	10.	co.	:	:		:		.03	.58	60.6	_
Dartford	IN.	80.	.10	:	:		.10	:	.03	:	:	• 1	en.	.14		:	:	•	:	:	• (200	• 1	·14	:	:	:	:	:	90.	.78	13.69	
-gaimliW not	IN.	60.	.12	.01	:	:	.21	.15	•04	:	:	• 6	÷0.	: 7	:	:	:	:	:	•	• 0	200	70.	200	:	.01	:	:	:	.07	1.06	14.18 13.69	
quobis	IN.	.14	80.	.02		:	.22	.14	90.	.:	:	• 6	c0.	.i.	:	.01	:	:	:	:	• [))	80.	90.	:	:	.02	:	:	60.	$1\overline{\cdot}19$	15.77	
Forest Hill (S&VWC)	IN.	čI.	.10	90.		:	•16	.12	90.	:	:	- 3	<u>c</u> 0.	.25	.01	:	:	:	:	:		10.		.12	.01	:	.02	•	:	11	1.36	14.91	
Horest Hill (.br.m.rd.)	IN.	61.	01.	•04	:	:	.16	•03	.16	:	:		.05	.50	:	:	:	:	:	:	. !	0.0	.15	÷	:	:		.01	:	.10	1.34	14.82	
U. Morwood (.ab.H xoT)													•т	POR	в	Χ'n	HJ	LNO	M							,					1.88	15.92	
U. Morwood (Dul.W.Pk.)	1 1	-16	01.	.05			.17	61.	60.	:	:	:	•05	: 00		:	:	.:	:	:	:	.03	•14	.17	.01	:	:	:	:	13	1.39	15.87	
OM to tsu		_	1 6	9 00	4	36	9	-	- 00	6	10	11	12	65 4	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	*	+	-

NOTES.

September, 1904.)

healthy, there having been many cases at Nutfield on the 13th. The apple and winter vegetation looks well. There Thunder was heard at Nutfield on the the 14th, and one at Wallington on the and a lunar one with paraselenæ on the ture of the month is about 2° below the 550.0, and at Warlingham 540.8. Fogs occurred on several days between the which is 19.9 hours or 5 per cent. above the September average 1886-1900. The five days-17th to 21st-had a mean sunlight of over 91 per cent., and the amount 12.2 hours on the 5th has only cold. It has also been somewhat unwere six ground frosts at Greenwich, 24th, and a rainbow was seen there on At Greenwich solar halos with 28th. The rainfall is nearly an inch at Crovdon (Duppas House) 55°-9, at Worcester Park 550.2, at Wallington 15th and 28th. There were recorded at Wallington 180.1 hours of sunlight, The month has been dry and very of influenza, and also in places scarlet fever and diphtheria. Gulls appeared crop has been got in in good condition, but only one in the rest of the district, namely, on the night of the 20th-21st. parhelia were seen on the 3rd and 28th, below the average. The mean temperaaverage, and was at Chipstead 56°.9, been exceeded on Sept. 4th, 1899.

F.R. Met. Soc., Hon. Sec. F. CAMPBELL-BAYARD,

Daily Rainfall,

The sixty years (1841-1900) average at Greenwich for October is 2.83 ins.

e The figures in this row give the totals for the menth.

ກະລາຊ																												
Sander- stead	in.	.28	:	.12	777	90.	:6	0.0	:	:	:	:	.24	•04	.01	:	.29	60.	60.	:	: :	:	:	:	.07	90.	2.16	20.20
(Flace Fell) Kenley	in.	•30	:	.13	.80	90.	:0:	.05	:	:	:	:	.26	.02	:	.00	.29	.10	60.	.03		5	Ģ	1	.10	.13	2.43	21.77
Kenley (Hazelea)	. C	.27	:	.12	777	•04	:	.03	:	:	:	:	.24	.08	.01	:	.31	80.	90.	:	:		•	:	.0.	90.	2.14	21.22
-gailasW mad	.0e	.30	:	.18	69.	Ţ	.0.	0.02	:	:	:	:		.03	:	:	.32	80.	80.	40.	•			:	.10	90.	2.45	25.03
Chelsham										٠	еЕ	υA	z e	нг	INC	M		Nach na Bankil									2.45	22.20
Sevenoaks	.0.7	•29	:	.16	.75	.13	: 8	0.02	:	:	:	:	.94	•03	:	:	.24	.05	20.	:	:	:	•	:	90.	20.	2.20	20.77
Chevening Park		.28	:	.18	.45	-63	:5	:	:	:	:	:	66.	.08	:	:	.58	20.	80.	70.	:	:	•	:	.05	90.	2.61	23.49
Knockholt (tower ga.)	.03 03	.30	:	:10	.57	.57	: [.01	:	:	:	:	:8	.03	• 7	10.	.27	20.	80.	ī,	:		:	:	60.	60.	2.12	17.96
Knockholt (field gau.)	,	.32	:	:51	.61	•29	:00	0.01	•	:	:	:	.83	.07	• 6	20.	.34	80.	80.	70.	•		:	:	.08	•08	2.50	23.36
Westerham (mwoT)	N. C.	.30	:	:18	·84	.18	:	.03	:	:	:	:		.03	:	:	 4	.05	20.	50.	:	•	:	:	.05	·04	2.46	23.11 2
Westerham (Hill Est.)	. Z.	.35	:	.17	.81	11.	? ? ?	0.0	:	:	:	:	. 83	20.	:	:	. e.	-07	:	:	:	•	:	:	90.	.05	2.38	21.85 2
Caterham	1.2	.30	:	.17	22.	90.	.00	0.0	:	:	:	:	- Gr.	.05	• 1	.01	.32	80.	80.	90.	:	:	•	:	.To		1	23.44 2
Chaldon	.05	.30	:	. 10	.81	.03	:	: :	:	:	:	:	.30	0.0	:	:	:31	80.	80.	.07	:	:	:	:	.10	.04	2.34	22.42 2
Chipstead	. 00	200	.03	:13	22.	.04	:6	40	:	:	:	:	.63	90.	0.	TO.	.56	-11	60.	1.0	Į,	:	:	•	.10	.05	1	.80
Harp's Oals Cottage	IN.										·D	ISI	CE7	въ	cor	н												21
Merstham Henry Ook	-	.31	•	.15	777	:		90.	:	:	:	:	86.	.03	:	:	.30	.05	20.	60.	:	:	:	•`	:00	• 03	2.33	20.89
	1			. 70	02.	.10	: 8	.03	:	:	:	:		.03	.01		.35	ij	60.	-02	:	:	•,	:	.10	•03	2.45	22.80
Gatton	in.	.31					•																					<u>01</u>
Upper Gatton	Η.			.12	-64	.18		90:	:	:	:	:		.07	:	:	.31	.10	60.	90.	:	•	:	:	. 0.	• 03	3.30	-74
ReigateHill Upper Gatton	IN.	55.		.14 .12	.64 .64					:	:	:	76.		•	:	.31 .31				:	:	:	:	.03	03 03	9	1.26 19.74
(newgauge) Buckland ReigateHill Gatton	N. IN. IN. 0.04	.34 .29		.13 .14 .12	.64	•04	:			:	:	:	. ^	: :	::	10.		60.	80.	.01	:	•••	:	:	.06 .02 .05	03 03 03	75 2.06 2	21.26
(old gauge) Mutheld (newgauge) Buckland ReigateHill Upper	7. IN. IN. IN. 0.6 .05 .04	.34 .34 .29	02	.13 .13 .14 .12	22 1.22 .64	.06 .04		03		:	:	:	76. 76.	: :	: :		:31	•00 •00	80. 20.	.00			•	:		03 03 03 03	71 2.75 2.06 2	-70 22-70 21-26
(af.61)af.(a.) bleathu blo gauge blo) bleathu (agueguege) buekland buekland liftejgaten Iliftejgaten mottan	N. IN. IN. IN. IN. O. 06 .05	.34 .34 .29	02	• 60	1.22 .64	•00 •00	.00	.03	:	•	:	:	76. 76.	.04	• • •	70.	.29 .31	.05 .05	80. 20. 20.	.05 .05			•	:	.05	•	2.71 2.75 2.06 2	20.70 22.70 21.26
Medhill (Ja.) Waffeld (Ja.)	IN. IN. IN. IN. IN. O.	.34 .33 .34 .34 .29	02	.14 .13	1.22 1.22 .64	.30 .08 .06 .04	.00	.03 .03	:	:	:	:	76. 76. 76. 96.	.03 .04		zo. · ·	.29 .29 .31	.11 .05 .05	.04 .07 .07 .08	10. 90. 90. 90.			•	:	.05	. 63	2.29 2.71 2.75 2.06 2	20.60 20.70 22.70 21.26
Onking (Denbies) (Dinkleid Nutfield (Old gauge) Nutfield (Onewgauge) Buckland MeigateHill	IN. IN. IN. IN. IN. IN. IN. Of .03 .04	.35 .34 .33 .34 .34 .29	02	.16 .14 .13	.52 1.22 1.52 .64	.05 .30 .08 .06 .04		.03 .03	:	•	:	:	76. 76. 76. 56. 57.	0.000		.03	.33 .29 .29 .31	15 .11 .05 .05 .09	.04 .07 .07 .08	10. 90. 90. 90.		•• •• •• ••	•	:	.05	.03 .03	2.40 2.29 2.71 2.75 2.06 2.	23.71 20.60 20.70 22.70 21.26
Abinger (The Hall (The Hal	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.51 .35 .34 .33 .34 .34 .29	02	.15 .16 .13	.65 .52 1.22 1.22 .64	.10 .05 .30 .08 .06 .04		0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	.01	•	:	:	76. 76. 76. 56. 57.	.02 .03 .06 .03 .04		.03	.33 .33 .29 .29	01. 01. 01. 01. 00.	0.09 12 0.04 0.07 0.08	10. 60. 60. 60		· TO · · · · · · · · · · · · · · · · · ·	•	:	.05	.03 .03 .03	2.50 2.40 2.29 2.71 2.75 2.06 2.	23.29 23.71 20.60 20.70 22.70 21.26
Apinger (The Hall) (Denbies) (Denbies) (Denbill (Halle) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge) (Old gauge)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.46 .51 .35 .34 .33 .34 .34 .29	02	.17 .15 .16 .14 .13	71 .65 .52 1.22 1.22 .64	11 10 05 30 08 06 04		0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0		:	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :	76. 76. 76. 76. 76. 76.	0. 0. 0. 0. 0. 0. 0.		20 60. 10	.33 .29 .31	90. 60. 60. 11. 61. 10. 11.	09 09 12 04 07 07 08	10. 60. 60. 60		· · · · · · · · · · · · · · · · · · ·	:	:	.05	.04 .06 .03 .03 .03	2.61 2.50 2.40 2.29 2.71 2.75 2.06 2	23.78 23.29 23.71 20.60 20.70 22.70 21.26

Farning- MiH mad	.04	.24	.01	.0.	.70	.20		.01	20.	•	:	:	:	• ;	91.	÷0.	:	•	•	.55	.03	80.	:	:	:	:	:		.04	.10	1.96	19.04
notgaiqaO	·03	•24		. 6	.76	•13	:	.01	70.	:	:	:	:	• 6	.50	•04	.01	:		.55	.03	01.	:	:	:	:	:		.05	80.	2.04	18.69
Hayes	.05	•24	:	: 07	.80	20.	:	:	: :	•	:	:	:	• 1	.57	.03		:	:	·24	90,	60.	:	:	:	;	:		90	80.	2.14	20.03
West	н.		:	. 10	.93	.07	.01	. ?	₹ 0.	•	:	:	:	• 0	30		:	:	:	.58	.07	80.	:	:	:	:	:	•	.05	.05	2.39	20.28
Addington (.tS.qmuT)	·03	.25	:	::	.76	80.		0.0	5	: =	70	:	:	• (.50	.05		-01	:	.56	90.	80.	.01	:	:	:	.01		90.		2.15	20.90
Addington (Park Fm.)	-IN.	.25	.03		.74	•18		.01	00.	:	:	:	:	• (.55	90.	:	:	:	.29	.07	60.	.01	:	:	:	:	:	.05	20.	2.30	21.97
notgnibbA slliH			.01	: =	.71	20.	.01	.03	70.	•	:	:	:		•56	.01	.05	.01	:	.28	.07	60.	.03	:	.01	:	.01	:	20.	80.	2.18	19.80
Croydon (Avond.rd.)	.03			. 01	.72	.05	:	• 0	20.	:	:	:	:	. !	.27	.05	.02	-01	:	.30	.08	.10	:	:	:	.01	:	:	20.	90.	$2.1\overline{6}$	21.83
nobyoro (.br.nddek.)	.03			.10	09.	.15	:	• 6	TO.	:	:	:	:		÷2.	₹0.	:	.01	:	.56	.07	-11	:	:	:	·01	:	:	.05	0.	1.98	19.46
Croydon (Park Hill)	.03	.21	.01	:01:	02.	ŧ0.	:	: 5	10.	•	:	:	:	• 6	.24	.01	-01	:		.24	90.	60· 	:	:	:	:	:	:	.05	.05	1.85	17.73
Croydon (.br.lmbW)	Н			: :	999	.02	:	• 6	TO.	:	:	:	:	:	.56	.01	•	.01	:	.20	90.	.11	:	:	:	:	:	:	Ŧ0.	.03	1.77	17.70
Croydon (H.)	.03	.22	.01	.00	.70	.05	:	• 6	50.	:	:	:	:	:	.25	.05	:	:	:	.21	90.	.10	.01	:	:	.01	:	•	$\tilde{c}0.$	90.	1.89	18.72
Croydon (.br. X.nV)	IN.	.24	:	::0	.75	.04	:	.01	70.	:	:	:	:		.28	:	:	:	:	.24	80.	.12	.01	:	:	:	:	:	20.	-04	2.06	18.96
Croydon (Brim. Bn.)			:	-10	99.	•04	:	• 6	70.	:	:	:	:	:	.55	.03	:	:		.20	90.	.10	:	:	:	:	:		•03	.03	1.73	17.27
-gaibbəB aot	.03	•23	:	: =	Ŧ9.	.05	:	• 6	co.	:	:	:	:	:	.24	-05	.01	:	:	-19	20.	-	:	:	:	:	:	:	.05	+ 0.	1.82	19.20
notgnillsW	1N.	.24	:	:10	07.	.04	:	• 6	en.	:	:	:	:	:	.23	•05	•05	-05	:	•30	•08	.12	.01	:	.01	:	:	:	.05	•04	1.95	19.71
notladaraD	.05	.21	:	-10	633	.02	:	:	:	:	:	:	:	:	.25	•05	:	:		.23	•08	60.	.03	:	:	:	:	:	.02	÷0.	1.79	19.14
Benhilton			:	• • • • • • • • • • • • • • • • • • • •	99.	.02	:	• 6	03	:	:	•	:	:	.16	.04	:	:	:	.26	60.	.10	.01	:	:	:	:	:	.03	.03	1.77	18.52
Sutton (Sew.Wks.)	н.			* 1:	9.	.03	.02	• (·04	:		:	:	:	.24	-0.5	:	•05	:	-27	60.	.10	.03	:	:	.01	:	:	† 0.	.03	1.94	H
Sutton (.Xwterwk.)		.23	:	::	99.	•03	:	. 0	.03 	:	:	:	:	:	.24	.01	:	.02	:	+2+	80.	•10	:	:	.02	:	.01	:	•04	Ŧ0.	1.88	19.47
Banstead				::01:				• 0	_	:	:	:	:				.01			.56			:	:	:	:	:	:	•10	.02	2.21	21.99
trodexO				::	.46	.04	:	• 6	.02	:	:	:	•	•	•23	.02	:	.01	:	.25	.10	-07	90.	•	:	:	:	•	₹0·	.03	1.78	19.12
D'Abernon Chase						•04			-0.5	:	:	:	:		.25	_	:	:		_			80.	:	:	:	:		.08	-04	1.99	20.53
Leather- head				::0		.04		• 6		•	:	:	:		.23		:		:	.28	.10	.10	.05		:	:	:	:	.12	.03	2.13	24.14 23.17 20.65 20.53 19.12
Hedley	1			:	3	90.	.01	- 0	TO:	:	:	:	:	•	.24	.03	:	:	:	•30	.17	:	.05	:	:	:	:	:	.04	.12	2.23	23.17
Burgh Heath			_					0.5					:											:	:	:	:	:	.10	FO.	2.63	24.14
Oay of Mo.	-	101	ಣ	41 10	200	-1	00	000	110	10	100	10	4,	15	16	17	18	19	20	21	22	23	24	25	26	27	58	29	30	31	*	+

October, 1904.

. The figures in this row give the totals for the month.

The sixty years (1841-1900) average at Greenwich for October is 2.83 ins.

West Norwood	IX.	•04	.21	:		.13	.48	.01	:	0.00	:	:	:	:	.0.	, ,	.01	.01	.93	90.	.13	:	:	:	:	:	• (ŧ0.	20.	1.77	16.70
Streatham	IN.												·a:	EST	CEV	Œ	cor	нЕ													
Wandswth. Common	IN.	.03	.58	:	:	.13	.43	80.	:		:	:	:	:	70.	0.00	.01	:	.24	.13	.10	:	:	:	:	:	• 6	70.	•04	1.82	16.67
Putney Heath	IN.	.05	.27	:	:	.14	.38	.02	:	.04	:	:	:	:	. 6.	0.0	.01	.01	.25	.11	60.	:	• 0	10.	:	:	: 3	60.	90.	1.77	68.91
Richmond	ï.	.03	.23	:	:	.13	.29	:	:	.03	:	:	:		• 6			:	.63	60.	.12	:	:	:	:	:	. (÷0.	80.	1.53	17.40
Kingston (CountyH.)		•04	.22	:	:	.15	.38	.10	:	.05	:	:	:	:	: 0:	.08	:	:	: :	90.	.12	:	:	:	:	:	• 0		.04	1.48	17.53
Kingston (Sew.Wks.)	IN.	.03	.25	:	.01	.13	.48	.03	:	.05	:	:	•	:		4	10.	:	.27	60.	60.		:	:	:	:	• 6	÷0.	20.	1.81	18.25
notiding	IN.	•03	.19	:	:	.13	.44	.03	:	.0.	:	:	:	:		64 0		:	.95	60.	•08	.02	:	:	:	:	• (.03	.03	1.61	16.91
West	i.	.03	.20	. •	:	.14	.33	.03	:	.05	:	<i>,</i> :	:	:	• G	0.05		.01	+6.	.05	.13	.01	:	:	:,	:	• (.03	90.	1.54	17.31
Esper	N.	.03	.19	:	:	90.	.43	•04	:	.03		:	:	:	. 0	.02	.01	:	000	.07	60.	÷0.	:	:	:	:	. (.05	•03	1.51	16.25
Worcester Park	IN.	•04	.56	:	•	.12	ř.	.03	:	.03	•	:	:	:	96.	0.00	:	:	.25	90.	60	:	:	:	:	:	• •	•04	.03	1.72	17.24
New Malden	IN.	.03	.19	:	•	.11	.52	.01	:	.03	*	:	•	:	. ¢.	10	:	:	.24	80.	20.	:	:	:	:	:	. (.03	.03	1.56	3.59
Наупеs Рагк	1			.01	:	.12	.47	.03	:	0.03	:	•	:	:	• G.	300	.01	.01	.53	20.	80.	:	•	.01	:	:	• 1	.03	.03	1.62	6.80
nobeldmiW (llimbaiW)	'X	60.	•33	:	•	.13	.44	.01	:	.01	:	:	:	:	• 6	000		.03	. 6.	101.	60.	:	0.1	:	:	:	:	•03	.05	1.89	8.14
nobəldmiW (anwoUəd'I')	ż	.03	.22	:		.12	24.	.03	:	0.03	:	:	:	:	• 6	5 6		:	. 6.	80.	60.	:	:	:	:	:		.05	•0₹	1.66	17.17
Wimbledon (Sew.Wks.)	ż	.03	.53	:	:	.13	.48	.02	:	0 3		:	:	:	96.	0.0	:	•	.21	.10	60.	:	:	:	:	:	• 1	.01	•04	1.65	15.79
Morden	_	.05	.55	.01	:	•10	.54	.03	:	.03	:	:	•	:	.0.	0.0	.01	.01	.25	60.	60.	.01	.01	• •	<u>.</u>	.01	• 5	÷0:	.03	1.77	18.51
Beddington Corner	IN.	.05	.23	:	:	.12	99.	·0 4	:	.04	:	:	:	:	7.6.	9 :	:	:	.25	.07	.12	:	:	:	:	:		.04	.03	1.91	18.08
South	IN.	:	.25	:	:	.13	99.	-0.5	:	::	:	• (:	. c.	0.0	.01	:		.07	.10	.03		• 6	T0.	:	• 0	90.	90.	1.92	18.38
Anerley		.12	.15	:	:	.08	:	.63	:	::	.01	:	• •	10.	:	:21	:	.01		.15	.17	:	:	• 6	70.	* 1	.01	:	.08	1.65	14.20 1
Вескепрат				:	:	.12	.64	.04	:	:0:	:	:	:	:	96.	9 0	:	•	.53	90.	.10	:	:	:	:	:	• 3	c0.	90.	1.85	7.72
Bromley Common					_					0.03		:	:	:	76.	. . 0.	:	:	.21	80.	20.	:	:	:	:	:	• 1	co.	20.	2.06	8.61
Bromley			_		•	11.	02.	20.	:	.03	:	:	:	:	.05	9 0	:	:	.24	90.	60.	:	:	:	:	:	• • •	.04 -		1.93	16·16 17·17 18·39 17·73 18·61
Bickley				:	:	-11	.78	60.	:	÷0.	:	:	:	:	. 20.	0.02	:	:.	.24	90.	80.	:	:	:	:	:	• 1	co.		2.03	8.39 1
Chislehurst	_		_	:	:	.10	.81	60.	0	.05 .05	:	:	:	:	66.	0.01	:	:	.20	.05	80.	:	:	:	:	:	• 6	.03		1.98	7.17
Southfleet	_			:	:	.05	.73	60.	• !	0. 40.	:	:	:	:	::	0.40	:	:	.21	.03	.07	:	:	:	:	:	• (.0.5		1.69	3.16 17
OM to VaU					4	ů.	9	2	00	10	11	12	13	14	15	17	18	19	20	22	23	24	25	97	1.7.	28	529	30	31	*	+ 1(
			_	_			_							_			_											_			

* The figures in this row give the totals for the month.

Day of Mo.

no less than fourteen days having halos have also been somewhat bright-coloured corona round the cirrus-cumulus about, but none omewhat unhealthy. Influenza et fever. Fogs have been espey throughout the district. Lightie 11th and 12th. The observer 1, and immediately outside of it a inside). We must have been in erature of the month is about egree above the average, and was e were recorded at Wallington 97.4 e month has been dry and mild, been somewhat prevalent, and have been in places a considernumber of cases of diphtheria and prevalent for so early in the seanoted at Greenwich. Solar and grous, and have been noticed pracwas seen at Nutfield on the 31st. here was darkness at Sanderstead nderstead writes: -... On the 25th, 1.15 p.m., walking up our hill, I bright rainbow-coloured ring (inre frosty mist, for when we got er it all cleared in a moment, and was not even a corona left. A the moon." The rainfall is about nch below the average. The mean oydon (Duppas House) 51°-2, at stead and Wallington 50°.3, and at ingham and Worcester Park 50°.0. (October, 1904.)

F.R.Met.Soc., Hon. Sec.

F. CAMPBELL-BAYARD, 1886 - 1900

s of sunlight, which is three hours

the October average of the fifteen

The but so	has b	there	able n	scarle.	cially	son, n	peen 1	lunar	nume	tically	ning v	and u	on th	at 5a1	at 10.	Saw a	moon,	very b	digo n	a rare	nigner	tnere	rew c	over t	one in	edurer edurer	one at	31. CE	Chips	17 3111	There	hours .	below	200
Southwark Park	N.		•34	:	:	60.	•46	:	:	:	:	:	:	:	:	:	•18	:	:	:	• 1	.22	•04	.12	:	:	:	:	:	:	:	•01	1.46	14.41
Deptford	Z.	.02	.18	:	:	.10	64.	-05	•	.01	:	:	:	:	:	:	.17	•05	:	:		.50	.07	.13	:	:	:	•	:		.05	90.	1.49	15.16
dsiwnserb	Z	•03	.20	:	:	·II	.52	•03	:	.03	.01	:	:	:	:		•18	•04	:	•01	•	.21	80.	.13	:	:		.01	. 1	10.	.05	90.	1.69	16.78
Telegraph Hill	IN.	.03	.19	:	:	.14	77.	•04		.05	:	:	:	:	:	:	.18	90.	:	:	•	.55	.10	.15	•	:	:	•	:	:		90.	1.66	16.34
Battersea (S&VWC)	IN.	:	.18	:	:	.08	.37	.01	•	:	:	:	:	:	:	:	.18	:	:	:		.23	20.	90.	:	•	:	:	:	:	:	.01	1.18	11.76
Battersea Park	ż		.24	:	:	.12	•41	.05	:	.05	:	:	:	:	:	:	.56	•	:	:	• 6	.56	:15	60.	:	•	:	:	:	:	.02	.05	1.66	17.04
Clapham Park	IN.	.02	.25	:	:	.13	.48	90.	•	.02	:	:	:	:	:	:	.28	•05	.01	:	•	.25	60.	.11	:	:	:	:	:	•	+0.	:	1.76	17.27
Rotzira	IN.	.03	.25	:	:	•14	•44	20.	:	.03	:	:	:	:	:		.23	.05	•	:	•	.24	60.	.11	:	:	:	:	:		.03	.05	1.74	15.63
Вгоскwе]]	IN.	·05	.25	•		.13	69.	.01	:	0.5	:	:	•	:	:	:	•30	.03	:	.01	• 6	.30	90.	.15	:	:	•		•		.03	90.	1.98	18.33
Nunhead	IN.	.01	.18	:	:	:	.51	•01	:	.05	•	:	:	:	:	:	.13	.01	:	:	. ,	$\frac{\cdot}{18}$	90.	.13	:	:	:	:	:	:	.01	.03	1.28	12.34
Eltham	IN.	.05	.18	:	:	.12	.56	80.		:	.05	:	:	:	:	:	.23	.03	.02	.03	:	.23	*08	.11	:	:	:	:		:	F0.	•08	1.84	17.65
Greenhithe	IN.	.05	80.	:	:	.01	.45	.19	.01	.01	.01	:	:	:	:	:	•04	.01	:	:	• 1	.16	0.5	.05	:	:	•	:	:		.01	.03	1.10	61.01
Dartford	IN.	:	.18	:	:	80.	.83	-08	•03	:	:	:	:	:	:	:	.13	.03	•	:	:	.55	.03	.05	:	:	:	:	:	:	.03	.05	1.73	15.42
-gnimliV/ not	IN.	.04	.18	:	:	20.	.78	.13	:	.03	.03	:	:	:	:	:	.15	•14	:	.03		.21	.05	80.	:	:	:	:	:	:	.03	90.	$\overline{1.95}$	16.13
quobis	IN.	.05	.19	:	:	.10	.73	.12	:	:	:03	:	:	:	.01	:	.50	.03	.01	:		-19	.05	60.	:	:	:	:	.01		Ŧ0·	20.	1.92	17.69
Forest Hill (S&VWC)	IN	.05	•10	.01	:	.12	.49	.03	:	:	.02	:	:	:	:	:	.25	•04	.01	:	:	.23	.07	.13	:	:	.01	:	:	:	.03	90.	1.74	16.65
HiH forest Hill (.br.m.rd.)) ;	.03	.23	:		.19	.5.33	.04	:		:	:	:	:	:	•	•24	•04	:	:	:	.22	90.	.12	:	:	:	:	:	:	.04	90.	1.73	16.55
Worwood (Fox H.Gs.)	1 3													тя	ьо	E	E .	LT.	HI.	302	21												1.79	17.71
Dul.W.Pk.)) 2	50.	•20	:		14	1 70	.03			.03		:	:	:	:	.27	•04				.23	60.	.13	:	:	:	:	:		.05	60.	.90	12.

+ The totals from January 1st. * The foures in this row give the totals for the month.

November, 1904 skely yours (1811-1900) around at Greenwich for November in 2.06 inn.

	Sander- stead	.NI .09	:	:	:		.39	.10	0.	.45	:		TO.	•	: :	.03	0.00	.05	:0	.01	.00	:	:	• 6	10.	:	:	•	1.60	21.80
1904.	(Flace Fell)	IN.		:	:	.34	•38	•10	8	-47	10.	:	.00	e .	:0	0.	.01	.05	:0	.05	.07	:	•	•	:	:	• 6	70.	1.69	23.46
er, 1	Kenley (Hazelea)	IN.	3:	:	:	.29	.40	.12	.07	.45	10.	:		:	: :	: :	:	:	:0	.03	.07	:	:	:	•	:	:	:	1.56	22.78
November,	-gailrsW msd	1N.	:	:	:	.42	.44	.12	.10	12.	:	:	•	:	: :	::	• 1	.03	:0	0.0	20.	:	:	:	:	•	:	:	1.91	23.68 26.94 22.78 23.46
No	Chelsham	E.										°E°	ou.	ΦĐ	Χ'n	нт	NO	N											1.48	23.68
	Sevenoaks	.03	3:	:		20 ::	.41	.14	.07	.56	:	:	:	:	: :	::	.03	:	:0) .	•03	:	:	:	:	:	:	:	1.72	22.49
ins.	Shevening AraT	IN.		:	:	.37	.55	.17	60	.20	: ,	•	:	:	: :	:	:	• (5 0	0.05	.03	:	:	:	:	:	:	:	1.88	25.37
3.36	Knockholt (tower ga.)			:	:	• 65	.42	.07	20.	.43	:	:	:	:	: :	: :	:	:	::	0.0	.03	•	:	:	:	•	:	:	1.57	19.53
Greenwich for November is	Knockholt (field gau.)		3:	:	:	.40	.52	.12	.12	.50	:	• /	:	:	: :	9	:	:	:6	.04	.03	:	:	:	:	:	:	:	1.96	
Tovemi	Westerham (Town)	IN.	: :	:	:	.44	.40	.11	133	.61	:	:	:	:	: :	: :	:	.01	.0.	:	:	:	:	:	:	:	:	:	1.77	24.88 25.32
for N	Westerham (Hill Est.)	IN.	:	:	• 1	.36 .36	.43	.10	.12	29.	:	•	:	:	•	: :	:	:	: =		:	:	:	:	:	:	:	:	1.71	23.56
wich	madretan	IN.	:	:	:	.42	.40	60.	90.	09.	:	: 5	70.	•	: ē	:	.03	-05	: 9	. •	60.	:	:	:	:	:	:	•	1.86	25.30
Freen	Chaldon	IN.	3:	:	:	.45	.30	.12	, 0,	09.	:	:	:	:	: :	: :	:	* () •	•04	•05	:	:	:	:	:	:	1.77	24.19 25.30
	Chipstead	IN.	3:	:	:	• 65	.35	.11	60.	.62	.01	:	:	:	:	.05	.01	0.	:0	00	90.	:	:	• 0	20.	:	:	:	1.81	23.61
							_	-									-				-							_		
erag	Harp's Oak Cottage	IN.										•0	BE	EУ	o c	ию	EC	я												
o) average at	Merstham Asrp's Oak Cottage	. 53	:	:	:	.40	.37	80.	60.	.58	:	•0	RE:	EV:	o (110		.03 E	:6	.03	20.	:	:	:	:	:	:	:	1.74	2.63
	Merstham Harp's Oak	.03		:	:	.39 .40		_	60.		:	• • • • • • • • • • • • • • • • • • • •	:	EV	: :	:		.03	:0:		_	:	:	:	:	•	:	•	1.61 1.74	4.41 22.63
	Upper Gatton Merstham	.09 ·09	:	:	:		.29	60.		₹ <u>6</u> .	:	:	:	EV		.01	.01	.03	:8	_	90.	:	:	:	•	•	•	10.	1.52 1.61 1.74	
(1841-1900)	IliHəlgafelli Inopper Gatton mattarəM	.01 .02 .03	:	:	:	.34 .39	.29 .29	60. 20.	80.	£6. 66.	:	:	:	:		.01	.01	.01 -03	:8	.00	90.	:	•	:	•	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	10	7	
years (1841-1900)	(newgauge) Buckland ReigateHill Topper Topper Topper Topper Topper Merstham	.01 .02 .03	:	:	•	.25 .34 .39	.32 .29 .29	.03 .07 .09	80. 90.	.59 ·55 ·54		• • • • • • • • • • • • • • • • • • • •	:	:	70	.01	10. 10	.01 -03	:0.	02	.02 .02 .06	:	:	•			• • • • • • • • • • • • • • • • • • • •	10	1.52 1	22.66 21.26 24.41
ue sixty years (1841-1900)	(old gauge) Mersthand TheigateHill Upper Gatton Gatton Againate Gatton Opper Gatton	N. IN. IN. IN. IN. IN. O. 003	:	•	•	.28 .25 .34 .39	.32 .29 .29	60. 20. 80. 70.	80. 90. 20. 80.	46. 65. 86. 86.	• • • • • • • • • • • • • • • • • • • •				70	01	10. 10 10.	.01 -03	80. 60.	.00	.06 .05 .05 .06	•		• • • • • • • • • • • • • • • • • • • •	_		•	10	1.40 1.52 1	28 24.29 22.66 21.26 24.41
sixty years (1841-1900)	Mutfield (Jinkfd.la.) Nutfield (old gauge) Nutfield (Inewgauge) Buckland ReigateHill (Batton Upper (Gatton Ratton Merstham	0. IN. IN. IN. IN. IN. IN. O. 0.0		:	:	.28 .25 .34 .39	.33 .33 .32 .29 .29	60. 20. 60. 70. 70.	80. 90. 20. 80. 80.	£6. 55. 65. 85. 85.					70	.02	.01 .01 10. 10.	.01 -03	80. 60. 60.	.02 .02 .03	.05 .06 .05 .05 .06	•			_	•	•	:	1.58 1.59 1.40 1.52 1	22.28 24.29 22.66 21.26 24.41
The sixty years (1841-1900)	Henbies) Redhill (Linkfd.la.) Nutfield (old gauge) (newgauge) (newgauge) ReigateHill ReigateHill Gatton Upper Gatton Satton Gatton Herstham	IN.		:	:	.28 .25 .34 .39	.30 .33 .33 .32 .29 .29	60. 70. 80. 70. 70. 80.	80. 90. 20. 80. 80.	46. 66. 86. 86. 86. 86.					70	.02	10. 10 10	60. 10. 10	80. 60. 60. 80.	.02 .02 .03	90. 20. 20. 90. 20. 90.	•			_	:	:	:	1.59 1.40 1.52 1	22.28 24.29 22.66 21.26 24.41
The sixty years (1841-1900)	Manis Hall) Dowking (Denbies) Redhill (Linkfd.la.) Mutfield (old gauge) Mutfield (newgauge) Buckland Gatton Gatton Merstham	.03 .03 .03 .03 .03 .03 .03 .03 .03 .03		•	:	.30 .28 .25 .34	.33 .30 .33 .33 .32 .29 .29	60. 70. 80. 70. 70. 80.	80. 90. 20. 80. 80. 60.	£6. 55. 65. 85. 85. 85. 05.	:	TO. TO.			70 70	01 .0201	10. 10 10	.0201 .01	80. 60. 60. 80.	00. 03 .00 .00 .00 .00 .00	90. 90. 90. 90. 90.	• • • • • • • • • • • • • • • • • • • •			_	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :	:	1.56 1.58 1.59 1.40 1.52 1	22.28 24.29 22.66 21.26 24.41
The sixty years (1841-1900)	Minger (Ina Hell) (Ina Hell) (Indendies) (Indendies)	.01 .03 .09 .09 .01 .01 .01 .09 .09		: : : : : : : : : : : : : : : : : : : :	:	.37 .30 .28 .28 .25 .34 .39	.32 .33 .30 .33 .33 .32 .29 .29	60. 20. 80. 70. 70. 80. 80. 60.	80. 90. 20. 80. 80. 60. 80.	45. 55. 65. 85. 85. 85. 65. 85. 85. 85. 85. 85. 85. 85. 85. 85. 8	:	TO. TO.			70 70	.0401 .0201	10. 10 10	.0201 .01	80. 60. 60.	03 00 00 00 00 00 00 00 00 00 00 00 00 0	90. 90. 90. 90. 90.	•			_	: : : : : : : : : : : : : : : : : : : :	:	:	1.60 1.56 1.58 1.59 1.40 1.52 1	22.28 24.29 22.66 21.26 24.41
ue sixty years (1841-1900)	Manis Hall) Dowking (Denbies) Redhill (Linkfd.la.) Mutfield (old gauge) Mutfield (newgauge) Buckland Gatton Gatton Merstham	1N. IN. IN. IN. IN. IN. IN. IN. IN. IN. I		: : : : : : : : : : : : : : : : : : : :	•	.34 .37 .30 .28 .28 .25 .34 .39	.33 .32 .33 .30 .33 .33 .32 .29 .29	60. 70. 60. 70. 70. 80. 80. 60. 70.	80. 90. 20. 80. 80. 60. 80. 80.	45. 55. 55. 56. 58. 58. 55. 55. 55. 54.	• • • • • • • • • • • • • • • • • • • •	TO. TO.	TO. TO.	10. 10.	70	03 .0401 .0201	0. 10 01	04 .0201 .01 .03	80. 60. 60. 80. 01.	03 08 03 00 00 00 00 00 00	.11 .0506 .05 .06 .05 .05 .05	:			_	: : : : : : : : : : : : : : : : : : : :	:	:	1.51 1.60 1.56 1.58 1.59 1.40 1.52 1	-28 24.29 22.66 21.26 24.41

Day of Mo-

The figures in this row give the totals for the month.

† The totals from January 1st

Daily Rainfall.

-Baring-	IN.	:n	•		•		_	50		6	10	:	•	•				•	•	•	• 0	_	N .	4	•			•	•	•		0	-6
notgniq10	IN.	?	•	•	•	•	ŵ	က္	-	60.	ů	•	•	•	•	•	•	•	•	•	• •		20.	?	•	•	•	•	•	•	•	1.40	20.09
Науев	IN.	.05	:	:			.30	$\cdot 50$		$\cdot 19$.35	:	:	:	:	:	:	:	:	:		.T3	:	:	:	:	:	:		:	:	1.29	21.32
West Wickham	IN.	:	:	:		:	.24	•35	$\cdot 15$.10	.40	:	:	:	:	:	:	.03	•	•	• t	0.	. 7	17.	:	:	:	:	:	:	.02	1.52	21.80
Addington (Pump. St.	IN.	•	:	:	•		.35	.40	.12	80.	.38	:		.01	.01	:		.01	:	:	• 0	80.	10.	80.	:	:	•	:		:	:	1.50	22.40
Addington (Park Fm.	IN.	.03	:	:	:	:	.33	.45	.13	60.	.35	:	:	:	:	:	•	:	.03	:	• (200	70.	01.	:	:	:	:	:	:	:	1.63	23.60
Addington slliH	IN.	-05	:	:	:	:	.36	:34	.13	20.	38	•	.01	0.	:	0.	•	.05	.01	.01	• 0	50.	0.7	01.	:	:	:	. 1	10.	.01	:	1.61	21.41
Croydon (Avond rd.	IN.	.05	:	:	:	:	.40	.30	.12	80.	.40	:	:	:	:	:	:	.03	.05	.01	• 0	60.	.03	60.	:	:	:	:	:	.01	:	1.60	23.43 2
Croydon (Ashba.rd.	IN.	.03	:	:	•		.31	.32	•14	60.	.37	:	:	:	:	:	:	.03	0.	:	. 0	00.	÷0.	11.	:	:	•	:	:	:	.01	1.50	20.96 2
Croydon (Park Hill	IN.	10.	:	:	:	. ,	-53	.30	•14	90.	.35	•	:	:	:	.01	:	.01	.01	:	• 1	20.	.01	80.	:	:	:	:	:	.01	:	1.35	19.08
Wdml.rd.	IN.	:	:	•	:	.01	.31	.27	.13	-07	.35	:	:	:	:	:	:	.01	.01	:	• !	60.	•	.12	:	:	:	:	:	:	.01	1.38	19.08 19
(Dup. H.)	IN.	-05	:	:	:	•	•32	.30	01.	.04	.36	:	:	.01	:	.01	:	.01	:	.01	.01	01.	.01	01.	:	:	:	:	:	:	:	1.40	20.12 19
Croydon		.01	:	:	•		£6.	.30	.12	90.	04.	•	:	:	:	:	.05	.01	*	:	• 1	.05	90	.10	:	•	:	*	:	:	.02	.52	20.48 20
(Brim. Bn.	IN.	.01	:	:	:	:	.30	.34	.12	90.	.35	:	:	:	:	:	•	:	:		:	.12	.03	.10	:	:	:	:	:	:	:	1.42	.69 20
ton	IN.	.01	:	•	:	:	.31	.58	.12	-07	.37	:	:	:	:		•	-0.5	•	.01	•		.03	.10	:	:	:	:	:	:	:	.42	20.62 18.69
Wallingtor		.03	:	:	:	:	.31	.29	.11	90.	.40	:	:	-05	-05	.01	•	-05	.03	-05	• 1	Ξ.	.01	80.	:	:	* 1	.01	:	.01	:	.52	21.23 20
Carshalton	н	-03	:	:	:	0.5	30	28	13	:	44	:	:	:	:	:	:	•	:	:	:	13	10	03	:	:	:	:	•	:	:	1.45 1	
10000		•	:	:		010	_		. 20	.03	39	:	:	:	:	01	:	01	:	0.1		. 80.	_	.13	:	:	:	:	:	01	:	.34 1.	86 20.59
Sew.Wks.		0.1	:	:	:		_	. 53	_	_		:	01	0.1		_				_	.01			14	:	:	:	:	:	03	:	.1 99.	19.86
Waterwk.		_	•			-	_	_	_	. 90.		•	-	•	_	05		01 .		•	·	_	.03	. 9(-	•			0.5	_	01	-	36 20-46
noting	Н	.0	•				_				. 52							_	4			_	٠	· 0	•	•			٠			66 1.3	65 20.86
Banstead			•	•			_								•				3 .04	0.		0 .10	2	.1		•			•	•		-	23.
Oxshott			•	•	•						0 -46	•	•	•	•			3 .02		1			.02	•	•	•	•	3			0	0 1.52	3 20.6
П'Арегиоп Сраѕе			•	•	٠						3 .50	•	٠	•	-	•	.02		•	.01		.10			:	•	:	.03	.02	-0-	:	1.60	22.15
Leather- head	IN.	30.	:	:	:		_			.03		:	:	:	:	:	:	.01		:	:	-11		-12	:	:	•	-07	:	:	:	1.51	26.08 24.91 22.16 22.13 20.64
Hedley	}		:	:	:	.01	.41	.25	.10	.03	.55	:	:	:	:	:	:	:	•03	:	:	÷	:	.23	:	:	:	:	:	:	:	1.74	24.91
Burgh Heath	IN.	.03	:	:	:		.53	.37	90.	ěĮ.	.53	:	:	:			•03	.02	.01	.02		ij	•	.07		:	:	:	:	:	.02	1.94	80.9

+ The totals from January 1st.

* The figures in this row give the totals for the month.

Movember, 1904

	1	
3	ı	
1.6	п	
.y 1st.	п	Š
3,2	ı	6 ins.
27.2	В	-
ae totals from Januar	п	98
10	П	i
S	И	CA
D.A.	П	is
8	в	
n.		be
0	п	2
6	В	ve
4	П	20
7	п	~
9-	the same of the sa	8
	п	fo
	Į	. دم
	1	,c
	1	2
ģ	1	ue
12.0	II.	ree
103	II.	3
X	в	_
36	В	ye at Gre
1	ı	00
OZ	ž	b)
10	1	ra
D. A.	2	ve
ot	8	a
Phe figures in this row give the totals for the month.	ă.	<u></u>
pe	3	0061-1
9	а	0
A	1	7
60	В	7
3.50	ı	84
×	1	(1841-1900
(ÀS	1	ns (18
th	в	· .
g	В	ea
-14		2
92	п	20
213	н	x
27.5	н	si
00	н	90
X.X	н	12
,	н	7
	н	
	П	
	ш	
	Ð	
	П	-
		8
		infa
	1	-17
	-	20
		14
		>
	1	=======================================
		g
	1	A

November, 1904.

Chilchenter	,			_													_			_					_	_					_	
Contribution			.01	:	:	:	:	.31	.38	14	90.	0	•	÷	:	.01	:	.02	.01	.01	.07	.01	133	:	:	• 7	70.	:	:	.01	1.56	18.26
Contribution Cont	madtaerth	IN.					-							· Œ	ISV	CE	a	H()	EC	Я												
Control			:	:	:	:	:	.58	.43	÷ i	07.	+ :		: :	:	:	:	:	:	-05	: ;	.01	-11	:	:	:	:	:	•	.05	1.62	18.29
County C	Heath	E	.01	:	:	:	:	.31	.42	41.) ç	H		.01	:	:	•	.03	.01	.05	:0	.03	ij	:	:	:	• 6	70.		.01	1.67	
Control Cont	bromdsis	i	:	:	:	:	:	.35	.41	.12	4 c	H :	•	: :	:	:	:	:	:	.03	90.	:	90.	:	:	:	:	:	:	:	1.50	
Chiefethurs			:	:	:	:	:	.56	98.	01.	90.	2		::		:	:	.05	:	:	.12	:	01.	:	:	:	:	• 0	60°	:	1.54	
Southfleet Sou	Kingston (Sew.Wks.)	E E	:	:	:	:	:		.38	.13	4 .	H			:	.03	:	:	.03	:	: :	.03	.17	:	:	:	:	:	•	:	1.57	
Country Coun	notidane	S E	.01	:	:	:	:	.30	.32	.12	#O.	30			:	:	:	.01	.01	:	::	:	ij	•	:	:	• 6	Ţņ.	•	.01	1.48	
Southfleet			:	:	:	:	.01	.33	44.	: :	64.	1		: :	:	.01	:	.01	:	.01	.0.	.01	.07	:	:	:	:		70.	:	1.56	
Southfleet Sou		-1	70.	:	:	:	:	.30	.03	01.	.47	; ;		::	-03	:	:	:	:	.05	: ;	:	80.	:	:	:	:	:	:	:	1.48	
SouthHeet Sout	Park	i z		:	:	:	.01	.35	.31	01.	4. 6.	1 :		::	:	:	:	:	:	.03	60.	05	.10	• ,	:	:	:	• 0	ZO.	:	1.51	
SouthHeet Sout	Malden	z	70.	:	:	:	:	.31	08.	50.	6. 4.			:	:	:	:	:	•	:	::	.01	:	:	:	:	•	:	• (60.	1.38	
Chislehurse	,		:	:	:	:	.01	.29	.03	57.5	γ α Θ.	3		.01	:	.01	:	:	:	:	:08	:	.03	• .	:	:	:	:	:	.12	1.45	
SouthHeet Sout	(IlimbuiW)	123	10.	:	:	:	.01	.58	53.7	cT.	00.	3 :	: ;	.01	:	:	:	.01	:	:	.10	.01	.12	:	:	:	:	• (10.	.03	1.55	
Southfleet Sou	(znwodsa'l')	123	.01	:	:	:	:	.33	.32		50.	3 6				:	:	.03	0.	.03	:00	.03	7	:	:	:	٠.	:	:	:	1.56	
Southfleet Sou	(Sew.Wks.)	ż	:	:	:	:	•	.29	.35	4 5	386) •	.01	.01	. :	·01	.01	:	.01	:	.0.	.01	.10	:	:	•	:	:	:	•	1.41	
Southfleet Sou		1 -	10.	:	:	:	• (.30	080	71.	.40	.01	.01	.01	.01	.01	.01	.01	.01	70.	10.	.01	e0.	:	:	:	:	: 5	10.	70.	1.43	9.94
Southfleet Sou	Corner	ż	:	:	:	:	• (.35	20.	1 4	9.4		:	:	:	:	:	:	:	•	.16	.03	71.	:	:	:	:	:	• (70.	1.48	
Southfleet Sou	Могтоод	25	70.	• •	T0.	• 1	0.10	355	. 33	#T.	• 44	:	:	.01	:	.01	.01	.01	:	:	60.	• (.0.s	:	:	:	:		10.	1		
Southfleet Sou		1	_	:	:	:	• (21.	64.	#T.	.15	:	:	:	.02	:	:	:	.01	:	90.	.01	٠. م	:	:		To	: 5	10.	:	.30	
Southfleet Sou		-		•	:	:	• (.35		61.	. 27		:	:	:		•05	:	-05	:	.0.	• (71.	:	:	:	:	:	• 6	70.	.44	91.
Southfleet Sou				•	:	:	. 1	7.7.	87.	11.	68.	:	:	:	:	:	:	:	:	:	60.	.01	7.0.	:	:	• ,	:	:	:	•	.33	9.64 18
Southfleet Sou			_	:	:	:	• 6	9	12.	#1.	88	:	:	:	:	:	:	• 1	-01	:	:08	.05	11.	•	• ;	:	:	:	:	,		
				• .	:	:	• 6	.35	15.	.07	•42	:	•	:	:	:		.03	:	:	:08	.05	71.	•	•	:	•	:	:			.93 19
				:	:	:							:	:	:	:	:	:	:	:	::			:	•	:	:	:	:	- 1		.48 19
		!	_	:	:	• 6							:	:	:	• • •	.01	:	:	:	:08			:	: :	:	:	•				.56 18
	Day of Mo.	-		9.0	0 7								63	co				2	œ c	n c				1 10	9		- 00				*	17

* The figures in this row give the totals for the month.

+ The totals from January 1st.

November, 1904.
Nov. is 2.26 ins.
reenwich for
average at Gi
(1841 - 1900)
The sixty years (
ly Rainfall.

Day of Mo.

į	Ξ,	and	hool	Lean	nave	of d	Adn	on t	in fi	Sno	out	nare	seve	upui II.	pilla	on t	Was	distr	ar A	hoan	thro	Varie	pelo	ture	the	7 + 0	410.7	TH	7	nou	or s	aver		
Southwark Park	IN.	:	:	•			.35	.38	.17	•	•36	•	:	:	:	:	•	•	•	•	:	-02	:	20.	:	:	:	:		•	:	1.40	15.81	
Deptford	1 .	:	:	:	•	.01	.36	.47	•14	90.	.38		:	:	:	:		0	.01	•01	:	-02	.01	.13	:	:		:				1.65	16.81	
Greenwich	IN.	:	:	:	•	.01	.38	.38	.17	90.	.40		:	•	:	:	:	:	.05	.03	:	20.	:	.11	:	:	•		:	:	.01	1.63	18.41	
Telegraph Hill	IN.	:	:	:	:	:	.40	.42	91.	.22	.42		:	:	:	:	:	:	:	•	.05	60.	:	:	.07	:	:	•	•			1.80	18.14	
Battersea (S&VWC)	IN.		:	:	:		633	.50	·I	.03	.34	•	:		:	•		:	:	.01	:	•05	:	:	:	•	•	•	:	:	•	1.37	13.13	
Battersea Park	IN.	:	:	:	:	:	.41	.56	.18	.01	.42	:	:	:	:	:	:	:	:	.03	:	60.	:	80.	:	:	:	:	•	:		1.77	18.81	
Clapham Park	IN.	$\cdot 05$:	•	•	:	.33	.40	.14	90.	.40		:	:	:	:	:	.01	.01	.03	•	11	:	:	:	:	:	:		:	•	1.53	18.80	
Brixton	IN.	•	:	:	:		.32	•41	.14	90.	.40	•	:	:	•	•	:	:	:	•	:	.01	90.	90.	:	:	:	•		•	.01	1.47	17.10	
Brockwell Park		:	:	:	:		.40	.47	.12	$\cdot 05$.50	:	:	:	:	:	:	•03	:	:	•	60.	•	:	:	•	•	• (.13	.03		1.81	20.14	
Nunhead	IN.	:	:	:		:	.34	.36	60.	.03	.37		:	:	:	•	•	•		.01	•	.07	:	.01	:	•	•	:	•	•	:	1.28	13.62	
Eltham	IN.	.03	:	:	•	•	.42	·45	.18	80.	.42	•	:	:	:	:	:	:	·0	.01	.01	80.	.03	.10	:	:	:	•	:	:	.03	1.83	19.48	
Greenhith e	IN.	:	:	:	:	:	.25	.25	.04	•	.24		:	:	:	:	:	:	•	:	:	90.	:	:	:	:	:	:	•		.03	.87	11.06	
Dartford	IN.	.03	:	•	:	:	•39	.28	.13	80.	.38		:	•	:	:	:	:	:	.03	•	.04	90.	$\cdot 05$:	:	:	:	:		•	1.47	16.89 11.06	
-gnimliW not	IN.	0.0	:	:	:	:	•44	.35	.11	60.	.40	:	:	:	:	:	:	•	:	•	:	90.	:	•04	:	:	:	•	•	:	•	1.53	17.66	
quobis	IN.	.03	:	:	:	.02	.37	.33	.15	90.	.41	:	.01	•	.01	.01	:	.01	.01	:	:	80.	$\cdot 05$.05	:	:	:	:	•	:	.03	1.59	19.28	
Forest Hill (S&VWC)	IN.	.01	:	:	:	.02	.35	.40	.15	.07	.37		:	.02	.01	.01		.01	.01	.01	:	60.		.12	:	:	:	•	:	.03	.01	1.65	18.14 18.30	
Forest Hill (Dartm.rd.)		:	:	:		.00	20.	.69	.16		•44			:	:	:		.02	.01	.01	:	90.	:	•18	:	:	:	:			:	1.59	18.14	
U. Norwood Fox H.Gs.)	1 2												٠.1	AH(3 .	н	X'	ін	LN	010	[1.59	19.30	
Dul.W.Pk.)	N X	.02					.39	2 6.	4	90	.39		:	•	:	•		.03	.01	.02		.07		.12	:	:		•				1.57	3.34	

NOTES.

(November, 1904.)

u frosts occurred on many days oughout the district. The rainfall niral butterfly was seen at Ockley the 10th, and numerous plants were e till the end of the month was The snow varied from one a to two inches in depth. A sunobserved in most places in the e of the month was about 2° below 1, at Croydon (Duppas House) 41°-8, Chipstead 41°-7, at Warlingham irs of sunlight, which is 14.3 hours six per cent. above the November he month has been cold and dry, extremely foggy, from the 11th to 19th. The month has been unlthy, scarlet fever and influenza e been prevalent, with many cases diphtheria in places. A fine Red w fell on the 22nd and 23rd throughthe district, and the cold from that ar was seen at Epsom at 7.45 a.m. the 22nd. On the 24th a solar halo rict. Splendid sunsets were seen Abinger on the 13th and 14th, and ied from one-half to one-quarter ow the average. The mean temperaaverage, and was at Wallington ere were recorded at Wallington 65.3 rage of the fifteen years 1886-1900. lower at Nutfield up to the 22nd. 5, and at Worcester Park 410.4.

F.R. Met. Soc., Hon. Sec. F. CAMPBELL-BAYARD,

The figures in this row give the totals for the month.

The server meres (1817 1000)

The totals from January 1st.

December 1904

Daily

Day of Mo.

December, 1904

ins.

1.84

is.

December

stead Sander-(Place Fell) Kenley 26. (Hazelea) 25.79 Kenley 32 -gailing-30. E Chelsham 25.35 86 S Sevenoaks Park Chevening E (tower ga.) Knockholt (feld gau.) Knockholt (nwoT) Westerham (Hill Est.) Westerham Z Caterham E Chaldon E Chipstead Cottage RECORD CEASED. Harp's Oak Gatton Opper ReigateHill E Buckland (newgauge) Nutfield (old gauge) Mutfield (Linkfd.la.) Redhill (Denbies) 28. Dorking The Hall) Abinger 28. (Rectory) 28.65 Abinger 93 St. Mary Holmbury

The figures in this row give the totals for the month.

The totals from January 1st

pesq Leather-

Hedley

Heath

Burgh

Day of Mo.

00

sixty years

The

December, 1904.

ins.

IliH mad Farning-

The i

30

28.

07 66

29:

22.69notgniqro Z 23.91 24.72 Wickham West 50 80 (Pump. St.) Addington 26.34 0.5 (Park Fm.) notgaibbA Hills Addington (Avond rd.) 26.20 Croydon (.br.nddsk) 6 Croydon (Park Hill) Croydon (.br.lmbW) Croydon Ġ 21 22.56 (Dup. H.) Croydon (.b1.N.nW) Croydon 23 2.12 02 20.81 (Brim. Bn.) Croydon 037 ton Bedding-34 notgaillsW R 2.19 28 Carshalton Benhilton 21 22.88 42 (Sew.Wks.) notive 23.13 2.27 (Waterwk.) noting 26.49 84 Ranstead R Š 23.02 HodexO R 24.68 Сраѕе D'Abernon 24.85 2.69

::

0

R Southfleet Day of Mo.

The

month

give the totals for

The figures in this row

December, 1904. ins. 1.84 S. for December Greenwich at average (1841-1900)years

Norwood 20. West Streatham Common 113 :0 53 50 Wandswth. 20.69 Heath Putney 73 89 Richmond 20. 2.44 21.51(.Hytanoo) Kingston 39 22.21Kingston (Sew.Wks.) .01 .01 .01 .01 .01 .01 notidiu2 3 20.841.97 Molesey West 19.76 2.03Esper 96.02 2.21 Park Worcester Ralden Ralden 2.06 WeW 551.97 Raynes Park 20. (IlimbniW) \(\frac{\pi}{2}\) Wimbledon (TheDowns) Wimbledon 20 86 (Sew.Wks.) Wimbledon 22.16 2.21 Corner Reddington Norwood Routh 21.71 2.55 E Beckenham .03 22.35 Common Bromley 21.64E Bromley 2.48 22.41 81 33 Chislehurst 200 20.08

give the totals for the month The figures in this row

The totais from January 1st

(1) Ш HON

December, 1904.

Park

E Deptford

Hill

Southwark

Greenwich

Telegraph

(S&VWC) Battersea

Battersea Park

Clapham Park

Park Brockwell

Z Nunhead

E Greenhithe

Dartford

not -gaimliW

Forest Hill (S&VWC)

Forest Hill

S (Dartm.rd.)

Fox H.Gs.)

U. Morwood (Dul.W.Pk.)

Day of Mo.

guobis R

069 01 01 01 01

80

.32 .07 .03

.22 .04 .11

01 26

There Verv loggy, and with a rainfall above the average. The most foggy portion was between the 19th and 27th. Owing to colds and influenza being very prevaent, and in several places there were Croydon on the 7th, at Wallington on the 8th and at Upper Gatton and Greenwich Solar halos were seen at Greenwich and Epsom on the 5th and 11th, and at Upper Gatton on the Greenwich on the 15th, at Epsom on the 19th, and at Wallington on the 17th. Lightning was seen at Greenwich, Epsom, and Upper Gatton on the 7th. The rainfall varies from the average to about half an inch over the The mean temperature is about 10.8 above the average, and was at Wallington 40°-8, at Croydon and Warlingham 40°.6, at Worcester Park were recorded at Wallington 34.9 hours or two average the frequent changes in temperature the month has been an unhealthy one 11th; whilst a lunar one was seen a has been warm, many cases of diphtheria and of sunlight, which is 4 hours 40°.4, and at Chipstead 39°.8. The month on the lith. Snow Nutfield and Ratton, and average. ever.

2000

23

32 03 02

.03

31

40

283

.45 01

34

39

.29 02 02 .04

MONTHLY REPORT.

033

:8000

90.

0.1

: :

0

0.5

03

:08

F.R. Met. Soc., Hon. Sec. CAMPBELL-BAYARD,

> 5 17

> 18.83

20.66

20.38

14.88

20.86

20.78

20.55

22.66

15.58

12

22. 12.60

18.95

19.93

20.46

53 2.39

20. 2.63 21.92

21.63

2.29

2.06

2.27

53 21.81

2.25

020

0.1

010

0.04

04

02

0.1

010

020

:

: .01

.0

APPENDIX II.

FALLS OF 1 INCH AND UPWARDS.

January 27th.—Upper Gatton 1.06 in.; Chipstead 1.03 in. January 30th.—Banstead 1.08 in.; Warlingham 1.04 in.; Kenley (Place Fell) 1.02 in.

May 26тн.—Holmbury St. Mary 1.35 in.


July 25th—Greenwich 1.55 in.; Southwark Park 1.38 in.; Deptford 1.31 in.; Telegraph Hill 1.30 in.; Sidcup 1.27 in.; Eltham 1.20 in.; Nunhead 1.09 in.


July 27th.—Greenhithe 1.00 in.

August 31st. — Brockwell Park 1.03 in.; West Wickham 1.02 in.; South Norwood 1.01 in.; Croydon (Waddon New Road), Croydon (Windmill Road), Croydon (Ashburton Road), and Addington (Park Farm) 1.00 in.

OCTOBER 6TH.—Nutfield (old gauge and new gauge) 1.22 in.
DECEMBER 6TH.—Wandsworth Common 1.08 in.; Brockwell
Park 1.07 in.; Kingston (Sewage Works and County Hall),
1.05 in.; Knockholt (field gauge) and New Malden 1.02 in.;
Surbiton 1.01 in.; Hedley 1.00 in.

PRESENTED 15 AUG.1906





CONTENTS.

PROCEEDINGS.	PAGE
Thirty-fifth Annual Meetingx	xxvii
Sectional Committees xx	xxviii
	xxxix
President's Address	xli
British Association: Delegate's Report	xlv
Summary of Proceedings (Excursions; Evening Meetings) Reports of Sectional Committees for 1904 (Botanical; Micro-	xlv
scopical; Geological; Museum	$\frac{1}{2}$
Members elected, 1904	lviii
Donations, &c., to the Library, 1904	lix
Treasurer's Balance Sheet	xl
TRANSACTIONS.	
Note on Bronze Palstave found at Warlingham. By C. H.	
GOODMAN. (With Plate.) Notes on the New Cross Cutting (L. B. & S. C. R.). By N. F.	59
Notes on the New Cross Cutting (L. B. & S. C. R.). By N. F.	0.4
ROBARTS, F.G.S. Notes on the Polariscope presented by the President. By J. H.	61
Notes on the Polariscope presented by the President. By J. H.	67
BALDOCK, F.C.S. Some Surrey Wells. (Fourth Paper.) By W. WHITAKER, B.A.,	01
F.R.S.	71
Description of some Fossils from a Croydon Garden. By	
George J. Hinde, Ph. D., F.R.S. (Plates I. and II.) Notes on Bermondsey Abbey. By N. F. Robarts, F.G.S. (With	87
Notes on Bermondsey Abbey. By N. F. ROBARTS, F.G.S. (With	
Plate.)	95
Economy of Growing Canadian Poplars upon Waste Lands for	
the Manufacture of Paper. By WILLIAM F. STANLEY,	107
F.G.S. Notes on a Section of Woolwich and Reading Beds, New Cross	107
Gate. By N. F. Robarts, F.G.S.	111
Report of the Meteorological Committee, 1904. Prepared by the	
Hon. Sec., Francis Campbell-Bayard, F.R. Met. Soc	115
And the second s	

Croydon Hatural Pistory and Scientific Society.

OFFICERS FOR 1905.

President.—W. F. Stanley, F.G.S., F.R.A.S.

Vice-Presidents.—F. CAMPBELL-BAYARD, LL.M., F.R. Met. Soc.;

Dr. H. Franklin Parsons, F.G.S.; W. Whitaker, F.R.S., F.G.S.

Hon. Curator.—N. F. Robarts, F.G.S. Hon. Lanternist.—J. H. Baldock, F.C.S.

Hon. Librarian.—Alfred Roods.

Hon. Treasurer .-- F. J. Townend, 11, Park Hill Rise, Croydon.

Council.—R. W. Brant; J. Edmund Clark, B.A., B.Sc., F.G.S.; T. F. Clarke; H. T. Mennell, F.L.S.; Dr. T. A. Dukes, B.Sc.; Dr.

H. C. Male; T. K. F. Page.

Hon. Secretary.—Geo. W. Moore, 15, Dornton Road, South Croydon.

